


# PRODUCT CATALOG





AND HANDLES	PG 4	BRUSHES	PG 29
Professional Series Floor Brushes	6	Deck Brushes	30
Professional Series Garage Brushes	12	Scrub Brushes	32
Strip Brushes	14	Scrub Brushes with Handles	34
Street Brooms	15		
Handles and Accessories	17	4   FLOOR AND DRIVEWAY SQUEEGEES	PG 35
2   CONCRETE FINISHING, MASC AND ASPHALT BRUSHES		Floor and Driveway Squeegees Non-Sparking	36
Concrete Finishing Roofing Masonry	22 25 26	5   JANITORIAL, CLEANING & FOOD SERVICE	PG 41
Blacktop & Sealcoat Applicators	27	Cornbrooms	42
Blacktop Applicators	27	Household Brooms	44
Sealcoat & Asphalt Applicators	28	Counter Dusters	46
ocarocat a nopriate rippireators		Dust Pans	48
		Household/Misc Items	48
		Toilet Bowl Brushes & Mops	51

Industrial Wet Mops

51



5   JANITORIAL CONTINUED		7   WIRE BRUSHES	PG 75
Wet Mop Handles Deck Mops	52 53	General Purpose Wire Scratch Brushes	76
Mop Buckets Hot-Dipped Galvanized Pails, Tubs, Cans	53 54	8   PAINT SUNDRY	PG 79
Dust Mops, Frames & Handles	55	Water Paint Paste White Wash	80
Dust Mop Handles	56	Paint Brushes	82
Wax Applicators & Handles	57	Roller Covers	84
Food Service	58	Roller Frames	86
Window Brushes	59	Paint Trays And Accessories	88
Window Squeegees	60	Sponges	89
		Wallpaper Texture	89
6   VEHICLE WASH		Crowsfoot Brushes	90
AND AUTOMOTIVE	PG 61		
Vehicle Wash Brushes	62	9   OTHER	DC 04
Sidewall Brushes	65	INFORMATION	PG 91
Fender and Utility Brushes	66	Brush Fiber Information	93
Automotive/Detail Brushes	69	Product Index	92
Automotive Parts and Spoke	71	Notes	94
Automotive Squeegees	72		
Automotive Miscellaneous	73		

#### Dear Valued Customer:

Magnolia Brush Manufacturers, Ltd., now offers you two convenient ways to find information on our extensive product lines. Whether browsing our print catalog or visiting us online at www.magnoliabrush.com, you will find item numbers, pictures, and descriptions at your fingertips. Our website also offers the most up-to-date information, news, and events. As The Choice of the Professional since 1907, we proudly manufacture quality brooms and brushes for the professional tradesman.


Our commitment to quality craftsmanship began in 1907 in Houston, Texas, under the name Houston Brush Company. In 1918, the factory was moved to Dallas, Texas, and became known as Magnolia Brush Manufacturing Co., and began producing corn brooms, shoeshine brushes, GI scrub brushes, and horse brushes for the U.S. Army under a government contract.

In 1953, the company moved to its current location in Clarksville, Texas, becoming the first corporate industry in the area. Today, the company occupies more than 100,000 square feet of floor space and manufactures over 500 different items. Sales continue to grow and distribution is made in all 50 states of the U.S.A. and in some foreign countries.

Since its beginning, Magnolia Brush has been successful in achieving the goal of continued growth and profitability. The company's commitment to employee safety, product quality, competitive pricing, and superior customer service has allowed such success. We will continue to uphold our reputation as a leader in the industry by honoring this commitment.

Sincerely,

Magnolia Brush Manufacturers, Ltd. 800-248-2261 WWW.MAGNOLIABRUSH.COM









**PAGE 17** 

HANDLES AND ACCESSORIES

### PROFESSIONAL SERIES FLOOR BRUSHES

Built to perform, built to last. Constructed of only the highest quality available Natural and/or Synthetic filaments and staple set into clear lacquered select hardwood half round or plastic blocks. Many are available in 3 Series, (Pro-Threaded, FX, and A-Line), packed in individual cartons and available with or without hardware and handles.

#### Light Green Flagged Tip Polystyrene

**Recommended Use:** Dry sweeping finest dust or grit on smooth floors. **CAUTION** DO NOT USE WITH OIL BASE SWEEPING COMPOUND.

Handle Type	Brush Width (in)	Trim Length (in)	Block Material	Carton Wt. (lbs)	Carton Qty.	Includes Handle	Includes Brace
Threaded	18	4	Wood	40	12	M-60	No
Threaded	24	4	Wood	45	12	M-60	No
uires D-60 h	andle and	99 brace s	sold on pag	ge 20			
A-Line	18	4	Wood	28	12	No	No
A-Line	24	4	Wood	35	12	No	No
A-Line	36	4	Wood	56	6	No	No
	Type Threaded Threaded Juires D-60 h A-Line A-Line	Handle Type Width (in)  Threaded 18  Threaded 24  Juires D-60 handle and A-Line 18  A-Line 24	Handle Type Width (in) Length (in)  Threaded 18 4  Threaded 24 4  ruires D-60 handle and 99 brace s A-Line 18 4  A-Line 24 4	Handle TypeWidth (in)Length (in)Block MaterialThreaded184WoodThreaded244Woodduires D-60 handle and 99 brace sold on page A-Line184WoodA-Line244Wood	Handle Type (in) Length (in) Block (lbs)  Threaded 18 4 Wood 40  Threaded 24 4 Wood 45  ruires D-60 handle and 99 brace sold on page 20  A-Line 18 4 Wood 28  A-Line 24 4 Wood 35	Handle Type         Width (in)         Length (in)         Block Material (lbs)         Wt. (lbs)         Carton Qty.           Threaded         18         4         Wood         40         12           Threaded         24         4         Wood         45         12           ruires D-60 handle and 99 brace sold on page 20           A-Line         18         4         Wood         28         12           A-Line         24         4         Wood         35         12	Handle Type         Width (in)         Length (in)         Block Material (lbs)         Wt. (lbs)         Carton Qty.         Includes Handle           Threaded         18         4         Wood         40         12         M-60           Threaded         24         4         Wood         45         12         M-60           ruires D-60 handle and 99 brace sold on page 20           A-Line         18         4         Wood         28         12         No           A-Line         24         4         Wood         35         12         No



#### 100% Black Horsehair

**Recommended Use:** For sweeping smooth, dry floors, such as tile, linoleum, terrazzo, waxed and polished wood floors, etc.

718	Threaded	18	3	Wood	37	12	M-60	No
724	Threaded	24	3	Wood	41	12	M-60	No
736	Threaded	36	3	Wood	31	6	M-60	Yes
724-PB	Threaded	24	3	Plastic	26	12	No	No



#### Black Polypropylene and Horsehair Mixture

**Recommended Use:** For sweeping smooth, dry floors, such as tile, linoleum, terrazzo, waxed and polished wood floors, etc.

712-X	Threaded	12	3	Wood	14 1/2	12	No	No
718-X	Threaded	18	3	Wood	37	12	M-60	No
724-X	Threaded	24	3	Wood	41	12	M-60	No
724-X-PB	Threaded	24	3	Plastic	28	12	No	No



(724-PB)

#### Dark Grey Mixture of Horsehair and Tampico

**Recommended Use:** For dry sweeping smooth concrete floors, wood, tile, etc.

818	Threaded	18	3	Wood	37	12	M-60	No
824	Threaded	24	3	Wood	41	12	M-60	No
836	Threaded	36	3	Wood	31	6	M-60	Yes



NOTE: To order without handles, add "LH" behind Item ID when ordering.

800-248-2261 WWW.MAGNOLIABRUSH.COM

## Selected Black Tampico Center/ Black Polystyrene and Horsehair Mixture Border

**Recommended Use:** For sweeping smooth concrete floors, wood, tile, etc.

Item ID	Handle Type	Brush Width (in)	Trim Length (in)	Block Material	Carton Wt. (lbs)	Carton Qty.	Includes Handle	Includes Brace
918-X	Threaded	18	3	Wood	37	12	M-60	No
924-X	Threaded	24	3	Wood	41	12	M-60	No
930-X	Threaded	30	3	Wood	27 1/2	6	M-60	Yes



**Recommended Use:** For dry sweeping semi-smooth floors.

1012	Threaded	12	3	Wood	15	12	No	No
1014	Threaded	14	3	Wood	30	12	M-60	No
1016	Threaded	16	3	Wood	32	12	M-60	No
1018	Threaded	18	3	Wood	37	12	M-60	No
1024	Threaded	24	3	Wood	42	12	M-60	No
1030	Threaded	30	3	Wood	27 1/2	6	M-60	Yes
1036	Threaded	36	3	Wood	31	6	M-60	Yes
1818	Threaded	18	2 1/2	Wood	34	12	A-60	No
1824	Threaded	24	2 1/2	Wood	41	12	A-60	No
A-Line re	equires D-60 L	oolt on styl	e handle c	and 99 brad	ce sold on	page 20		
1018-A	A-Line	18	3	Wood	24	12	No	No
1024-A	A-Line	24	3	Wood	30	12	No	No
1036-A	A-Line	36	3	Wood	28	6	No	No
Economy	y Line- handle	and brace	e sold sep	arately				
1018-SL	Threaded	18	3	Wood	22	12	No	No
1024-SL	Threaded	24	3	Wood	29	12	No	No
1036-SL	Threaded	36	3	Wood	22	6	No	No

#### Coarse Brown Polystyrene Center/Black Polystyrene Border

**Recommended Use:** For wet or dry sweeping. The coarse plastic bristles in the center rows sweep the heavy debris while the finer plastic on the border sweep the finer dirt. Good on rough or smooth concrete, asphalt, wood, etc.

1118	Threaded	18	3	Wood	37	12	M-60	No
1124	Threaded	24	3	Wood	41	12	M-60	No
1136	Threaded	36	3	Wood	27 1/2	6	M-60	Yes
A-Line re	equires D-60 b	oolt on style	e handle a	nd 99 brac	e sold on p	page 20		
1118-A	A-Line	18	3	Wood	24	12	No	No
1124-A	A-Line	24	3	Wood	30	12	No	No
1130-A	A-Line	30	3	Wood	23	6	No	No
1136-A	A-Line	36	3	Wood	28	6	No	No



(924-X



(1024)



(1124)



Eliminate handle breakage with the FX Line. FX-60 handle will flex instead of break.



#### Floor Brushes and Handles

### PROFESSIONAL SERIES FLOOR BRUSHES

#### Yellow Polystyrene

**Recommended Use:** For wet or dry sweeping. This floor brush comes the closest to being the all-around floor brush. It will sweep fine dust or coarse debris.

Item ID	Handle Type	Brush Width (in)	Trim Length (in)	Block Material	Carton Wt. (lbs)	Carton Qty.	Includes Handle	Includes Brace
1918	Threaded	18	3	Wood	37	12	M-60	No
1924	Threaded	24	3	Wood	41	12	M-60	No
1930	Threaded	30	3	Wood	55	6	M-60	Yes
1936	Threaded	36	3	Wood	31	6	M-60	Yes
A-Line red	quires D-60 b	olt on style	handle ar	nd 99 brace	e sold on p	age 20		
1924-A	A-Line	24	3	Wood	30	12	No	No
1930-A	A-Line	30	3	Wood	23	6	No	No



(1924)

#### **Black Polypropylene**

**Recommended Use:** For wet or dry sweeping rough or semi-smooth concrete, wood, asphalt, etc.

2016	Threaded	16	3	Wood	32	12	M-60	No
2018	Threaded	18	3	Wood	37	12	M-60	No
2024	Threaded	24	3	Wood	42	12	M-60	No
2030	Threaded	30	3	Wood	27 1/2	6	M-60	Yes
2036	Threaded	36	3	Wood	31	6	M-60	Yes
2018-PB	Threaded	18	3	Plastic	37	12	M-60	No
2024-PB	Threaded	24	3	Plastic	41	12	M-60	No
A-Line red	quires D-60 b	olt on style	handle ar	nd 99 brace	e sold on p	age 20		
2018-A	A-Line	18	3	Wood	24	12	No	No
2024-A	A-Line	24	3	Wood	30	12	No	No
FX Series	requires FX-6	60 handle s	sold on pa	ge 20				
2018-FX	Flex	18	3	Wood	24	12	No	No
2024-FX	Flex	24	3	Wood	28	12	No	No
2036-FX	Flex	36	3	Wood	25	6	No	No
Economy	Series – bulk	packed pr	ice does n	ot include	handle			
2018-SL	Threaded	18	3	Wood	27	12	No	No
2024-SL	Threaded	24	3	Wood	28	12	No	No



(2024)

#### Black Horsehair and Polypropylene Border/ **Black Polypropylene Center**

**Recommended Use:** For wet or dry sweeping. This brush will sweep fine or coarse debris on all types of surfaces.

2618	Threaded	18	3	Wood	37	12	M-60	No
2624	Threaded	24	3	Wood	47	12	M-60	No
2630	Threaded	30	3	Wood	28	6	M-60	Yes
2636	Threaded	36	3	Wood	31	6	M-60	Yes
A-Line red	quires D-60 b	olt on style	e handle ar	nd 99 brace	e sold on p	age 20		
2618-A	A-Line	18	3	Wood	24	12	No	No
2624-A	A-Line	24	3	Wood	30	12	No	No



(2624)

800-248-2261 WWW.MAGNOLIABRUSH.COM

#### 100% Grey Horsehair

**Recommended Use:** This floor brush was designed especially for concrete finishers work. Very light in weight, long handle and soft horsehair make it the ideal tool for finishing concrete. Also for sweeping fine particles on smooth floors.

Item ID	Handle Type	Brush Width (in)	Trim Length (in)	Block Material	Carton Wt. (lbs)	Carton Qty.	Includes Handle	Includes Brace
2912	Threaded	12	2 1/2	Wood	14	12	No	No
2914	Threaded	14	2 1/2	Wood	30	12	M-72	No
2918	Threaded	18	2 1/2	Wood	37	12	M-72	No
2924	Threaded	24	2 1/2	Wood	47	12	M-72	No
2930	Threaded	30	2 1/2	Wood	27 1/2	6	M-72	Yes
2936	Threaded	36	2 1/2	Wood	31	6	M-72	Yes
2924-PB	Threaded	24	2 1/2	Plastic	26	12	No	No




#### Coarse Brown Polystyrene Center/ Silver Flagged Tip Polystyrene Border

**Recommended Use:** The coarse plastic center rows sweep the coarse dirt while the fine flagged-tip plastic sweeps the fine dust and dirt. For dry sweeping smooth or rough floors that have heavy dust and dirt accumulations. NOT FOR USE WITH OIL BASED SWEEPING COMPOUNDS.

3518	Threaded	18	3	Wood	36	12	M-60	No
3524	Threaded	24	3	Wood	48	12	M-60	No
3530	Threaded	30	3	Wood	30	6	M-60	Yes
3536	Threaded	36	3	Wood	35	6	M-60	Yes
A-Line re	equires D-60 b	oolt on style	e handle a	ınd 99 brac	e sold on p	page 20		
3518-A	A-Line	18	3	Wood	24	12	No	No
3524-A	A-Line	24	3	Wood	35	12	No	No
3530-A	A-Line	30	3	Wood	23	6	No	No



(3524)



- 1) No. D60 Handle (see page 20)
- 2 Red Connector (see page 20)
- (3) **No. 99 Brace** (see page 20)
- 4 No. 98 Scraper (see page 20)



### PROFESSIONAL SERIES FLOOR BRUSHES

#### Silver Flagged Tip Polystyrene

**Recommended Use:** For sweeping smooth, highly polished floors, varnished wood or smooth concrete. Will sweep finest dust or grit.

**CAUTION** DO NOT USE WITH OIL BASE SWEEPING COMPOUND.

Item ID	Handle Type	Brush Width (in)	Trim Length (in)	Block Material	Carton Wt. (lbs)	Carton Qty.	Includes Handle	Includes Brace
3714	Threaded	14	3	Wood	31	12	M-60	No
3718	Threaded	18	3	Wood	36	12	M-60	No
3724	Threaded	24	3	Wood	38	12	M-60	No
3730	Threaded	30	3	Wood	27 1/2	6	M-60	Yes
3736	Threaded	36	3	Wood	31	6	M-60	Yes
3718-PB	Threaded	18	3	Plastic	32	12	M-60	No
3724-PB	Threaded	24	3	Plastic	41	12	M-60	No
A-Line req	uires D-60 b	olt on style	handle an	nd 99 brace	sold on p	age 20		
3718-A	A-Line	18	3	Wood	24	12	No	No
3724-A	A-Line	24	3	Wood	30	12	No	No
3730-A	A-Line	30	3	Wood	23	6	No	No
3736-A	A-Line	36	3	Wood	28	6	No	No
3742-A	A-Line	42	3	Wood	18	4	No	No
FX Series	requires FX-6	60 handle s	sold on pa	ge 20				
3718-FX	Flex	18	3	Wood	24	12	No	No
3724-FX	Flex	24	3	Wood	25	12	No	No
3736-FX	Flex	36	3	Wood	25	6	No	No
Economy	Version – bul	k packed p	orice does	not include	handle			
3718-SL	Threaded	24	3	Wood	22	12	No	No
3724-SL	Threaded	24	3	Wood	23	12	No	No





#### Dark Red Coarse Plastic Mixed with Fine Black Plastic

**Recommended Use:** An all-around brush for sweeping concrete, wood, asphalt composition, etc. Coarse plastic sweeps heavy dirt, fine plastic sweeps fine dirt.

5618	Threaded	18	3	Wood	37	12	M-60	No
5624	Threaded	24	3	Wood	41	12	M-60	No
5630	Threaded	30	3	Wood	27 1/2	6	M-60	Yes
5636	Threaded	36	3	Wood	31	6	M-60	Yes
A-Line red	quires D-60 b	olt on sty	le handle	and 99 brace	e sold on p	page 20		
5618-A	A-Line	18	3	Wood	24	12	No	No
5624-A	A-Line	24	3	Wood	29	12	No	No



(5624)



#### **ECONOMY PET LINE FLOOR AND GARAGE BRUSHES**

Fiber is staple set in a lacquered hardwood block.

#### Grey Flagged PET Outer Rows/ Medium Gauge PET Inner Rows - Floor Brush

Item ID	Handle Type	Brush Width (in)	Trim Length (in)	Block Material	Carton Wt. (lbs)	Carton Qty.	Includes Handle	Includes Brace
3818-SL	Threaded	18	3	Wood	27	12	No	No
3824-SL	Threaded	24	3	Wood	30	12	No	No
3836-SL	Threaded	36	3	Wood	23	6	No	No

Accepts either the 97 or 99-SL handle brace sold on page 20

#### **Green Flagged PET – Floor Brush**

3918-SL	Threaded	18	3	Wood	27	12	No	No
3924-SL	Threaded	24	3	Wood	30	12	No	No
3936-SL	Threaded	36	3	Wood	23	6	No	No

Accepts either the 97 or 99-SL handle brace sold on page 20

#### **Brown PET Filament – Garage Brush**

2218-SL	Threaded	18	3	Wood	24	12	No	No
2224-SL	Threaded	24	3	Wood	30	12	No	No
2236-SL	Threaded	36	3	Wood	23	6	No	No

Accepts either the 97 or 99-SL handle brace sold on page 20



### PROFESSIONAL SERIES GARAGE BRUSHES

Magnolia Quality Garage Brushes are staple set in a clear lacquered hardwood or plastic blocks. Made from the highest quality material available Magnolia garage brushes are build to last. Packed in individual cartons.

#### Polypalm Plastic

**Recommended Use:** For wet or dry sweeping rough concrete or asphalt floors such as creamery and packing house floors. Will not soften when exposed to water, oils or grease.

Item ID	Handle Type	Brush Width (in)	Trim Length (in)	Block Material	Carton Wt. (lbs)	Carton Qty.	Includes Handle	Includes Brace
1218	Threaded	18	4	Wood	45	12	B-60	No
1224	Threaded	24	4	Wood	49	12	B-60	No
1230	Threaded	30	4	Wood	30	6	B-60	Yes
1236	Threaded	36	4	Wood	36	6	B-60	Yes



#### (1224)

#### Prime Stiff Palmyra

**Recommended Use:** For wet or dry sweeping under rough conditions such as wet and greasy concrete floor, packing houses, construction sites, etc.

1416	Threaded	16	4	Wood	38	12	B-60	No
1418	Threaded	18	4	Wood	43	12	B-60	No
1424	Threaded	24	4	Wood	50	12	B-60	No
1430	Threaded	30	4	Wood	30	6	B-60	Yes
1436	Threaded	36	4	Wood	36	6	B-60	Yes
A-Line red	quires D-60 h	andle and	99 brace :	sold on pag	ge 20			
1418-A	A-Line	18	4	Wood	24	12	No	No
1424-A	A-Line	24	4	Wood	30	12	No	No
1436-A	A-Line	36	4	Wood	25	6	No	No
Economy	Version of ab	ove, bulk p	packed.					
1418-SL	Threaded	18	4	Wood	34	12	A-60	No
1424-SL	Threaded	24	4	Wood	43	12	A-60	No
1430-SL	Threaded	30	4	Wood	42	12	A-60	No
1436-SL	Threaded	36	4	Wood	54	12	A-60	No



#### Black Horsehair and Plastic Mix Border/ Steel wire and Black Tampico Center

**Recommended Use:** For dry sweeping rough or smooth concrete and asphalt paved floors such as machine shops and parking lots.

1718	Threaded	18	3	Wood	41	12	B-60	No		
1724	Threaded	24	3	Wood	48	12	B-60	No		
1736	Threaded	36	3	Wood	30	6	B-60	Yes		
A-Line requires D-60 handle and 99 brace sold on page 20										
1718-A	A-Line	18	3	Wood	24	12	No	No		
1724-A	A-Line	24	3	Wood	30	12	No	No		



NOTE: To order without handles, add "LH" behind Item ID when ordering.

800-248-2261 WWW.MAGNOLIABRUSH.COM

#### All Steel Wire Center with Black Tampico Border

**Recommended Use:** For dry sweeping rough or smooth concrete and asphalt paved floors such as machine shops and parking lots.

Item ID	Handle Type	Brush Width (in)	Trim Length (in)	Block Material	Carton Wt. (lbs)	Carton Qty.	Includes Handle	Includes Brace
1718-W	Threaded	18	3	Wood	45	12	B-60	No
1724-W	Threaded	24	3	Wood	54	12	B-60	No
A-Line red	quires D-60 h	andle and	99 brace s	sold on pag	e 20			
1724-AW	A-Line	24	3	Wood	36 1/2	12	No	No

(1724-W)

#### Coarse Brown Polystyrene

**Recommended Use:** For wet or dry sweeping rough concrete or asphalt floors such as driveways, construction sites, etc. Will not soften when exposed to water, oils or greases.

2216	Threaded	16	3	Wood	40	12	B-60	No
2218	Threaded	18	3	Wood	45	12	B-60	No
2224	Threaded	24	3	Wood	54	12	B-60	No
2230	Threaded	30	3	Wood	32 1/2	6	B-60	Yes
2236	Threaded	36	3	Wood	37 1/2	6	B-60	Yes
2218-PB	Threaded	18	3	Plastic	40	12	B-60	No
2224-PB	Threaded	24	3	Plastic	45	12	B-60	No
A-Line req	uires D-60 h	andle and	99 brace s	sold on pag	ge 20			
2218-A	A-Line	18	3	Wood	24	12	No	No
2224-A	A-Line	24	3	Wood	30	12	No	No
2230-A	A-Line	30	3	Wood	23	6	No	No
2236-A	A-Line	36	3	Wood	28	6	No	No
2242-A	A-Line	42	3	Wood	20	4	No	No
FX Series	requires FX-6	60 handle s	sold on pa	ge 20				
2218-FX	Flex	18	3	Wood	27	12	No	No
2224-FX	Flex	24	3	Wood	36	12	No	No
2236-FX	Flex	36	3	Wood	29	6	No	No



(2224)

#### Stiff Black Polypropylene

**Recommended Use:** For wet or dry sweeping rough concrete or asphalt floors, such as in construction industry, parking garages, grain elevators, etc. Will not soften when exposed to water, oils or greases.

2418	Threaded	18	4	Wood	48	12	B-60	No
2424	Threaded	24	4	Wood	54	12	B-60	No
A-Line re	equires D-60 l	nandle and	d 99 brace	sold on pa	ge 20			
2418-A	A-Line	18	4	Wood	24	12	No	No
2424-A	A-Line	24	4	Wood	30	12	No	No



(2424)



#### Floor Brushes and Handles

### PROFESSIONAL SERIES GARAGE BRUSHES

#### Stiff Green Polypropylene

**Recommended Use:** For wet or dry sweeping rough concrete or asphalt floors, such as in construction industry, parking garages, grain elevators, etc. Will not soften when exposed to water, oils or greases.

Item ID	Handle Type	Brush Width (in)	Trim Length (in)	Block Material	Carton Wt. (lbs)	Carton Qty.	Includes Handle	Includes Brace
5518	Threaded	18	3 3/4	Wood	45	12	B-60	No
5524	Threaded	24	3 3/4	Wood	54	12	B-60	No
FX Series	requires FX-6	60 handle :	sold on pa	ge 20				
5518-FX	Flex	18	3 3/4	Wood	27	12	No	No
5524-FX	Flex	24	3 3/4	Wood	36	12	No	No
5536-FX	Flex	36	3 3/4	Wood	27	6	No	No



(5524)

#### Floor Brushes and Handles

### STRIP BRUSHES

Strip Brushes contain synthetic fiber locked in a heavy gauge rust resistant steel channel. Bolt-on steel handle (SB-60) adds to durability. Lightweight and easy to use with the efficiency of a regular broom for indoor or outdoor use.

#### **Medium Stiffness**

Item ID	Description	Handle Type	Brush Width (in)	Trim Length (in)	Carton Wt. (lbs)	Carton Qty.	Includes Handle	Includes Brace
7018	Red/Black	SB-60	18	3	35	12	Yes	n/a
7024	Red/Black	SB-60	24	3	40	12	Yes	n/a

#### **Coarse Stiffness**

7218	Brown/Tan	SB-60	18	3	35	12	Yes	n/a
7224	Brown/Tan	SB-60	24	3	40	12	Yes	n/a

(77 LINE STRIP BRUSHES)



### STREET BROOMS

Magnolia Quality Street Brooms are staple set in a smooth sanded hardwood block and made from some of the highest quality material available. Built for use in rugged conditions and made to last. Durable long lasting plastic will outlast natural fiber. Will not absorb odors, mildew, rot or discolor. Will not absorb water and rinses clean. Wide flare on ends allows close sweeping to curbs. Bulk Packed.

#### Heavy Gauge White Polypropylene

**Recommended Use:** For wet or dry sweeping where a rugged broom is required on rough surfaces such as concrete or asphalt street gutters.

Item ID	Handle Type	Brush Width (in)	Trim Length (in)	Block Material	Carton Wt. (lbs)	Carton Qty.	Includes Handle	Includes Brace
1314	Tapered	14	4 1/4	Wood	14	6	No	No
1316	Tapered	16	4 1/4	Wood	15 1/2	6	No	No
1318	Tapered	18	4 1/4	Wood	17	6	No	No
1324	Tapered	24	4 1/4	Wood	20 1/2	6	No	No
A-Line red	quires D-60	handle and	d 99 brace	, sold on po	age 20			
1316-A	A-Line	16	4 1/4	Wood	15	6	No	No
1318-A	A-Line	18	4 1/4	Wood	17	6	No	No



#### Extra Stiff White Polypropylene

1316-HD Tapered 16 4 1/4 Wood 15	15 1/2 6 No No
----------------------------------	----------------

#### Heavy Gauge Blue Polypropylene

1318-B	Tapered	18	4 1/4	Wood	18 1/4	6	No	No	
1324-B	Tapered	24	4 1/4	Wood	21 1/2	6	No	No	

#### **Black Plastic (Economy Line)**

1316-BL-SL Tapered 16 5 Wood	15 1/4	6	No	No	
------------------------------	--------	---	----	----	--

#### **OSHA** Orange Polypropylene

1316-O	Tapered	16	5	Wood	15	6	No	No
1318-O	Tapered	18	5	Wood	16 1/2	6	No	No
1324-0	Tapered	24	5	Wood	20	6	No	No
FX Series r	equires FX-	60 handle	sold on po	age 20				
1316-O-FX	Flex	16	5	Wood	20	6	No	No
Economy	Version							
1316-O-SL	Tapered	16	5	Wood	17	6	No	No

#### Green Poly Hi-Vis HIGH VISIBILITY

1316-VS	Tapered	16	5	Wood	15 1/4	6	No	No	



(1318-B)

#### Floor Brushes and Handles

### STREET BROOMS

#### **Brown Polypropylene**

**Recommended Use:** For wet or dry sweeping in barns, street sweeping, highway work, etc.

Item ID	Handle Type	Brush Width (in)	Trim Length (in)	Block Material	Carton Wt. (lbs)	Carton Qty.	Includes Handle	Includes Brace
1614	Tapered	14	5	Wood	15	6	No	No
1616	Tapered	16	5	Wood	17 1/4	6	No	No
1618	Tapered	18	5	Wood	19	6	No	No
1624	Tapered	24	5	Wood	23	6	No	No

(1616-P)

#### PolyBass - Polypropylene

**Recommended Use:** For wet or dry sweeping in dairy barns, street sweeping, highway work, etc.

1616-P Tapered 16 6 1/4 Wood 17 1/4 6 No No
---

#### Blue Polystyrene – Heavy Gauge

**Recommended Use:** For wet or dry sweeping where a heavy duty broom is required such as rock or gravel spreading, roofing work and heavy farm use.

6418	Tapered	18	4 1/4	Wood	17 1/2	6	No	No
6424	Tapered	24	4 1/4	Wood	23 1/2	6	No	No
A-Line req	uires D-60 d	and 99 bra	ce sold or	page 20				
6418-A	A-Line	18	4 1/4	Wood	17 1/2	6	No	No
6424-A	A-Line	24	4 1/4	Wood	23 1/2	6	No	No
6418-FX	Flex	18	4 1/4	Wood	17 1/2	6	No	No
6424-FX	Flex	24	4 1/4	Wood	23 1/2	6	No	No



(6418)

#### Palmyra Stalk

**Recommended Use:** For wet or dry sweeping in dairy barns, street sweeping, highway work, etc.

1514-P	Tapered	14	6 1/4	Wood	17	6	No	No
1516-P	Tapered	16	6 1/4	Wood	18 1/4	6	No	No
1518-P	Tapered	18	6 1/4	Wood	19 1/2	6	No	No
1524-P	Tapered	24	6 1/4	Wood	24 1/2	6	No	No
Economy	Version							
1516-P-SL	Tapered	16	6 1/4	Wood	18 1/4	6	No	No



(1516-P)

#### **Carbon Steel Wire**

**Recommended Use:** For thorough sweeping of asphalt and concrete before applying black-top sealant and for sweeping loose pea gravel and dirt from roofs before retarring.

	3916	Tapered	16	3 3/4	Wood	23	6	No	No
--	------	---------	----	-------	------	----	---	----	----



800-248-2261 WWW.MAGNOLIABRUSH.COM



(3916)

### HANDLES AND ACCESSORIES

Magnolia Brush Handles are available in a wide variety of sizes, lengths and tip configurations to suit all types of professional applications. Handles are selected from the highest quality materials and made for a wide range of uses.

#### **WOOD HANDLES**

#### **Wood Threaded Handle**

Selected hardwood with clear lacquered finish. One end rounded and other end threaded to fit standard floor brush blocks.

Item ID	Size (ft)	Diameter (in)	Carton Wt. (lbs)	Carton Qty.
A-8	8 (in)	15/16	13/4	12**
A-12	1	15/16	2 1/4	12**
A-18	1 1/2	15/16	3 3/4	12**
A-24	2	15/16	5	12**
A-36	3	15/16	7 1/2	12**
A-48	4	15/16	10	12
A-54	4 1/2	15/16	12	12
A-60	5	15/16	13	12
A-72	6	15/16	15	12
BW-60*	5	1 1/8	19	12
BW-120*	10	1 1/8	30	12**

#### **Low-Cost Paint Roller Handles**

LC-48-12	4	15/16	10	12**
LC-60-12	5	15/16	13	12**
LC-72-12	6	15/16	15	12**
LC-48-24	4	15/16	19	24**
LC-60-24	5	15/16	25	24**
LC-72-24	6	15/16	29	24**
A-3PH	42	15/16	8 1/4	12



#### **Metal Threaded Handles**

Selected hardwood with clear lacquered finish. One end rounded and other end equipped with crimped-on metal thread to fit standard floor brush blocks.

Item ID	Size (ft)	Diameter (in)	Carton Wt. (lbs)	Carton Qty.
M-48	4	15/16	10	12
M-54	4 1/2	15/16	12	12
M-60	5	15/16	13	12
M-72	6	15/16	15	12
B-60	5	1 1/8	19	12
B-72	6	1 1/8	23	12
B-96*	8	1 1/8	31	12**
B-120*	10	1 1/8	36	12**
B-144*	12	1 1/8	23	6**

#### **Tapered Handles**

Made of No. 1 straight-grain hardwood smoothly sanded with one end rounded and other end tapered. For use with our Street Brooms or any brush that requires a tapered handle.

C-12	1	1 1/8	4	12*
C-18	1 1/2	1 1/8	6	12**
C-24	2	1 1/8	8	12**
C-36	3	1 1/8	11	12**
C-48	4	1 1/8	16	12**
C-54	4 1/2	1 1/8	18	12
C-60	5	1 1/8	19	12
C-72	6	1 1/8	22	12
C-96	8	1 1/8	28	12**
C-120	10	1 1/8	30	12**
C-144	12	1 1/8	34	6**
T-12+	1	15/16	2 1/2	12**
T-18 <sup>+</sup>	1 1/2	15/16	3 3/4	12**
T-48+	4	15/16	10	12**
T-54 <sup>+</sup>	4 1/2	15/16	11	12**
T-60+	5	15/16	13	12

<sup>&</sup>lt;sup>†</sup>Lacguered



#### Floor Brushes and Handles

### HANDLES AND ACCESSORIES

#### WOOD HANDLES (CONTINUED)

#### **Wood Handles with Acid Resistant Tip**

Selected hardwood with clear lacquered finish. One end rounded and other end equipped with U-90 unbreakable nylon tip.

Item ID	Size (ft)	Diameter (in)	Carton Wt. (lbs)	Carton Qty.
U-48	4	15/16	10	12**
U-60	5	15/16	13	12**
U-72	6	15/16	15	12**
BU-60	5	1 1/8	19	12**
BU-72	6	1 1/8	23	12**

Selected straight-grained hardwood with clear lacquered finish. One end rounded and other end equipped with No. F-93 acid-resistant glass filled nylon tip.

AF-60	5	15/16	13	12**
AF-72	6	15/16	15	12**
AF-96*	8	15/16	21	12**

Selected straight-grained hardwood with clear lacquered finish. One end rounded and other end is equipped with No. R-90 polypropylene threaded tip.

BR-60	5	1 1/8	18 1/2	12**
BR-72	6	1 1/8	22	12**
BR-96*	8	1 1/8	31	12**

<sup>\*</sup> Not lacquered

Selected straight-grained hardwood with clear lacquered finish. One end rounded and other end is equipped with K-93 polyethylene threaded tip.

AK-60	5	15/16	13	12**
AK-72	6	15/16	15	12**

#### Fiberglass Handles

One end is equipped with acid-resistant thread, other end has vinyl cap. One inch diameter handle has structural core center. Will not warp or rot. Special surfacing material prevents splintering. Non-conductive, acid resistant, meets all sanitary code requirements.

FG-60	5	1	14	12**
FG-72	6	1	17	12**
Economy Ve	rsion			
EC-FG60	5	1	14 1/4	12
EC-FG72	6	1	17 1/4	12

800-248-2261 WWW.MAGNOLIABRUSH.COM





(J-60)

#### STEEL-METAL HANDLES

#### **Plastic Coated Steel Handle**

Black vinyl coated steel handle with swivel hang up cap. Hex head acme thread metal tip made from zinc die cast.

Item ID	Size (ft)	Diameter	Carton Wt. (lbs)	Carton Qty.
J-60	5	15/16	15	12**

#### All Steel Strip Brush Handle

Zinc plated tubular steel handle with bolt-on metal connector. Plastic Coated. For use with Magnolia Brush strip brushes.

SB-60	5	15/16	19	12

#### Metal Handle — Plastic Coated

Light weight metal handle. Has a plastic hang up cap and standard plastic thread tip.

AB-30	2 1/2	7/8	3	12**
AB-48	4	7/8	4 1/2	12**

<sup>\*\*</sup>Paper wrapped banded bundle

#### FLOW-THRU HANDLES



Two piece aluminum flow-thru extension handle. 1" outer tube, 3/4" slider tube with plastic acme thread. Extends 3' to 5'. Removable plastic cut off valve. Foam handle grips provide for sure handling.

FEH-60 3-5 7/8 11 1/2 12	

#### **EXTENSION HANDLES**

#### **Turn Loc**



Steel handle with baked enamel finish featuring two-piece construction that telescopes and locks in place anywhere you choose. Freely adjustable. Comes equipped with extra strong Mylar thread.

Two section handle: 1" outer tube and 7/8" inner tube.

Turn-Loc 24	2 1/2 - 4	1	5	6
Turn-Loc 36	3 1/2 - 6 1/2	1	7	6

#### **Pro-Lock**



Aluminum extension handle styled for the professional for dependable service under heavy usage.

Three section heavy duty handle with fluted 11/4" outer tube with 11/8" and 1"slider tubes with die cast metal threaded end.

Pro-Lock 618	6 - 18	1 1/4	17	6

#### Cam-Loc



Fiberglass extension handle with twist cam lock features a two piece construction that easily locks with a twist of the wrist. Comes with a standard 3/4" acme thread made of heavy duty aluminum alloy. Safer to use around electrical hazards.

Cam-Loc 48	4 - 8	12 1/2	6
Cam-Loc 612	6 - 12	17 1/2	6

#### Pro-Handle



Professional style fiberglass and aluminum extension handle featuring a nylon collet and chuck for a strong smooth locking action. This handle is designed for the professional giving years of trouble free service.

Two section handle w/fluted 1" outer tuber and 7/8" inner tube.

Pro-Handle 24	2 - 4	1	6 1/2	6
Pro-Handle 48	4 - 8	1	7 1/2	6
Pro-Handle 612	6 - 12	1	10 1/2	6
Pro-Handle 816	8 - 16	1	13	6
Pro-Handle 824	8 - 24	1	20	6

#### **Twist Loc**



Do-it-yourself aluminum extension handle featuring a two piece construction that telescopes smoothly and locks in place with a quick turn of the slider tube in either direction. Comes equipped with Mylar thread.

#### NOT SUGGESTED FOR THE PROFESSIONAL.

Two section handle: 1" outer tuber with 7/8" inner tube.

Item ID	Size (ft)	Diameter	Carton Wt. (lbs)	Carton Qty.
Twist-Loc 24	2 - 4	1	4 1/2	6
Twist-Loc 48	4 - 8	1	8	6
Twist-Loc 612	6 - 12	1	10	6

#### Super-Loc



Fiberglass handle designed with aluminum slider tube. Tab lock design provides lock and ease of operation. Comes equipped with heavy duty cast metal thread.

Super-Loc 24	2 - 4	1 1/4	8	6
Super-Loc 48	4 - 8	1 1/4	12 1/2	6
Super-Loc 612	6 - 12	1 1/4	18	6

### Floor Brushes and Handles

#### HANDLES AND ACCESSORIES

#### MISCELLANEOUS HANDLES

#### **A-Series Connector Handle and Accessories**

Malleable metal connector installed on best grade clear lacquered hardwood handle. Red tipped. For use with all A-Line series floor sweeps.

Item ID	Size (ft)	Diameter	Carton Wt. (lbs)	Carton Qty.
D-60	5	1 1/8	19	12**

#### Flex Sweep Handle

Special molded tough flexible connector makes this handle virtually unbreakable and eliminates the need for a brace. For use with all FX Line Floor Sweeps.

FX-60	5	1 1/8	11	6**

<sup>\*\*</sup>Paper wrapped banded bundle

## HANDLE ACCESSORIES AND REPLACEMENT PARTS

#### **Red Malleable Metal Connector**

Connector Replacement for D-60 Handle

Item ID	Туре	Carton Wt. (lbs)	Carton Qty.
D-60-C	Metal Connector	3 1/2	12

#### **Compact Handle Brace**

97	Compact Brace	1 1/2	12

#### **Heavy Duty Handle Braces**

Heavy-duty handle brace complete with all hardware. Fits all Floor and Garage Brushes. (does not fit 38, 39 and 22-SL Lines)

99	Aluminum	3	12
99-S	All Steel	3	12

Handle Brace for 38-SL, 39-SL and 22-SL Floor and Garage Brushes

99-SL	Steel	3	12

#### **Heavy Duty Steel Scrapers**

A handy tool to attach to a garage brush for scraping loose mud, heavy grease, gum, etc.

98	Steel Scraper	4 3/4	12
96	Full Length Steel Scraper	3	12



#### **Replacement Threads**

These replacement threads are easily installed over square cut ends of wooden handles. Add nail or screw for added strength. Acid Resistant

#### For use with 15/16" handles

Item ID	Туре	Carton Wt. (lbs)	Carton Qty.
F-93	15/16" Glass Filled Nylon	3/4	12
K-93	15/16" Polyethylene	3/4	12
U-90*	15/16" Nylon	3/4	12

#### For use with 1 1/8" handles

R-90 11/8" Polypropylene	1	12	
--------------------------	---	----	--

<sup>\*</sup> Not acid resistant

#### For use with 1" Fiberglass handles


FG-90 1" Polypropylene	1/2	12	
------------------------	-----	----	--

#### Tapered to Threaded Handle Adaptor

WTP Adaptor	Tapered to Threaded Converter	3/4	12	



(WTP ADAPTOR)



CONCRETE FINISHING	PAGE 22
ROOFING	PAGE 25
MASONRY	PAGE 26
BLACKTOP AND SEALCOAT APPLICATORS	PAGE 27
BLACKTOP APPLICATORS	PAGE 27
SEALCOAT AND ASPHALT APPLICATORS	PAGE 28

### **CONCRETE FINISHING**

Concrete Finishing Brushes from Magnolia Brush are constructed of the highest quality materials these brushes are available for applying all types of finishes to many different applications large and small.

#### CONCRETE FINISHING – FLAT BLOCK

Staple set in clear lacquered hardwood block with one threaded (TH) handle hole. Three rows of filling material. These brushes are used for applying finishes on newly poured concrete. Block accepts threaded handle (sold separately) and includes a hang up hole and two brace holes (brace sold separately).

#### **Black Polypropylene**

Item ID	Description	Block Length (in)	Finish Type	Trim Length (in)	Block Type	Includes Handle	Carton Wt. (lbs)	Carton Qty
2118	Black Poly	18	Med-Fine	3	Wood	No	8 1/4	6
2124	Black Poly	24	Med-Fine	3	Wood	No	11	6
2136	Black Poly	36	Med- Fine	3	Wood	No	17	6
2148	Black Poly	48	Med- Fine	3	Wood	No	22 1/2	6
2124-PB	Black Poly	24	Med-Fine	3	Plastic	No	13 1/4	6 NEW
2518	Black Poly	18	Coarse	2 1/4	Wood	No	8	6
2524	Black Poly	24	Coarse	2 1/4	Wood	No	10 1/2	6

#### **Black Horsehair**

2124-H	Horsehair	24	Fine	2 1/2	Wood	No	11	6
2124-H-PB	Horsehair	24	Fine	2 1/2	Plastic	No	12 1/2	6 NEW
2136-H	Horsehair	36	Fine	2 1/2	Wood	No	16	6
2148-H	Horsehair	48	Fine	2 1/2	Wood	No	22 1/2	6

#### Yellow Styrene

2124-Y	Yellow Styrene	24	Fine	3	Wood	No	11	6	
2124-Y-PB	Yellow Styrene	24	Fine	3	Plastic	No	13 1/4	6 2	NEW
2136-Y	Yellow Styrene	36	Fine	3	Wood	No	17	6	
2148-Y	Yellow Styrene	48	Fine	3	Wood	No	23	6	

#### **Brown Styrene**

2124-22	Brown Styrene	24	Coarse	3	Wood	No	11	6
2124-22-PB	Brown Styrene	24	Coarse	3	Plastic	No	12 1/2	6 NEW
2136-22	Brown Styrene	36	Coarse	3	Wood	No	17	6
2148-22	Brown Styrene	48	Coarse	3	Wood	No	22 1/2	6

#### **Green Nylon**

2124-N	Green Nylon	24	Fine	2 1/2	Wood	No	11	6
2124-N-PB	Green Nylon	24	Fine	2 1/2	Plastic	No	12 3/4	6 NEW
2136-N	Green Nylon	36	Fine	2 1/2	Wood	No	17	6
2148-N	Green Nylon	48	Fine	2 1/2	Wood	No	22 1/2	6

#### **Black Horsehair**

2136-X	HH & Poly	36	Fine	2 1/2	Wood	No	16 1/4	6 NEW
22148-X	HH & Poly	48	Fine	2 1/2	Wood	No	20	6 NEW



(TOP TO BOTTOM: 21-N, 21, 25, 21-22, 21-H, 21-Y)



#### CONCRETE FINISHING - FLOOR BRUSH TYPE BLOCK

#### **Grey Horsehair**

Soft Grey Horsehair. Staple set in clear lacquered hardwood block.

**Recommended Use:** This brush was designed especially for concrete finishers work. Very light in weight. The 72 inch handle and soft grey horsehair make it the ideal tool for applying a fine brushed finish on concrete.

Item ID	Description	Block Length (in)	Finish Type	Trim Length (in)	Handle Type	Includes Handle	Carton Wt. (lbs)	Carton Qty.
2912	Grey Horsehair	12	Fine	2 1/2	TH	No	14	12
2914	Grey Horsehair	14	Fine	2 1/2	TH	M-72	30	12
2918	Grey Horsehair	18	Fine	2 1/2	TH	M-72	37	12
2924	Grey Horsehair	24	Fine	2 1/2	TH	M-72	47	12
2930*	Grey Horsehair	30	Fine	2 1/2	TH	M-72	27 1/2	6
2936*	Grey Horsehair	36	Fine	2 1/2	TH	M-72	31	6
2924-PB	Grey Horsehair	24	Fine	2 1/2	TH	No	26	12

<sup>\*</sup> Includes 99 Brace

#### **Green Nylon**

Floor Brush type block with green nylon staple set in foam plastic block with two threaded handle holes. Foam threads will not strip. 99 brace recommended, not included.

3324-N	Green 6.12 Nylon (unflagged)	24	Fine to Medium	2 1/2	TH	No	26 3/4	12	



(3324-N)

## CONCRETE FINISHING – WITH ADJUSTABLE HANDLE SOCKET

#### **Black Styrene**

Fiber is staple set in a smooth new and improved marine grade plywood block which resists warping. It was designed with the center row of material coming straight down and the outside rows angled in to create a pointed effect. This light weight brush reduces fatigue while the adjustable handle socket offers flexibility for many jobs such as applying a brushed finish on newly poured concrete. Packed 2 per individual carton / 6 per master carton.

Item ID	Description	Block Length (in)	Finish Type	Trim Length (in)	Handle Type	Includes Handle	Carton Wt. (Ibs)	Carton Qty.
5724	Black Styrene	24	Fine	3	TH	No*	9	6
5730	Black Styrene	30	Fine	3	TH	No*	12	6
5736	Black Styrene	36	Fine	3	TH	No*	13	6

<sup>\*</sup>Includes one threaded handle adaptor

#### **Nylon Concrete Finishing Brushes**

4 inch nylon trim staple set in a 1"  $\times$  3/4" marine plywood block that resists warping. T-Bar bracket for bull float handle attachment (not included). Designed to lay almost flat for a very smooth finish.

Item ID	Description	Block Length (in)	Finish Type	Trim Length (in)	Includes Handle	Carton Wt. (lbs)	Carton Qty.
5836	Black Nylon	36	Fine	4	No*	16	6
5848	Black Nylon	48	Fine	4	No*	18	6

<sup>\*</sup>T-bar bracket for bull float handle attachment.



(5724)



(5836)



#### Concrete Finishing, Masonry and Asphalt Brushes

#### **CONCRETE FINISHING**

#### **CONCRETE FINISHING HARDWARE**

#### Socket Adaptor and Saddle Assembly for the 57 Line

Item ID	Description	Carton Wt. (lbs)	Carton Qty.
5700-B	Socket Adaptor	1/4	1
Saddle Assembly		1/4	1



Aluminum bracket for No. 21 and No. 25 Line concrete finishing brushes. Parts are made of malleable aluminum, highly resistant to breakage.

#### **Aluminum Adaptor**

Aluminum adapter bolts on No. 5823B and allows the brush to be adjusted to any desirable angle. No. 5822H fits a standard brush handle thread, or bull float handle with thread adapter.

5822-H	Aluminum Adapter	3	12



(5700-B) (SADDLE ASSEMBLY)





(5822-H)

(190-N)

#### HAND-HELD CONCRETE FINISHING

#### Flat Block

Fiber is staple set in clear lacquered hardwood block. Ideal brush for applying a fine brush finish on small area concrete jobs.

**Recommended Use:** Perfect for curbs, gutters and steps

Item ID	Description	Block Size (in)	Trim Length (in)	Carton Wt. (lbs)	Carton Qty.
190	Horsehair	12	2	8	12
190-N	Green Nylon	12	2 1/2	8	12
190-P	Polypropylene	12	3 1/4	8	12

#### Hand-Held with Molded Handle

Fiber is staple set in a 12" x 1 1/4" hardwood block with handle.

**Recommended Use:** Curbs, gutters, steps and other small detail projects

520	Black Polypropylene	12	3	6 1/2	6
521	Yellow Polystyrene	12	3	6 1/2	6
522	Horsehair/Poly	12	3	6 1/2	6
523	Horsehair	12	3	7	6
524	Tampafil/Polyp	12	2	6 1/2	6
525	Green Nylon	12	2 1/2	6 1/2	6




Hardwood Block. Includes Float Handle. T-Style includes threaded hole.

712-X-FH	Black Horsehair/ Polypropylene	12	3	10 1/4	6
2910-N-FHT	10" Green Nylon	12	2 1/2	10	6
2912-FH	12" Grey Horsehair	12	2 1/2	10	6
2912-N-FHT	12" Green Nylon	12	2 1/2	10	6
	Float Handle			1/4	1

800-248-2261 WWW.MAGNOLIABRUSH.COM









(712-X-FH AND 2912-FH)

### ROOFING

Designed specifically with the expert in mind these brushes are reliable and long lasting giving the pro the quality and performance they have come to expect from Magnolia Brush. Made of selected White Tampico, or other fiber.

#### **Roofing Brushes**

Fiber is staple set in smooth sanded wax tumbled hardwood block. Requires tapered (TA) or threaded (TH) handle, not included.

**Recommended Use:** Applying sealants to roofs.

Item ID	Description	Block Length (in)	Block Width (in)	Trim Length (in)	Handle Type	Includes Handle	Carton Wt. (lbs)	Carton Qty.
192	Cream Polypropylene	7	2 1/2	2 1/2	TA	No	8	12
195	Tampafil Polypropylene	7	2 1/2	2	TA	No	7	12
195-T	Tampafil Polypropylene	7	2 1/2	2	TH	No	7	12
196	White Tampico	7	2 1/2	2 1/2	TA	No	8	12
196-T	White Tampico	7	2 1/2	2 1/2	TH	No	8	12
7324	White Tampico	10	2 1/2	3	TA	No	15	12





(191)

#### 3 and 4 Knot Roofers

Tampico Fiber. Knots are securely attached in a hardwood block with one tapered (TA) handle hole. Handle not included.

191	Tampico	6 1/4	13/4	4 1/8	TA	No	12 1/2	12
194	Tampico	8 1/4	13/4	4 1/8	TA	No	15 1/4	12



Filling Material is staple set in smooth sanded hardwood block with one tapered (TA) handle hole

**Recommended Use:** For spreading hot or cold tar and low viscosity roof sealants.

193	White Tampico	6 1/4	3	TA	No	10	12
193-U	Union Fiber	6 1/4	3	TA	No	10	12





(2-D)

#### Tar Dauber

White Tampico Fiber staple set in hardwood block.

2-D White Ta	ampico 16 1/2	2 5/8	N/A	Attached	11	12

#### **Heavy Duty Mason Acid**

White Tampico, densely filled, staple set in a smooth sanded hardwood block with two tapered handle holes. Acid resistant. Handle not included. 5x17 rows of fiber.

177 White Tampico 7 1/2 2 3/4 2 1/2 TA No 14 1/4 12	
---	--



(177)



### **MASONRY**

Heavily filled with natural White tampico or other fiber in a hardwood block, our masonry brushes are the professional's choice.

#### Mason Acid

Heavily filled White Tampico Fiber staple set in wax tumbled hardwood block. Available with a threaded (TH) or tapered (TA) handle hole (no hole on 178). Handle not included. 7x18 rows of fiber.

Item ID	Description	Block Length (in)	Block Width (in)	Trim Length (in)	Handle Type	Includes Handle	Carton Wt. (lbs)	Carton Qty.
178*	White Tampico	8 1/4	3	1 1/4	n/a	n/a	10	12
179	White Tampico	8 1/4	3	1 1/4	TA	No	10	12
179-T	White Tampico	8 1/4	3	1 1/4	TH	No	10	12

<sup>\*</sup> No handle hole

#### Pebble Dash

Crimped yellow plastic, staple set in a waterproof, smooth sanded, plywood block. Equipped with a  $7\frac{1}{2}$  inch handle.

**Recommended Use:** applying stucco finish to walls

Item ID	Description	Block Size (in)	Trim Length (in)	Handle Type	Includes Handle	Carton Wt. (lbs)	Carton Qty.
559	Yellow Polystyrene	5 7/8 x 3 1/8	5 1/4	Wood	Yes, attached	12	12

#### Stucco

Center rows filled with Cream Plastic and border rows filled with Red Plastic. Staple set in clear lacquered hardwood block with two threaded (TH) handle holes. **Recommended Use:** applying stucco finish to walls

2710	Cream Polypropylene and Red Polystyrene	10	2 1/2	TH	M-48	23	12
2714	Cream Polypropylene and Red Polystyrene	14	2 1/2	TH	M-48	23	6

#### Tile Setters Brush

Selected White Tampico fiber staple set in smooth sanded hardwood block with two tapered (TA) handle holes.

199 White Tampico	8	2 1/2	TA	No	12	12	

#### Plater's Brush

White Tampico Fiber staple set in smooth sanded and waxed hardwood block with curved handle. Ideal for cleaning all surfaces before plating.











(19-S)

### BLACKTOP AND SEALCOAT APPLICATORS

## WOODBACKED SQUEEGEE BLACKTOP APPLICATORS

Black Squeegee Rubber. Securely fastened in smooth sanded hardwood block. **Recommended Use:** For non-sparking use in squeegeeing excess oil and chemicals from tank cars and for squeegee spreading of asphalt roof coating.

Item ID	Size (in)	Description	Handle Type	Includes Handle	Carton Wt. (lbs)	Carton Qty.
4318	18	Black Rubber	TA	No	17	12
4324	24	Black Rubber	TA	No	22	12

•

(4318)

Black notched squeegee rubber securely fastened in a smooth sanded hardwood block. Notch size: 1/4" x 3/16". Notches are 1" apart.

**Recommended Use:** To apply modified adhesive into wind rows for roofing applications and other related jobs.

4318-K	18	Black Notched	TA	No	17	12
4324-K	24	Black Notched	TA	No	22	12



(4318-K)

### **BLACKTOP APPLICATORS**

#### **BLACKTOP SQUEEGEE AND BRUSH COATERS**

Filling material is staple set in a smooth sanded hardwood block with one threaded handle hole and squeegee. First, brush the dressing into the cracks and holes, then use the squeegee to spread the excess dressing to next untreated area.

**Recommended Use:** The brush and squeegee combination permits a fast and economical distribution of black-top dressing on driveways, streets, roofs and parking areas.

Item ID	Size (in)	Description	Trim Length (in)	Handle Type	Includes Handle	Carton Wt. (lbs)	Carton Qty.
4312-S	12	White Tampico	2	TH	No	11	12
4312-SP	12	Palmyra	2	TH	No	11	12
4316-S	16	Palmyra	2	TH	No	15	12
4318-S	18	Cream Polypropylene	2	TH	No	14	12
4318-PS	18	Palmyra	2	TH	No	16	12
5324-PL*	24	Cream Polypropylene	2	TH	No	22	12
5336-PL*	36	Cream Polypropylene	2	TH	No	32	12





(5324)



(5430)



\*no squeegee





### SEALCOAT AND ASPHALT APPLICATORS

Quality sealcoat applicators designed to push or pull asphalt sealant on the surface. Heavy duty for professional applications. Heavy duty threaded handle adaptor is designed to assemble and remove quickly for easy clean up, storage or replacement (MB012A) sold separately.

Item ID	Size (in)	Description	Trim Length (in)	Handle Type	Includes Handle	Carton Wt. (lbs)	Carton Qty.
MB024P	24	Black Plastic	2	TH	No	5 1/2	6
MB036P	36	Black Plastic	2	TH	No	8 3/4	6
MB048P	48	Black Plastic	2	TH	No	10 1/4	6
MB024T	24	White Tampico	2 1/2	TH	No	6	6
MB036T	36	White Tampico	2 1/2	TH	No	9 1/4	6
MB048T	48	White Tampico	2 1/2	TH	No	12 1/4	6
MB024H	24	Black Horsehair	2 3/4	TH	No	6	6
MB036H	36	Black Horsehair	2 3/4	TH	No	9 1/4	6
MB048H	48	Black Horsehair	2 3/4	TH	No	11 1/2	6



## ADAPTOR FOR SEALCOAT (MB LINE) BRUSHES

MB012A Threaded handle adaptor for use with MB0 line Sealcoat applicators.	7 1/2	6
--	-------	---





800-248-2261 WWW.MAGNOLIABRUSH.COM



## **DECK BRUSHES**

Magnolia Brush deck brushes are heavily filled with fiber staple set in sanded hardwood blocks with one tapered (TA) and one threaded (TH) handle hole (unless otherwise noted).

#### Palmyra

Stiff Palmyra fiber.

Item ID	Block Size (in)	Trim Length (in)	Carton Wt. (lbs)	Carton Qty.	Handle	Price includes Handle
109	9	15/8	12	12	TA	No
110	10	2	12	12	TH or TA	No
112	12	2	16	12	TH or TA	No
114	14	2	18	12	TH or TA	No
Economy Li	ne					
110-SL	10	2	12	12	TH or TA	No
114-SL	14	2	18	12	TH or TA	No
With Squee	gee					
110-S	10	2	17	12	TH or TA	No
112-S	12	2	18	12	TH or TA	No
114-S	14	2	22	12	TH or TA	No
100% Selecte	ed White Tampico Fibe	er 15/8	12	12	TA	No
210	10	2	15	12	TH or TA	No
212	12	2	16	12	TH or TA	No
	ypropylene gh quality ACID RESIS	TANT polypropylen	e.			
310	10	2	15	12	TH or TA	No
312	12	2	16	12	TH or TA	No
314	14	2	18	12	TH or TA	No
Economy Li	ne					
310-SL	10	2	12	12	TH or TA	No




#### Yellow Polypropylene

Item ID	Block Size (in)	Trim Length (in)	Carton Wt. (lbs)	Carton Qty.	Handle	Price includes Handle
310-Y	10	2	15	12	TH or TA	No
312-Y	12	2	16	12	TH or TA	No
314-Y	14	2	18	12	TH or TA	No



### Blue Crimped Polypropylene – Extra Stiff Acid Proof

610	10	13/4	12	12	TH or TA	No
612	12	13/4	16	12	TH or TA	No



#### **Carbon Steel**

.014 gauge steel wire

412-S	12	2	22	12	TH or TA	No	
418-S	18	2	33	6	TH or TA	No	
418-SA	18	2	33	6	D-60	No	



#### (412-S)

#### **Bi-Level**

Unique block design (10"  $\times$  17/8"  $\times$  3") allows for a special two-position bristle trim which makes this an ideal cleaning tool.

186	Blue Crimped Polypropylene (stiff)	13/4	16	12	TH	No



#### Multi-Level Scrub Brushes

Stiff Red Polypropylene staple set in an 7 3/4" Black Poly Flow-Through Block with 5 flow through holes. Accepts threaded and/or flow-thru handle. (sold separately) 11.25" Overall Length

**Recommended Use:** Ideal for scrubbing a variety of surfaces. Dual stiff bristles remove caked on debris from floors, decks, baseboards, etc. Not recommended for delicate surfaces.

Item ID	Description	Trim Length (in)	Carton Wt. (lbs)	Carton Qty.	Handle	Price includes Handle
187	Red Stiff Polypropylene	2 1/2 (1 3/4 side)	9	6	TH	No



#### Floor Scrub Brush

Fiber is staple set in a 10 inch plastic block. Side bristles allow for cleaning along baseboards.

	ellow Stiff Olypropylene	2 1/8 (1 1/2 side)	9 1/2	6	Threaded	No
--	-----------------------------	--------------------	-------	---	----------	----



#### **Corner Brush**

Black polypropylene staple set in foam plastic block with two threaded handle holes. Solvent resistant.

**Recommended Use:** Scrubbing baseboards and cleaning corners. V-shape design allows for cleaning those hard to reach areas.









### **SCRUB BRUSHES**

Whether the job is large or small, we have the perfect brush for all scrubbing applications. A wide variety of scrub brushes designed with the professional in mind, these brushes are built with the highest quality fiber and made to last.

#### **Pointed Scrubs**

Magnolia Pointed Scrub brushes made with filling fiber staple set in a plastic block with hole for easy hanging and storage.

Item ID	Fiber	Block Length (in)	Block Width (in)	Trim Length (in)	Carton Wt. (lbs)	Carton Qty.
160	Clear Polypropylene	9	2 1/4	1	5	12
161	White Tampico	9	2 1/4	1	6	12
162	Palmyra	9	2 1/4	1	6	12



#### **Utility Scrub**

All purpose utility hand held scrub brush made of white tampico staple set in a wax tumbled hardwood block.

166 White Tampico 6 1/4 1 1/2 5 1/2 12
--

#### **Handle Scrubs**

Crimped White Polypropylene staple set in one piece plastic block with raised handle to prevent hands from being dipped into cleaning solution.

167	White Polypropylene	6 1/2	2 1/4	1 1/8	4 1/2	12	
167-R	White Polypropylene	6 1/2	2 1/4	1	6	24	



(166)

# **Oblong Scrub Brushes**

Oblong Hand Scrub brushes made with filling material staple set in a wax tumbled hardwood block.

170	White Tampico	7 1/4	2 1/4	1	10	24
171	Palmyra	7 1/4	2 1/4	1	9	24
172	White Tampico	8	2 3/4	1 1/8	7	12
173	Palmyra	8	2 3/4	1 1/8	7	12
174	Clear Polypropylene	8	2 3/4	1 1/8	7	12



(167)



(170, 171, 172, 173, 174)

#### Hand and Nail Brushes

Hand and Nail Brushes are made with either White Tampico or White Plastic staple set in a waxed hardwood block.

**Recommended Use:** For cleaning hands at job sites, home or work areas.

Item ID	Fiber	Block Length (in)	Block Width (in)	Trim Length (in)	Carton Wt. (lbs)	Carton Qty.
176	White Tampico	4 3/4	1 1/4	5/8	5	36
176-P	White Polystyrene	4 3/4	1 1/4	5/8	5	36



(176

Plastic block filled with an outer row of green poly and center rows of white poly. Comfortable handle grip makes this brush user friendly. Great for facilities where hand and nail cleanliness is required.

175	Green/White Polypropylene	4 1/8	1 1/2	7/8	3	24	



(175)

#### Multi-Purpose Scrub and Upholstery

Scrub and Upholstery brushes are made with filling material is staple set in a foam plastic block. Extreme flare is convenient for scrubbing hard-to-reach places.

180	Cream Polystyrene	6	2	13/8	5	12
181	White Tampico	6	2	13/8	5	12
180-HH	Horsehair	6	2	1	5	12



#### **Carpet Pile Brush**

Lightweight, heavy duty pile and napping brush. Three rows of stiff black nylon in a 11/4" x 1" x 18" lacquered hardwood block with a zinc coated tapered handle socket.

4020	Stiff Black Nylon	18	1 1/4	13/4	12 1/2	6



(4020)





## SCRUB BRUSHES WITH HANDLES



#### **Lacquered Block**

Fiber is staple set in clear lacquered hardwood block.

**Recommended For** This brush has been designed for use with chemical rug or carpet cleaners and is unaffected by them. Its bristles will remain stiff and are long-wearing.

Item ID	Description	Block Length (in)	Block Width (in)	Trim Length (in)	Carton Wt. (lbs)	Carton Qty.	Includes Handle
4015	Polypropylene	8	2 1/2	2	17	12	A-48

#### **Wax Tumbled Block**

Fiber is staple set in smooth wax tumbled hardwood block with one threaded handle hole.

4016	Palmyra	8	2 1/2	2	17	12	A-48
4016-S	Palmyra	8	2 1/2	1	16	12	A-48
4017-P	Cream Plastic	8	2 1/2	1	16	12	A-48
4017	White Tampico	8	2 1/2	1	17	12	A-48



FLOOR AND DRIVEWAY SQUEEGEES NON-SPARKING PAGE 36

FOAM SQUEEGEES PAGE 38

SQUEEGEE BRACKETS AND HANDLES PAGE 40

# FLOOR AND DRIVEWAY SQUEEGEES NON-SPARKING

Squeegee frame is made of 1" angle aluminum to which a 2" wide x 1/4" thick strip of high-grade flexible black squeegee rubber or neoprene is attached with cadmium plated screws. These squeegees are available with two different types of handle assembly. The numbers followed by "TP" or "TPN" are equipped with a tapered handle socket. Steel bracketed handle is included in the price and weight of the 41 Line, 41N Line, 46 Line and 46N Line squeegees.



#### Straight with Handle

Item ID	Width (in)	Туре	Blade Material	Carton Wt. (Ibs)	Carton Qty	Handle Type	Includes Handle
4118	18	Straight	Black Rubber	16	6	4100	Yes
4124	24	Straight	Black Rubber	18	6	4100	Yes
4130	30	Straight	Black Rubber	22	6	4100	Yes
4136	36	Straight	Black Rubber	23	6	4100	Yes
4118-N	18	Straight	Neoprene	16	6	4100	Yes
4124-N	24	Straight	Neoprene	18	6	4100	Yes
4130-N	30	Straight	Neoprene	22	6	4100	Yes
4136-N	36	Straight	Neoprene	23	6	4100	Yes

#### Straight with All Steel Handle

4118-S	18	Straight	Black Rubber	16	6	4100-S	Yes
4124-S	24	Straight	Black Rubber	18	6	4100-S	Yes
4130-S	30	Straight	Black Rubber	22	6	4100-S	Yes
4136-S	36	Straight	Black Rubber	23	6	4100-S	Yes

#### Straight - Tapered

Width (in)	Туре	Blade Material	Carton Wt. (lbs)	Carton Qty	Handle Type	Includes Handle
18	Straight	Black Rubber	11	6	TA	No
24	Straight	Black Rubber	13	6	TA	No
30	Straight	Black Rubber	16	6	TA	No
36	Straight	Black Rubber	19	6	TA	No
18	Straight	Neoprene	11	6	TA	No
24	Straight	Neoprene	13	6	TA	No
30	Straight	Neoprene	16	6	TA	No
36	Straight	Neoprene	19	6	TA	No
	(in) 18 24 30 36 18 24 30	<ul> <li>(in) Type</li> <li>18 Straight</li> <li>24 Straight</li> <li>30 Straight</li> <li>36 Straight</li> <li>18 Straight</li> <li>24 Straight</li> <li>24 Straight</li> <li>30 Straight</li> </ul>	(in)TypeMaterial18StraightBlack Rubber24StraightBlack Rubber30StraightBlack Rubber36StraightBlack Rubber18StraightNeoprene24StraightNeoprene30StraightNeoprene	(in)TypeMaterialWt. (lbs)18StraightBlack Rubber1124StraightBlack Rubber1330StraightBlack Rubber1636StraightBlack Rubber1918StraightNeoprene1124StraightNeoprene1330StraightNeoprene16	(in)TypeMaterialWt. (lbs)Qty18StraightBlack Rubber11624StraightBlack Rubber13630StraightBlack Rubber16636StraightBlack Rubber19618StraightNeoprene11624StraightNeoprene13630StraightNeoprene166	(in)TypeMaterialWt. (lbs)QtyType18StraightBlack Rubber116TA24StraightBlack Rubber136TA30StraightBlack Rubber166TA36StraightBlack Rubber196TA18StraightNeoprene116TA24StraightNeoprene136TA30StraightNeoprene166TA

#### **Curved with All Steel Handle**

4618-S	18	Curved	Black Rubber	16	6	4100-S Yes
4624-S	24	Curved	Black Rubber	18	6	4100-S Yes
4630-S	30	Curved	Black Rubber	22	6	4100-S Yes
4636-S	36	Curved	Black Rubber	23	6	4100-S Yes



### Curved – Tapered

Item ID	Width (in)	Туре	Blade Material	Carton Wt. (lbs)		Handle Type	Includes Handle
4618-TP	18	Curved	Black Rubber	11	6	TA	No
4624-TP	24	Curved	Black Rubber	13	6	TA	No
4630-TP	30	Curved	Black Rubber	16	6	TA	No
4636-TP	36	Curved	Black Rubber	19	6	TA	No
4618-TPN	18	Curved	Neoprene	11	6	TA	No
4624-TPN	24	Curved	Neoprene	13	6	TA	No
4630-TPN	30	Curved	Neoprene	16	6	TA	No
4636-TPN	36	Curved	Neoprene	19	6	TA	No

### **Curved with Handle**

4618	18	Curved	Black Rubber	16	6	4100	Yes
4624	24	Curved	Black Rubber	18	6	4100	Yes
4630	30	Curved	Black Rubber	22	6	4100	Yes
4636	36	Curved	Black Rubber	23	6	4100	Yes
4618-N	18	Curved	Neoprene	16	6	4100	Yes
4624-N	24	Curved	Neoprene	18	6	4100	Yes
4630-N	30	Curved	Neoprene	22	6	4100	Yes
4636-N	36	Curved	Neoprene	23	6	4100	Yes

### All Steel

Economy Line all steel floor squeegees with tapered handle socket.

Item ID	Width (in)	Туре		Carton Wt. (lbs)		Handle Type	Includes Handle
EC 4118-TP	18	Straight ALL STEEL	Black Rubber	13 1/2	6	TA	No
EC 4124-TP	24	Straight ALL STEEL		16 1/2	6	TA	No
EC 4130-TP	30	Straight ALL STEEL		20 3/4	6	TA	No
EC 4136-TP	36	Straight ALL STEEL		24 1/2	6	TA	No
EC 4618-TP	18	Curved ALL STEEL	Black Rubber	12 3/4	6	TA	No
EC 4624-TP	24	Curved ALL STEEL	Black Rubber	15 1/2	6	TA	No
EC 4630-TP	30	Curved ALL STEEL	Black Rubber	19	6	TA	No
EC 4636-TP	36	Curved ALL STEEL	Black Rubber	22 1/2	6	TA	No

### Replacement Blades for all 41 and 46 line squeegees

Item ID	Width (in)	Blade Material	Carton Wt. (lbs)	Carton Qty.
4218	18	Black Rubber	8	12
4224	24	Black Rubber	11	12
4230	30	Black Rubber	13	12
4236	36	Black Rubber	16	12
4218-N	18	Neoprene	8	12
4224-N	24	Neoprene	11	12
4230-N	30	Neoprene	13	12
4236-N	36	Neoprene	16	12

### Floor and Driveway Squeegees

## **NON-SPARKING**

### Serrated Edge Floor

Designed with 1/4" wide by 3/16" deep serrations for applying epoxy based floor sealers, concrete resurfacing compounds and roofing material. Serrations provide uniform spreading of material. Red rubber blade is 1/4" thick by 1 3/4" wide.

Item ID	Width (in)	Туре	Blade Material	Carton Wt. (lbs)	Carton Qty.	Handle Type	Includes Handle
8418	18	Serrated Edge	Red Rubber	9 3/4	6	Tapered	No
8424	24	Serrated Edge	Red Rubber	12 1/4	6	Tapered	No
8430	30	Serrated Edge	Red Rubber	14 3/4	6	Tapered	No
8436	36	Serrated Edge	Red Rubber	17 1/2	6	Tapered	No
Replacemer	nt Blades						
8418-R	18			5	12		
8424-R	24			6 3/4	12		
8430-R	30			8 1/4	12		
8436-R	36			10	12		





### **Double Blade Foam**

Easily dries any surface. Recommended for quarry tile, grouted floors and food service industry. Good squeegee for uneven floors.

Item ID	Width (in)	Туре	Blade Material	Carton Wt.(lbs)	Carton Qty.	Handle Type	Includes Handle
8224	24	Double Edge	Black	7 1/4	4	Tapered	No
8230	30	Double Edge	Black	9	4	Tapered	No
8236	36	Double Edge	Black	10 1/4	4	Tapered	No
Replacemen	t Blades						
8224-R	24			1 3/4	12		
8230-R	30			2 1/2	12		
8236-R	36			2 3/4	12		



(8224)

### **Double Blade Foam-Improved Connector**

A squeegee for tough work. Galvanized steel frame includes a splash guard to prevent water from spilling over the frame, and an acme threaded handle socket. Will accept 99 brace.

Black Natural Rubber-General All Purpose

Oil Resistant Red Rubber-Contains Neoprene, Resistant to oils and greases

Item ID	Width (in)	Туре	Blade Material	Carton Wt.(lbs)	Carton Qty.	Handle Type	Includes Handle
9122	22	Double Black Foam	Rubber	10 1/2	10	Threaded	No
9130	30	Double Black Foam	Rubber	14 1/2	10	Threaded	No
9230	30	Double Red Neoprene	Neoprene	15	10	Threaded	No




800-248-2261 WWW.MAGNOLIABRUSH.COM

### Soft Foam Rubber/Double Edge - Steel Frame

Squeegee for tough work. Ideal for workshops and large areas. Galvanized steel frame with a splash guard and reinforced handle socket. Available in black natural rubber and in oil resistant neoprene. Will accept standard 15/16" diameter handle, tapered or square cut. Non refillable.

Item ID	Width (in)	Blade Material	Carton Wt. (lbs)	Carton Qty.	Handle Type	Includes Handle
8722	22	Black Foam Rubber	12	10	15/16" Tapered or Square Cut	No
8730	30	Black Foam Rubber	16	10	15/16" Tapered or Square Cut	No
8822	22	Red Neoprene	13	10	15/16" Tapered or Square Cut	No
8830	30	Red Neoprene	17	10	15/16" Tapered or Square Cut	No
Require	s stando	ard threade	d Handi	le		
8722-T	22	Black Foam Rubber	12	10	Threaded	No
8730-T	30	Black Foam Rubber	16	10	Threaded	No
8830-T	30	Red Neoprene	16	10	Threaded	No





### Floor and Driveway Squeegees

## **NON-SPARKING**

### Soft Foam Rubber/Double Edge - Economy

An excellent all purpose squeegee. Perfect squeegee for cleaning kitchens, patios and decks, garages, basements and sidewalks. Galvanized metal frame. Non refillable.

Item ID	Width (in)	Blade Material	Carton Wt. (Ibs)	Carton Qty. (lbs)	Handle Type	Includes Handle
8618	18	Black Foam Rubber	6	10	15/16" Tapered or Square Cut	No
8622	22	Black Foam Rubber	8	10	15/16" Tapered or Square Cut	No



### Soft Foam Rubber/Double Edge Plastic Frame

Squeegee for areas where metal is not preferred. White plastic frame is ideal for non-sparking environments and will not scratch delicate floors.

Item ID	Width (in)	Blade Material	Carton Wt. (lbs)	Carton Qty. (lbs)	Handle Type	Includes Handle
8918	18	Black Foam Rubber	5 1/2	10	Threaded	No
8922	22	Black Foam Rubber	6 1/2	10	Threaded	No
9022	22	Red Neoprene	7 1/4	10	Threaded	No





### (9022)

### Steel Bracket Handle and Hardware

For use with 41, 41-N, 46 and 46-N squeegees. This handle is included in the pricing of these squeegees but can also be ordered separately.

Item ID	Туре	Carton Wt. (lbs)	Carton Qty.
4100	60" Handle for 41 and 46 Line	11	6
4100-B	Bracket for 41 and 46 Line	3	6

### All Steel Squeegee Handle

Can be used with the 41 and 46 line squeegees. For use in the food processing industry, or wherever wood products are not permissible. Overall length is 63 inches.

Item ID	Туре	Blade Material	Carton Wt. (lbs)	Carton Qty.
4100-S	All Steel Handle	15/16" × 60"	11	6



(4100 AND 4100-S)



# **CORNBROOMS**

Corn Brooms from Magnolia Brush are made from natural corn and fiber. Designed for professional performance and durability. Available in several styles and sizes to suit all applications.

### **Warehouse Brooms**

Made of best quality selected broom corn and fibre. Sewed 4 times and reinforced with a wire band. Made on a heavy-duty handle. **Recommended Use:** This broom was designed for sweeping smooth and rough surfaces having moderate to heavy dirt accumulations.

Item ID	Handle Length (in)	Size Overall (in)	Carton Wt. (lbs)	Carton Qty.
15032-Bundled	37 1/4	55	16	6**
15032	37 1/4	55	16	12
5036-Bundled	37 1/4	56 1/4	18	6**
5036	37 1/4	56 1/4	36	12

### 100% Selected Broom Corn

5032-Bundled	38	57	16	6**
5032	38	57	32	12

### Warehouse Broom with No Wire

Made of best quality selected broom corn and fibre. Sewed 5 times and wound with rayon fiber cord. Made on a heavy duty handle.

**Recommended Use:** Designed for use in prison systems and other situations where wire wrapped brooms are not allowed.

5032-NW- Bundled	38	57	18	6**	
------------------	----	----	----	-----	--

### **Janitor Brooms**

Made of best quality selected broom corn and fibre. Sewed 5 times. Broom cap has velvet trim. Handle has a black lacquered finish.

**Recommended Use:** For sweeping smooth and rough floors having moderate dirt accumulations.

15026-Bundled	37 3/4	56 1/4	15	6**
15026	37 3/4	56 1/4	30	12

### 100% Selected Broom Corn

5026-Bundled	38 1/2	56 1/2	14	6**
5026	38 1/2	56 1/2	28	12

<sup>\*\*</sup>Paper wrapped bundle





### Good-Value Broom

Made of best quality broom corn and fiber. Sewed 5 times. Handle has a clear lacquered finish. This broom was designed for high quality and low price.

Item ID	Size Overall (in)	Handle Length (in)	Carton Wt. (lbs)	Carton Qty.
15017-Bundled	37 3/4	55 1/8	12	6**
15017	37 3/4	55 1/8	24	12
4 Sew				
15018-Bundled	38	55 1/4	9	6**
15018	38	55 1/4	18	12

### **Heavy-Duty Contractor's Broom**

Made of best quality selected broom corn with Palmyra stalk center. Sewed 4 times and reinforced with a wire band. Made on a 11/8" diameter clear-lacquered handle.

**Recommended Use:** This broom is ideal for use in the construction trade for sweeping moderate to heavy debris.

5038-Bundled	38	56 1/2	18	6**
5038	38	56 1/2	36	12

### All Corn Household

Made of best quality broom corn. Fan shaped, sewed 4 times. Handle has a clear lacquered finish.

5017-Bundled	38 1/4	55	8 1/2	6**
5017	38 1/4	55	17	12

### All Corn Parlor

Made of best quality selected fine grade broom corn. Sewed 5 times. This broom designed for industrial or household use.

**Recommended Use:** Sweeping surfaces with light to moderate dirt accumulations.

5019-Bundled	38 1/4	56	10	6**
5019	38 1/4	56	22	12







# HOUSEHOLD BROOMS

Designed to easily keep facilities clean and tidy. Offered in a wide range of styles and sizes our household brooms are designed for ease of use for many different applications.

### **Underseat Brush**

Light green feather-tip plastic is staple set in a clear-lacquered block. The improved unique handle is angled to insure efficiency in sweeping and is lightweight to reduce fatigue. Rubberized handle grip assures precise control as well as easy storage with hang-up hole.

**Recommended Use:** Designed for efficiency and ease in maintenance this brush facilitates easy sweeping under seats in buses, café booths, tables, etc.

Item ID	Description	Trim Length (in)	Block Size (in)	Carton Wt. (lbs)	Carton Qty.
2709	Brush and Handle	3	9	25 1/2	12
2709-H	Handle Only			16	12



Light green feather-tip plastic. Staple set in clear lacquered hardwood block. **Recommended Use:** For indoor sweeping fine dust on polished or rough floors in home and office, or in hair salons. \*handle sold separately

Item ID	Description	Trim Length (in)	Block Size (in)	Overall Length (in)	Handle Length (in)	Carton Wt. (lbs)	Carton Qty.
3009-LH*	9" Stiff Black Poly	4	9		n/a	12 1/2	12
3010	9" Green Flag. Poly	4	9 1/8	53	48	22	12
3012-LH*	12" Green Flag. Poly w/ Bumper	4	12		n/a	14 1/4	12
3013-LH*	12" Beige Flag. Poly w/ Bumper	4	12		n/a	14 1/4	12

### **Two Position Handle Upright Brooms**

A choice of two handle positions make this broom the most convenient for cleaning small spaces or sweeping into a dust pan. Use the upright position for sweeping debris into a dustpan or general sweeping. Use the angled position for sweeping walls and corners. Includes handle.

### **Lobby Brooms**

470-DS	Blue Flag. Poly.	4	6	35	30	4 3/4	12
471-DS	Black Poly	5	6	36	30	5 1/4	12
Househo	old Brooms						
472-DS	Blue Flag. Poly	4	9	53	48	8	12
473-DS	Black Poly	5	9	54	48	8 1/2	12
Warehouse Brooms							
474-DS	Blue Flag. Poly	7	9	56	48	10 3/4	12
475-DS	Black Poly	7	9	56	48	10	12



(2709)

(3009-LH)

(3010)

(3012-LH)

800-248-2261 WWW.MAGNOLIABRUSH.COM

### **Outdoor and Patio**

Fiber staple set in a smooth sanded hardwood block with one threaded handle hole. **Recommended Use:** Wet or dry sweeping driveways, patios, most snow, rubbish and leaves. Includes handle.

Item ID	Description	Trim Length (in)	Block Size (in)	Overall Length (in)	Handle Length (in)	Carton Wt. (lbs)	Carton Qty.
3014	Palmyra	3	14	52	48	12	6



(3214 AND 3014)

### **Metal Cap**

Fiber is securely fastened in a metal cap that is secured to a 1" diameter, smooth sanded, hardwood handle. The broom is reinforced with one metal band. **Recommended Use:** These brooms are designed for heavy-duty use and recommended for wet or dry sweeping in factories, bottling plants, warehouses, etc.

Item ID	Description	Size Overall (in)	Handle Length (in)	Carton Wt. (lbs)	Carton Qty.
6010	Palmyra Stalk	54	39 3/4	30	6
6011	Polypropylene	52 1/2	39 3/4	30	6

# (6011)

### **Lobby or Maids**

461	Dust Pan Broom All Corn – 2 Sew	31 1/2	21	6	12**
462	Lobby All Corn - 3 Sew	38 1/2	26 1/4	7	12**
466	Lobby Plastic - 3 Sew	39	26	9 1/2	12**
467	Lobby Mixed Fiber - 3 Sew	39	26 3/4	7 1/2	12**



### **Angle Brooms**

Flagged cream colored plastic is secured in an angled plastic cap. 12" angled sweeping surface enables you to sweep hard to reach corners and crevices. 48" metal handle.

463	Flagged Black Plastic	55	48	19 1/2	12	
Green Flagged Plastic secured in a black plastic cap. 12" angled sweeping surface. 48" Black Metal handle.						
465         Green Flagged Plastic         55         48         15         12						
Green Flagged Plastic secured in a black plastic cap. 9" angled sweeping surface.						

AD-40	Plastic Coated Metal Hallule	<b>7.</b>				
464	Green Flagged Plastic	53	48	13 1/2	12	



### **Whisk Brooms**

Sewed two times, cad. plated ring cap. These are the best quality whisk brooms for home, automobile and office.

Item ID	Description	Size Overall (in)	Carton Wt. (lbs)	Carton Qty.
226	Palmyra	8 1/2	3 1/2	12
227	Yellow Plastic	11	5	12
228	Broom Corn	11	4	12
229	Broom Corn	15	5 1/4	12



(226, 227, 228, 229)

<sup>\*\*</sup>Paper wrapped bundle

# **COUNTER DUSTERS**

Designed for the professional, there is a Magnolia Brush duster available for nearly all applications. Dusters are built to last and make quick clean-up of counters and other areas in need of a quick sweep.



### Wood Block

Filling material is staple set in clear lacquered hardwood block. Hang up hole in handle. **Recommended Use:** Dusting and cleaning counters and work areas.

Item ID	Description	Size Overall (in)	Brush Face (in)	Block Type	Trim Length (in)	Carton Wt. (lbs)	Carton Qty.
53	Horsehair and Black Tampico	13 1/2	9	Wood	2 1/2	8	12
54	Black Horsehair	13 1/2	9	Wood	2 1/2	10	12
54-X	Black Horsehair and Plastic	13 1/2	9	Wood	2 1/2	9 3/4	12
55	Silver Flagged Poly	13 1/2	9	Wood	2	9	12
56	Silver Flagged Poly	13 1/2	9	Wood	2 1/2	9 3/4	12
58	Black Tampico	13 1/2	9	Wood	2	7	12
59	Grey Tampico	13 1/2	9	Wood	2 1/2	9 3/4	12
60	White Polypropylene	13 1/2	9	Wood	2 1/4	9 1/2	12

### Plastic Block

Fiber is staple set in a foam plastic block with hang up hole. Meets Sanitary Code Requirements.

Item ID	Description	Size Overall (in)	Brush Face (in)	Block Type	Trim Length (in)	Carton Wt. (lbs)	Carton Qty.
57	Green Flagged Nylon	13 1/2	8	Plastic	2 1/2	8	12
61	White Polypropylene	13 1/2	8	Plastic	2 1/4	8 3/4	12



(61 AND 57)



### **Heavy Duty Mill**

Brown plastic is staple set in clear lacquered hardwood block. Filling material is set in block without side flare. Brush is heavily filled in front end where heavy wear is encountered

**Recommended Use:** Cleaning metal chips from lathes, milling machines, etc. in machine shops.

Item ID	Description	Size Overall (in)	Brush Face (in)	Block Type	Trim Length (in)	Carton Wt. (lbs)	Carton Qty.
52	Brown Plastic	13	8	Wood	13/4	7 1/2	12

### **Ceiling Duster**

Black Poly bristles set in foam plastic block with one threaded handle hole. Ideal for cleaning cob-webs and other debris from ceilings and walls. Handle Sold Separately.

500	Black Poly	4 3/4	9 3/4 across	Plastic	2 1/2	5 1/2	6

### Whisk Duster

Fiber is staple set in a 9 1/4" hardwood wood block with hang up hole. **Recommended Use:** Dusting, sweeping small areas, into dustpans etc.

Item ID	Description	Trim Length (in)	Carton Wt. (lbs)	Carton Qty.
223	Black Tampico	2	3 1/4	12
224	Plastic (Assorted Colors)	2	3 1/4	12







# **DUST PANS**













(#3 DUSTPAN)

(#9 DUSTPAN)

(#17 DUSTPAN)

(#16 DUSTPAN)

### **Plastic**

Plastic janitor dust pan is durable, light-weight, non-marking and will not rust or dent. Hang up hole in handle for storage.

Item ID	Description	Width (in)	Carton Wt. (lbs)	Carton Qty.
#2 Dustpan	Black Plastic	10	4	12
#3 Dustpan	Grey Plastic	12	9	12

### **Metal Dust Pans**

Black metal janitor dust pan is 20 gauge steel. Baked enamel finish is durable with beveled edge. Corrugated ribs add to strength.

#6 Dustpan Black Metal 12 15 12	2
---------------------------------	---

17" width holds more debris than regular dust pans. All aluminum pan and handle won't rust or corrode; lighter than steel. Includes ridges for added strength and durability, lay flat edges leaves less mess on the floor. Heavy gauge aluminum tube handle, plastic coated.

#9 Dustpan Aluminum 17 15 6	
-----------------------------	--

### **Plastic Lobby Dust Pan**

Heavy-duty one-piece plastic pan with lightweight handle. Easy use pivoting bucket can be locked down for busy areas.

Item ID	Description	Width (in)	Carton Wt. (lbs)	Carton Qty.	
#17 Dustpan	Black Plastic	11 3/4	15	6	

Low profile dustpan is ideal for hanging against a wall. Dustpan locks into position to easily dispose of contents. The flexible rubber ramp conforms to the floor.

Item ID	Description	Width (in)	Carton Wt. (lbs)	Carto Qty.	on
#16 Dustpan	Black Plastic	11 1/2	9 3/4	6	NEW

# HOUSEHOLD/MISCELLANEOUS ITEMS



### **Bottle Brush**

White Nylon twisted in white-coated wire set into a polypropylene handle with hang up hole. Brush shape enables access for hard to reach areas when cleaning.

Item ID	Description	Trim Length (in)	Carton Wt. (lbs)	Carton Qty.
302	White Nylon	1 3/4	1 1/4	12




White Tampico fiber twisted in galvanized wire and set into wood handle with handy hang-up hole. Recommended for washing vegetables.

Item ID	Description	Overall Length (in)	Brush Length	Carton Wt. (lbs)	Carton Qty
168	White Tampico	8	3" x 3"	2	12

800-248-2261 WWW.MAGNOLIABRUSH.COM

### Janitorial, Cleaning and Food Service

## HOUSEHOLD/MISCELLANEOUS ITEMS





### Coffee Urn Gauge Glass Brush

Stiff Horsehair Fiber. Twisted wire construction. Rust proof wire. Overall length: 24" Brush length: 5.625" x .625" diameter.

Item ID	Description	Width	Overall Length (in)	Brush Length	Carton Wt. (lbs)	Carton Qty.
546	Stiff Horsehair	5 5/8	24	5 5/8	2	12

### **Refrigerator Coil Brush**

Excellent brush for cleaning refrigerator coils. Natural plastic is wire twisted on a  $4\,1/2$ " clear lacquered wood handle with hang up hole. Brush face is 3/4" diameter at end and  $1\,3/4$ " diameter at the front. Brush length is 12" and overall length is  $27\,1/2$ ".

550	White		27 1/2	12	4	12
	Plastic	3/4				

### **Tube Brushes**

Black nylon twisted in wire.

**Recommended Use:** Ideal for internal cleaning in industrial laboratory and food services.

Item ID	Description	Width	Overall Length (in)	Carton Wt. (lbs)	Carton Qty.
540	Black Nylon	5/8	18	1	12
541	Black Nylon	3/4	18	1	12
542	Black Nylon	1	18	1	12
544	Black Nylon	1	30	1 1/2	12
545	Black Nylon	7/8	16	13/4	12

### **BBQ** Brushes and Mops

String cotton wound on a wooden dowel. Ideal for applying bar-b-que sauces, or can be used in cleaning cooking utensils.

Item ID	Description	Carton Wt. (lbs)	Carton Qty.
130	Cotton BBQ Mop	2	12

### SHORT HANDLE

Crimped Brass Wire. Staple set in a smooth wax tumbled hardwood block with leather hang-up thong.

Item ID	Description	Trim Length (in)	Width	Overall Length (in)	Carton Wt. (lbs)	Carton Qty.
4042	Crimped Brass	5/8	2 5/8	8 7/8	5 1/2	12

### **LONG HANDLE**

Same as above except: No hang-up thong.

4043	Crimped Brass	5/8	2 1/2	17 3/4	8	12

Crimped brass wire staple set in heavy duty black foam plastic block with stainless steel scraper and hang up hole.

4044	Crimped Brass	1/2	3	19 3/4	8	12	

### Janitorial, Cleaning and Food Service

## HOUSEHOLD/MISCELLANEOUS ITEMS









### **TILE AND GROUT**

### Swivel Tile and Grout

Stiff poly bristles designed to get into grout lines. Swiveling motions allow easy access to hard to reach places. Required threaded handle, not included.

Item ID	Description	Carton Wt. (lbs)	Carton Qty.
4000	Stiff Polypropylene	4 1/4	12

### **Swivel Scrub**

Stiff poly bristles and swivel design designed to get into grooves in places unreachable by automatic floor scrubbing machines. Required threaded handle, not included.

4010 Scrub Brush	4	6	
------------------	---	---	--

### **Small Tile and Grout**

Polypropylene block with scraper and hang up hole. Angled handle allows for easy cleaning in tight spaces. Block is filled with black polypropylene.

Item ID	Description	Trim Length (in)	Overall Length (in)	Carton Wt. (lbs)	Carton Qty.
260	Black Polypropylene	3/4	8	1 1/4	24

### Stainless Steel Scrubber

Heavy duty scouring pad made from 410 series stainless steel. Contains 18% chromium and 8% nickel. Used to remove baked on foods, rust and paint on pots, pans, utensils, ovens, grills and griddles. The heavy ribbon design allows faster and easier clean up.

Item ID	Description	Carton Wt. (lbs)	Carton Qty.
304-PB	Stainless Steel Scrubber	13/4	12

### Stove Brush

Polypropylene block filled with crimped brass wire with hang up hole. Used for cleaning grills and stove tops. Curved handle allows access into hard to reach places.

Item ID	Description	Trim Length (in)	Overall Length (in)	Carton Wt. (lbs)	Carton Qty.
261	Crimped Brass	3/4	8	1 1/4	24

### Dish and Sink Brush

Ideal brush for the kitchen to remove scraps and to scrub leftovers from dishes and cookware. Polypropylene block with scraper and hang up hole, filled with white polypropylene fiber.

300	White Polypropylene	7/8	8 1/4	1/4	24	
	i diypiopyiene					

### Pot and Pan Brush

Polypropylene block with scraper and hang up hole. Filled with crimped brass wire. Ideal for cleaning pots and pans with burned-on foods.

	301	Crimped Brass	7/8	8 1/8	4	24
--	-----	---------------	-----	-------	---	----

### **PLUNGERS**

Popular style used in most homes for effective plunging. Handle included.

Item ID	Description	Head Diameter	Carton Wt. (lbs)	Carton Qty.
148	Red	5 5/8	9	12

### **Heavy Duty**

Bell shape — designed for tough jobs. Handle included.

440	D	F F (0	44.4/0	40	
149	Black	5 5/8	11 1/2	12	

# TOILET BOWL BRUSHES AND MOPS



(L TO R: 155-WC, 156, 157, 158, 151-N, 152-P, 150, 150-WC)

### Bowl Brushes - European Style

Polypropylene Fiber. Staple set in a polypropylene handle. New angle design reaches every section of bowl. Comfortable, easy to use. Brush is not affected by bowl cleaners. Rinses clean. Will not mar or scratch any surface. Hang up hole.

Item ID	Description	Overall Length	Handle Type	Brush Head	Carton Wt. (lbs)	Carton Qty.
155	Black and White Poly	14	Plastic	3 1/2" × 3 3/4"	10	24
155-WC	Black and White Poly with Cup	14	Plastic	3 1/2" x 3 3/4"	14	24

### **Bowl Brushes - Standard**

Heavily-filled fiber twisted in plated wire on clear lacquered hardwood handle with hang up hole.

Item ID	Description		Handle Length		Brush Head	Carton Wt. (lbs)	Carton Qty
156	White Tampico	18	12	Wood	4" x 5"	7	24
157	Union Fiber	21	16	Wood	4" x 5"	6	12
158	White Tampico	21	16	Wood	4" x 5"	6 1/4	12
159	White Polypropylene	21 1/2	16	Wood	5 1/2 x 4 1/2	6	12
151-N	Black Nylon	21	15	Wood	5 1/2 x 4 1/2	6	12
152-P	Plastic	16	11 3/4	Plastic	4 x 5	6	20

### **Bowl Mops**

Fluffy white acid-resistant yarn is firmly attached to a 12 inch plastic handle with hang up hole. The continuous filament yarn is extremely long lasting.

Item ID	Description		Handle Type	Carton Wt. (lbs)	Carton Qty.
150	Acrylic Yarn	12	Plastic	13	120
150-WC	Acrylic Yarn, includes cup	12	Plastic	18	100

# MOP BUCKETS

### **Mop Buckets**

Yellow mop bucket with wringer designed for durability. Bucket is corrosion resistant. No cracks or crevices to collect dirt. Wringer is resistant to cleaning chemicals. Comes with standard 3" ball bearing casters.

Item ID	Description	Carton Wt. (lbs)	Carton Qty.
6035-3	35 qt	20	1
6023-3	23 qt	9	1

### Wet Floor Sign

Yellow plastic sign with black & red lettering. Convenient hinged upper portion provides a carry handle and allows for easy opening and closing.

Wet Floor Sign	12 3/4 x 26	21	10	



(6023-3, 6035-3, WET FLOOR SIGN)



# WET MOP HANDLES

### **Jaws Mate**

Durable molded plastic wet mop holder. Use a twist action to secure the mop head. Most sizes of both industrial and household mops can easily be installed with both jaws opening.

Item ID	Diameter	Handle Length	Carton Wt. (lbs)	Carton Qty.
88	15/16	60	9	6**
88-M	15/16	60	18 1/2	12
88-FG	1	60	22	12

### Mop Mate

Quick change mop holder made of high impact plastic, resistant to chemicals and corrosion. Comes with a side gate and includes a collet connector for easy handle assembly and self-locking thumb nut to prevent mop from working loose while in use. Wider opening for easier insertion of mop head and the gripper teeth help to hold in place.

Item ID	Diameter	Handle Length	Overall Length (in)	Carton Wt. (lbs)	Carton Qty.
90	1	54	60 7/8	9	6**
90-M	1	60	65	18	12
90-FG	1	60	65 1/4	23	12

### **Mop Handles**

Quick-change type. Heavily zinc plated steel construction securely fastened to a No. 1 grade 11/8" diameter, 54" handle. Standard wing nut construction with channel-type cross bar that detaches from one side to allow quick change of mop head.

Item ID	Diameter	Handle Length	Carton Wt. (lbs)	Carton Qty.	
Size of head: 7" for 20 to 32 oz. mop heads.					
91	1 1/8	54	15	6**	

### **Spring Grip Mop Handle**

This wet mop handle is for use with a wide variety of mops. Spring action securely locks head in place. Made of 1/4" wire and zinc plated for rust resistance. Available on a 1" x 54" wood handle.

Item ID	Diameter	Handle Length	Carton Wt. (lbs)	Carton Qty.
93	1	54	12	6**

### Sta-Flat Handle

Item ID	Description	Carton Wt. (lbs)	Carton Qty.
SF-54	1" x 54" Handle for Sta-Flat mop	18	12**



# **MOPS**

### **Industrial Grade Looped End Mop Heads**

Extra durable, cotton, synthetic/acrylic blend. General purpose mop with looped ends and tail band. Good for all purpose cleaning. Launderable.



### White

Item ID	Description	Carton Wt. (lbs)	Carton Qty.
4914	Small	10	12
4920	Medium	15	12
4924	Large	18	12
4932	X-Large	23	12
Blue			
4914-B	Small	10	12
4920-B	Medium	15	12
4924-B	Large	18	12
4932-B	X-Large	23	12

### Rayon Blend

Made of highly absorbent, long wearing white and blue rayon blend yarns. Sewn 2 times with a 1/2" wide band.



Item ID	Description	Carton Wt. (lbs)	Carton Qty.
48012	12 oz Rayon Blend	10	12
48016	16 oz Rayon Blend	15	12
48024	24 oz Rayon Blend	18	12
48032	32 oz Rayon Blend	23	12

### Sta-Flat

Made of 4 ply white yarn. Metal band secures metal screw in head of mop. Mop head protected by plastic sleeve.

Item ID	Description	Carton Wt. (lbs)	Carton Qty.
6224	Cotton	18	12
6232	Cotton	24	12

### Straight End Cotton and Rayon

Made of 4 ply highly absorbent, long wearing yarns. Mops are sewn 2 times. Band is 11/4" wide.





### Cotton

Item ID	Description	Carton Wt. (lbs)	Carton Qty.
4716	16 oz Cotton	12	12
4724	24 oz Cotton	18	12
4732	32 oz Cotton	24	12
Rayon			
4816	16 oz Rayon	12	12
4824	24 oz Rayon	18	12
4832	32 oz Rayon	24	12



### **Deck Mops**

Made of 4 ply absorbent white cotton yarns. Head is securely fastened to clear lacquered handle. Head is covered with a plastic sleeve.

Item ID	Description	Ind. Weight*	Carton Wt. (lbs)	Carton Qty.
12-M	7/8" x 48" Handle	10 oz	8	6**
16-M	15/16" x 48" Handle	14 oz	9	6**
20-M	15/16" x 54" Handle	16 oz	11	6**
24-M	11/8" x 54 Handle	20 oz	15	6**
32-M	1 1/8" x 54 Handle	24 oz	18 1/2	6**

<sup>\*</sup>Ounces are approximate weights. \*\*Shipped in bundles. No packaging.

### No Wire for Institutional Use

Made of 4 ply absorbent white cotton yarn. Head is securely fastened to a clear lacquered handle with rayon fiber cord. **Recommended Use:** Prison systems and other situations where wire wrapped mops are not allowed.

Item ID	Ind.	Weight* Ca	arton Wt. (lbs)	Carton Qty.
32-M-NV	V 24 c	z 18		6**



# HOT-DIPPED GALVANIZED PAILS, TUBS, CANS











SH CAN) (WASH BOARD)

**Tubs** 

Hot-dipped galvanized round tubs. Durable and long-lasting foot and wash tubs. Superior quality to pre-galvanized tubs. Will not crack or leak.

lte	em ID	Width Bottom	Width Top	Height	Volume (qt)	Carton Wt. (Ibs)	Carton Qty.
#'	l Tub	17 1/4"	19 3/8"	10 5/8"	48.61	29	6
#2	2 Tub	17 1/2"	20"	11"	59.18	39 1/2	6
#3	3 Tub	19 1/4"	22"	11"	73.97	41	6

<sup>\*</sup> Bail handle

### **Pails**

Hot-dipped galvanized pail. Superior quality to pre-galvanized pails. Durable and long-lasting containers for liquids. Will not crack or leak.

#4 Mini Pail	4 5/8"	6 1/4"	5 1/2"	2	7 1/2	12
#8 Pail	7 3/4"	9 7/8"	8 1/2"	8	18 1/2	12
#10 Pail	8 1/2"	10 1/4"	9"	10	21	12
#12 Pail	8 3/4"	11 1/2"	9 1/2"	12	24	12
#14 Pail	9 1/4"	11 1/2"	9 1/2"	14	29	12
#20 Pail	10 5/8"	13 1/4"	12 1/4"	24.04	40	12

### **Mini Paint Pails**

Electroplated metal paint pails. Ideal for use in the painting industry. Will accommodate the 4 inch paint brush.

Item ID	Width Bottom (in)	Width Top (in)	Height (in)	Volume (qt)	Carton Wt. (lbs)	Carton Qty.
#2.5 Paint Pail	6 1/8	7 1/4	4 7/8	2 1/2	21 3/4	36
#5 Paint Pail	7 3/8"	8 1/2"	6 1/4"	5	19 1/2	24

### **Trash Cans**

Pre-galvanized trash cans with lids. Durable, long lasting containers for refuse.

20 Gallon Trash Can	14 3/4"	17"	22 5/8"	20 (gallon)	46	6
30 Gallon Trash Can	17"	20 1/4"	25 1/4"	30 (gallon)	50	6

### Wash Boards

Galvanized wash boards in wood frame. Available in large size for washing and scrubbing and a small size suitable for crafts.

Item ID	Overall Length	Overall Width	Galvanized Length	Galvanized Width	Carton Wt. (lbs)	Carton Qty
Large Wash Board	23 1/4	12 1/2	12	10 3/4	18 1/2	6
Small Wash Board	15 1/8	7 1/2	7	5 3/4	13 3/4	12

**NOTE:** Tubs, pails and trash cans shipped in bundles in quantities listed above. (No external packaging)

# DUST MOPS, FRAMES AND HANDLES

### Industrial Grade Looped End – Colored Cotton

Industrial quality colored looped end dust mops. Mop heads are made of absorbent cotton yarn evenly sewn on Sanforized duck. Convenient no rust zipper for easy changing of mop head.

Item ID	Length (in)	Width (in)	Carton Wt. (lbs)	Carton Qty.
5212	12	5	8	12
5218	18	5	17	12
5224	24	5	22	12
5236	36	5	30	12
5248	48	5	38	12
5260	60	5	49	12
5272	72	5	60	12

### Industrial Grade Looped End – White Cotton

Mop heads are made of 4 ply, looped end white cotton yarn evenly sewn on Sanforized duck. Outside yarn is sewn on duck with two rows of lock stitching. Convenient zipper for easy changing of mop head.

Carton Wt. (in) (lbs) Carton Qty.
16 24
20 24
27 1/4 24
34 24
43 1/4 24
55 24

### Treated Dust Mops (Economy disposable)

Treated disposable dust mop heads are made of 4 ply cotton yarn. Yarn is sewn with 2 rows of stitching. Grey backing with double ties.

EC-5118	18	5	6 3/4	12	
EC-5124	24	5	9 1/2	12	
EC-5136	36	5	13	12	
EC-5148	48	5	16 3/4	12	



### **Dust Mop Frames**

Frame is made of heavy-duty metal, welded construction, plated finish.

Item ID	Length (in)	Width (in)	Carton Wt. (lbs)	Carton Qty.
5112-F	12	5	8	24
5118-F	18	5	21	24
5124-F	24	5	25	24
5136-F	36	5	33	24
5148-F	48	5	49	24
5160-F	60	5	54	24
5172-F	72	5	62	24

### **Microfiber Dust Mops**

Microfiber pad securely fastens to mop head with hook and loop fasteners, and picks up fine dust particles regular dust mops leave behind. Great for use on tile, wood, smooth concrete or linoleum floors. Easy to use in tight spaces, under tables, in corners, etc. Pads are machine washable. Includes AB-48 Handle.

Item ID	Туре	Length (in)	Carton Wt. (lbs)	Carton Qty.
5000	Plastic	16	10	12
5001	Aluminum	22	10 1/4	12
Refills				
5000-R		16	1 3/4	12
5001-R		22	2 1/4	12





## Janitorial, Cleaning and Food Service

# DUST MOPS, FRAMES AND HANDLES





### Wedge Mops

### Cotton

Made of blended white cotton. Yarn is looped on a heavy canvas back. Light duty wedge frame made of metal with plastic connector. Requires standard acme thread handle.

Item ID	Length (in)	Width (in)	Carton Wt. (lbs)	Carton Qty.
5100	14	11	9	12
Refill				
5100-R	14	11	5	12

### Acrylic

Made of single strand, yellow acrylic yarn on a flocked canvas back. Light duty wedge frame made of metal with plastic connector. Requires standard acme thread handle.

5101	15	12	5	12
Refill				
5101-R	15	12	3	12

# **DUST MOP HANDLES**



### Snap-On

Snap on handle for No. 51 & 52 Series Dust Mops and 5" frames. Plated metal connector, 360 degree action. Fits all 5" dust mops.

Item ID	Diameter	Handle Length (in)	Overall Length (in)	Carton Weight	Carton Qty.
DM-60	1	54	57 1/2	21	12**
DM-60-M	1	60	64	18	12
DM-60-FG	1	60	64	25	12

<sup>\*\*</sup>Packed in paper-wrapped bundle

800-248-2261 WWW.MAGNOLIABRUSH.COM



# WAX APPLICATORS AND HANDLES









(2210-N)

(2310)

(3110) (2310-B)

### Low Cost Synthetic Lambs Wool

Two piece clear lacquered hardwood block, plated bolts and wing nuts. Pad is made of synthetic lambs wool. Spreads wax uniformly. Wash pads in warm soapy water immediately after waxing floors. Pads may be used many times.

Item ID	Width (in)	Туре	Carton Wt. (lbs)	Carton Qty.	Handle Type	Includes Handle
2210-N	10	Synthetic	24 1/2	12	W-48	Yes
2212-N	12	Synthetic	26	12	W-48	Yes
2216-N	16	Synthetic	30	12	W-48	Yes

### Refills

Packed in individual Poly Bags. Also available Synthetic Lambs Wool 5 1/4" x approx. 55" on a knit backing.

Item ID	Width (in)	Туре	Carton Wt. (lbs)	Carton Qty.
2210-NR	10	Synthetic	1	12
2212-NR	12	Synthetic	1 1/4	12
2216-NR	16	Synthetic	2	12

### **Blocks and Hardware**

Block and hardware only, does not include handle.

Item ID	Width (in)	Туре	Carton Wt. (lbs)	Carton Qty.	Includes Handle
2310-B	10	Block, Bolt, Wing Nuts	12	12	No
2312-B	12	Block, Bolt, Wing Nuts	15	12	No
2316-B	16	Block, Bolt, Wing Nuts	22	12	No
2318-B	18	Block, Bolt, Wing Nuts	25	12	No

### 100% Virgin Wool

100% Virgin Wool. 3/4" dense pile fabric on knit backing, latex coated to prevent shedding and withstand repeated washing. Fast drying and fluffs like new. Meets government specifications. Assembled with plated bolts and wing nuts. Clear lacquered block 2 3/4" wide. Lower block smooth tumbled 1/2" thick.

**Recommended Use:** For institutional and custodial service.

Item ID	Width (in)	Туре	Carton Wt. (lbs)	Carton Qty.	Handle Type	Includes Handle
2310	10	100% Virgin Wool	25 1/2	12	W-54	Yes
2312	12	100% Virgin Wool	27 1/2	12	W-54	Yes
2316	16	100% Virgin Wool	33 1/4	12	W-54	Yes
2318	18	100% Virgin Wool	35 1/2	12	W-54	Yes

### Refills

Packed in individual Poly Bags. Also Available by the roll in 100% Lambs Wool 6" x approx. 55"

Item ID	Width (in)	Туре	Carton Wt. (lbs)	Carton Qty.
3110	10	100% Virgin Wool	13/4	12
3112	12	100% Virgin Wool	2	12
3116	16	100% Virgin Wool	2 1/2	12
3118	18	100% Virgin Wool	2 3/4	12

### Handles

Clear lacquered hardwood handles with short wood thread. Made for use only on Wax Applicators and Wax Strippers.

Item ID	Width (in)	Туре	Carton Wt. (lbs)	Carton Qty.
W-48	15/16 diameter	48" Handle	10	12**
W-54	15/16 diameter	54" Handle	12	12**

<sup>\*\*</sup>Packed in paper-wrapped bundle



# **FOOD SERVICE**

### **Bakery Oven Brush**

Tampico fiber staple set in a hardwood block with handle. Used for cleaning bakery ovens.

Item ID	Length (in)	Carton Wt. (lbs)	Carton Qty.	Trim Length (in)
BB-36	36	9	6	2
BB-51	51	12	6	2

### **Pastry Brush**

Natural bristle epoxy set into a smooth turned wooden handle. Ideal for use as an auto detail brush or as a pastry brush for food preparation.

Item ID	Length (in)	Trim Length (in)	Carton Wt. (lbs)	Carton Qty.
16	7 9/16	1 7/8	1 3/4	24

### **Industrial Grill Brush**

Heavy Duty Industrial Grill Brush features a 48" hardwood handle with double sided brushes.

**Recommended Use:** Large Industrial Applications, Grills, Ovens, Grates etc.

Item ID	Description	Trim Length (in)	Brush Block Size (in)	Overall Length (in)	Carton Wt. (lbs)	Carton Qty.
GB-48	Double Sided Wire Grill Brush			48	6	2
	Side 1 Tempered Flat Steel Wire	1 1/4	7 1/4 x 3 5/8	Wood		
	Side 2 Round Carbon Steel Wire	1 1/3	7 1/8 x 2 1/4	Wood		



(16 AND GB-48)



(BB-36)

# WINDOW BRUSHES



(L TO R: 1410, 1425-X, 1420, 1421)

### Window Brushes

Magnolia Brush window brushes are made with fiber staple set in a clear lacquered hardwood block with tapered handle holes. Handles sold separately. Packed in individual cartons.

Item ID	Description	Block Size (in)	Trim Length (in)	Carton Wt. (lbs)	Carton Qty.	Handle Type	Price includes Handle
1410	Grey Flagged-Tip Polystyrene	10	2 1/2	15	12	Tapered	No
1421	Grey Flagged-Tip Polystyrene	8	2 1/2	13	12	Tapered	No
1425-X	Black Horsehair and Polypropylene	8	2 1/2	12 1/2	12	Tapered	No
1420	White Tampico	8	2 1/2	12	12*	Tapered	No

<sup>\*</sup>Bulk packed

Silver Flagged-Tip Plastic. Staple set in clear lacquered hardwood block with plated steel handle connector. Any tapered handle will fit. Attached rubber squeegee made of high-quality rubber. Handles sold separately.

1422 Flagged Tip Plastic 8 2 1/2 7 1/2 6 Tapered	No
--	----

### **Round Window Brushes**

Filling material is staple set in a foam plastic block with one threaded hole in the top; one tapered hole and one threaded hole in the side. Threaded side hole will accept fountain handle.

Packed in Individual Cartons. Requires standard tapered or threaded handle sold separately.

Item ID	Description	Block Size (in)	Trim Length (in)	Carton Wt. (lbs)	Carton Qty	Handle Type	Price includes Handle
1426	Black Horsehair	4 1/2	2 1/2	12	12	TH or TA	No
1426-X	Horsehair and Polypropylene	4 1/2	2 1/2	11 1/4	12	TH or TA	No
1427	White Tampico	4 1/2	2 1/2	11 1/4	12	TH or TA	No
1429	Flagged Plastic	4 1/2	2 1/2	11	12	TH or TA	No
1429-N	Green Flagged Nylex	4 1/2	2 1/2	11	12	TH or TA	No
1428-XC	Horsehair and Polypropylene	4 1/2	3 1/2	13	12	TH or TA	No



BOTTOM – L TO R: 1427,1428-XC, 1429-N BOTTOM – L TO R: 1429-N, 1426, 1426-X)



# WINDOW SQUEEGEES

### Conventional

Frame is made of heavy gauge aluminum. Handle socket is cadmium-plated steel. Double squeegee rubbers. Squeegee rubber is red. Back-up rubber is black.

Item ID	Size (in)	Carton Wt. (Ibs)	Carton Qty.	Handle Type	Price includes Handle
4406	6	4 1/2	12	Tapered	No
4410	10	5 1/2	12	Tapered	No
4412	12	6	12	Tapered	No
4416	16	7	12	Tapered	No
4418	18	7 1/2	12	Tapered	No



(4406)

Refills for 44 Line Window Squeegees

Item ID	Size (in)	Carton Wt. (lbs)	Carton Qty.
4406-R	6	1	12
4410-R	10	1 1/2	12
4412-R	12	2	12
4416-R	16	2 1/2	12
4418-R	18	2 3/4	12



(4412)

### **Low Cost**

This is a serviceable squeegee for small store and home use. Frame is made of aluminum and handle socket is made of cadmium-plated steel. One piece, specially shaped, soft squeegee rubber.

Item ID	Size (in)	Carton Wt. (lbs)	Carton Qty.	Handle Type	Price includes Handle
4606	6	3 1/2	12	Tapered	No
4612	12	5 1/2	12	Tapered	No



**NOTE:** Handles sold on page 17.



# VEHICLE WASH BRUSHES

Quality, Reliability and Value is what you get when making the smart choice for vehicle wash brushes. These brushes are made with the highest quality fiber and densely filling to give superior performance in all environments. Blocks equipped with either a threaded (TH), or both a threaded and tapered (TA) handle hole.

**Special Product Caution** Although these high-quality brushes are recommended for use on all types of vehicles, some finishes may be more susceptible to scratching than others; always test in an inconspicuous area before use.

### 8" Vehicle Wash Brushes

Filling material is staple set in foam plastic block with protective bumper. The 8" blocks have one threaded flow-thru handle hole. Handle sold separately. Packed in individual cartons.

Item ID	Description	Block Length	Trim Length (in)	Bumper	Handle Type	Includes Handle	Carton Wt. (lbs)	Carton Qty.
3022	Blue Flagged Nylon	8	2 1/2	Yes	TH	No	10	12
3034	Green Flagged Nylon	8	2 1/2	Yes	TH	No	10	12



(3034 AND 3022)

### **Acid Resistant**

Filling material is staple set in foam plastic block. The 8" block has one threaded flow-thru handle hole. Packed in individual cartons.

### THESE BRUSHES ARE ACID-RESISTANT.

3023	Flagged Blue Polystyrene	8	3	No	TH	No	12	12
3024	White Flagged Polystyrene	8	2 1/2	No	TH	No	12	12
3035	Tampafil Polypropylene**	8	2 1/2	No	TH	No	10	12
3036	Grey Flagged Polystyrene	8	2 1/2	No	TH	No	12	12
3036-G	Green Flagged Polystyrene	8	2 1/2	No	TH	No	11	12*



(TOP – L TO R: 3024, 3036-G, 3023 BOTTOM – L TO R: 3035, 3036)

### 9" Vehicle Wash Brushes

Densely filled fiber. Staple set in  $9" \times 25/8"$  foam plastic block with a protective bumper. Block has one threaded and one tapered handle hole. Handle sold separately.

3021	Flagged Grey Polystyrene	9	3	Yes	TA or TH	No	18	12
3026*	Dark Green Flagged Nylon	9	2 1/2	Yes	TA or TH	No	16 1/2	12
3029	White Flagged Polystyrene	9	2 5/8	Yes	TA or TH	No	18	12



\*Not acid resistant

<sup>\*</sup>Bulk packed one dozen per master carton.

<sup>\*\*</sup>NOT FOR USE ON VEHICLE EXTERIORS OR SURFACES SUBJECT TO SCRATCHING.

### 9" Vehicle Wash Brushes - Ultra Block

Staple set fiber in a 9" Ultra truck wash block with threaded flow-thru hole. Handle sold separately. Packed in individual cartons.

Item ID	Description	Block Length	Trim Length (in)	Bumper	Handle Type	Includes Handle	Carton Wt. (lbs)	Carton Qty.
3045	Yellow Flagged Polystyrene	9	2 1/2	Yes	TH	No	13 1/2	12
3046	Red Flagged Nylon	9	2 1/2	Yes	TH	No	12	12
3047	Black/White Flagged Polystyrene	9	2 1/2	Yes	TH	No	13 1/2	12



### 10" Vehicle Wash Brushes

Filling material is staple set in foam plastic block with protective bumper. The 10" blocks have one threaded flow-thru and one tapered handle hole. Handle sold separately. Packed in individual cartons.

3032	Grey Flagged Polystyrene	10	3	Yes	TA or TH	No	16	12
3033	Green Flagged Nylon	10	2 1/2	Yes	TA or TH	No	14	12
3038	Blue Flagged Nylon	10	2 1/2	Yes	TA or TH	No	14	12
3039	Blue Flagged Polystyrene	10	3	Yes	TA or TH	No	16	12
3040	Black/White Polystyrene	10	2 1/2	Yes	TA or TH	No	16	12*
3040 W/B	Black/White Polystyrene	10	2 1/2	Yes	TA or TH	No	16	12



(L: 3038,3040-W/B, 3039 R: 3033, 3032)

No bumper – bulk packed.

### **Acid Resistant**

Filling material is staple set in foam plastic block. The 10 inch blocks have one threaded flow-thru and one tapered handle hole. Handle sold separately. Packed in individual cartons. These brushes are Acid Resistant.

1411	Grey Flagged Polystyrene	10	2 1/2	No	TA or TH	No	16	12
1411-G	Green Flagged Polystyrene	10	2 1/2	No	TA or TH	No	16	12*
3037	Tampafil**	10	2 1/2	No	TA or TH	No	13	12





<sup>\*</sup>Bulk packed one dozen per master carton.

<sup>\*\*</sup>NOT FOR USE ON VEHICLE EXTERIORS OR SURFACES SUBJECT TO SCRATCHING.

### Vehicle Wash and Automotive

## **VEHICLE WASH BRUSHES**

Special Product Caution Although these high-quality brushes are recommended for use on all types of vehicles, some finishes may be more susceptible to scratching than others; always test in an inconspicuous area before use.

### Wash Brushes - Floor Brush Style

Filling material is staple set in foam plastic block with two threaded handle holes. Will accommodate fountain handles, sold separately. 99 handle brace recommended for 18 and 24". Packed in individual cartons.

Item ID	Description	Block Length	Trim Length (in)	Bumper	Handle Type	Includes Handle	Carton Wt. (lbs)	Carton Qty.
3314	Grey Flagged Polystyrene	14	2 1/2	No	TH	No	18	12
3314-N	Green Flagged Nylon	14	2 1/2	No	TH	No	15	12
3418	Blue Flagged Polystyrene	18	3	No	TH	No	23 1/2	12
3318	Grey Flagged Polystyrene	18	2 1/2	No	TH	No	23 1/2	12
3318-N	Green Flagged Nylon	18	2 1/2	No	TH	No	20 3/4	12
3324	Grey Flagged Nylon	24	2 1/2	No	TH	No	31 1/2	12









(186-N, 186-R, 186-M, 186-G, 186-B)



### Bi-Level Vehicle Wash Brushes

Densely filled fiber is staple set in a foam plastic block with one threaded handle hole and five flow through holes. This high quality brush is recommended for use on all types of vehicles — freight vans, trucks, boats, etc. Flow-thru hole for fountain type handle. Handles sold separately.

186-B	Blue Flagged Nylon*	10	2 3/8	No	TH	No	16	12
186-G	Green Polystyrene	10	2	No	TH	No	22	12
186-N	Green Nylon*	10	2 3/8	No	TH	No	16	12
186-M	B/W Flagged Polystyrene	10	2 3/8	No	TH	No	24	12
186-R	Red Nylon	10	2 3/8	No	TH	No	22	12

<sup>\*</sup> Not acid resistant

5 Level Multi-Surface brush ideal for washing vehicles, boats and other surfaces. Fiber is staple set in an 7 3/4" Black Poly Flow-Through block that accepts a threaded handle. (sold separately) 11.25" Overall Length

Item ID	Description	Trim Length (in)	Carton Wt. (lbs)	Carton Qty.	Handle	Price includes Handle
187-B	Blue Nylon	2 (13/4 side)	9 1/2	6	TH	No
187-Y	Yellow Flagged Polystyrene	2 (13/4 side)	10	6	TH	No
187-SBB	Synthetic Boar Bristle	3"	9	6	TH	No NEW
188-N	Green Nylon	2 1/8 (1 3/4 side)	9 1/2	6	TH	No
188-M	Black and White Mixed Polystyrene	2 1/8 (1 3/4 side)	9 1/2	6	TH	No













### Hand Wash Brushes

Filling material is staple set in cream color foam plastic  $12" \times 21/2"$  block with hang up hole.

**Recommended Use:** Very popular for hand washing boats, yachts and autos.

Item ID	Description	Block Length	Trim Length (in)	Bumper	Handle Type	Carton Wt. (lbs)	Carton Qty.
51-PN	Green Flagged Nylon	12	2 1/2	No	None	14	12

The very best vehicle wash brush on the market. 100% Hog Bristle epoxy set in a 12" hardwood block with a 3" trim, no holes — hand held

3050	Hog Bristle	12	3	No	None	1 1/4	1	
0000	1 log bilotic	12	0	140	140110	1 1/ 1		

### Truck Exhaust/Stack Cleaning Brush

White Tampico fiber staple set in a flexible circular plastic block, with standard threaded (TH) handle hole.

**Recommended Use:** This brush was designed for cleaning chrome plated exhaust stacks on diesel trucks. Good for cleaning overhead pipes in food processing plants.

Item ID	Description	Block Length	Trim Length (in)	Bumper		Includes Handle	Carton Wt. (lbs)	Carton Qty.
600	White Tampico	9	13/4	No	TH	No	1 1/2	1
605	White Tampico	11	13/4	No	TH	No	1 1/2	1

### Wheel Wash Brush

Red nylon in a foam plastic block with one tapered (TA) and one flow-through threaded (TH) handle hole.

Recommended Use: Washing Wheels

700	Red Nylon	5	2 1/2	No	TH or TA	No	10	12
701	Blue Nylon	5	2 1/2	No	TH or TA	No	8	12
702	Green Flagged Polystyrene	5	2 1/2	No	TH or TA	No	9	12

# SIDEWALL BRUSHES

### SIDEWALL BRUSHES

### Hardwood Block

Filling material is staple set in smooth sanded wax tumbled hardwood block. **Recommended Use:** Cleaning tires.

Item ID	Description	Trim Length (in)	Block Type	Block Length	Rows	Carton Wt. (lbs)	Carton Qty.
6-B	Brass Wire	5/8	Wood	8 1/2	7 x 7	5	12
6-S	Steel Wire	5/8	Wood	8 1/2	7 x 7	5	12
6-N	White Nylon	5/8	Wood	8 1/2	7 × 7	4	12
6-T	Tampico	5/8	Wood	8 1/2	7 x 7	4 1/2	12



(L TO R: 6-T, 6-N, 6-S, 6-T)

### Foam Plastic Block

Filling material is staple set in polypropylene block.

**Recommended Use:** Cleaning tires and for stripping paint on home furniture refinishing.

66-B	Brass Wire	13/16	Polypropylene	7 1/4	5 x 9	5	24
66-N	White Nylon	13/16	Polypropylene	7 1/4	5 x 9	3 1/2	24



(66-B AND 66-N)



### Vehicle Wash and Automotive

## SIDEWALL BRUSHES

### Foam Plastic Block

Filling material is staple set in foam plastic block that will not crack when left in tire cleaning solution

Item ID	Description	Trim Length (in)	Block Type	Block Length	Rows	Carton Wt. (lbs)	Carton Qty.
6-BP	Brass Wire	5/8	Foam Plastic	8 1/2	8 x 7	4	12
6-NP	White Nylon	5/8	Foam Plastic	8 1/2	8 x 7	3	12
6-SP	Steel Wire	5/8	Foam Plastic	8 1/2	8 x 7	4	12
Solid Pla	stic Block						
6-BNP	Black Nylon	1	Solid Plastic	8 1/2	8 x 7	4	12



# FENDER AND UTILITY BRUSHES

Made of the highest quality materials and available in a wide variety of fiber for all applications.

### 8" Blocks

Filling material is staple set in a wax tumbled 8" x 3" hardwood block with hang up hole in handle.

Item ID	Description	Block Size (in)	Block Type	Trim Length (in)	Carton Wt. (lbs)	Carton Qty.
37	Union Fiber	8	Wood	2	7	12
40	Palmyra	8	Wood	2	7 1/4	12
40-SL*	Palmyra	8	Wood	2	6 1/4	12
41	White Tampico	8	Wood	2	8	12
68	Brown Plastic	8	Wood	2	7	12
68-C	Yellow Plastic	8	Wood	2	7 1/4	12
68-B	Crimped Blue Plastic	8	Wood	1 3/4	7	12



40-P	Palmyra	8	Foam Plastic	2	6	12
42	Green Flagged Plastic	8	Foam Plastic	2	7	12
75	White Tampico	8	Foam Plastic	2	6	12
76	Tampafil (acid proof)	8	Foam Plastic	2	6	12
76-SL*	Tampafil (acid proof)	8	Foam Plastic	2	5	12
66	Blue Plastic (acid proof)	8	Foam Plastic	1 3/4	6	12

<sup>\*</sup>Economy version



BOTTOM ROW: 37, 68)



(TOP ROW: 40-P, 76, 42 BOTTOM ROW: 75, 66, 76-SL)

### 8 1/2" Solid Plastic Blocks

Filling material is staple set in a polypropylene block. Will not break or crack. Will not absorb water. Angled handle prevents scraped knuckles.

**Recommended for use** in the food industry. Not recommended for use in acid solutions.

Item ID	Description	Block Size (in)	Block Type	Trim Length (in)	Carton Wt. (lbs)	Carton Qty.
68-TP	Tampico	8 1/2	Plastic	2	7	12
68-P	Brown Plastic	8 1/2	Plastic	2	6 1/2	12
68-CP	Yellow Plastic	8 1/2	Plastic	2	6 1/2	12
68-WP	Clear Plastic	8 1/2	Plastic	2	6 1/2	12
71-N	White Nylon	8 1/2	Plastic	2	7	12
72	Clear Poly	8 1/2	Plastic	2	6 1/2	12
80	Grey/White Flagged Plastic	8 1/2	Plastic	2	6 1/2	12
82	Green Nylex	8 1/2	Plastic	2	6 1/2	12



(TOP ROW: 80,68-TP,68-WP, 68-CP BOTTOM ROW: 71-N, 82, 68-P, 72)



(48 AND 49)

### 12" Wood Blocks

Filling material is staple set in a wax tumbled 12" x 3" hardwood block with hang up hole in handle.

48	Palmyra	12	Wood	2	8 1/4	12
49	White Tampico	12	Wood	2	8 1/4	12

### 20" Blocks

Filling material is staple set in a wax tumbled  $20" \times 3"$  hardwood block with hang up hole in handle.

39	Union Fiber	20	Wood	2	11	12
44	Palmyra	20	Wood	2	9	12
44-SL*	Palmyra	20	Wood	2	9	12
45	White Tampico	20	Wood	2	10	12
70	Brown Plastic	20	Wood	2	10 1/4	12
70-C	Yellow Plastic	20	Wood	2	10	12
70-B	Crimped Blue Plastic	20	Wood	1 3/4	10	12



Filling material is staple set in a polypropylene block. Will not break or crack. Will not absorb water. Angled handle prevents scraped knuckles.

**Recommended for use** in the food industry. Not recommended for use in acid solutions.

70-P	Brown Plastic	20	Plastic	2	8 1/2	12
70-CP	Yellow Plastic	20	Plastic	2	8 1/2	12
70-WP	Clear Plastic	20	Plastic	2	8	12
73-N	White Nylon	20	Plastic	2	9	12



(L TO R: 70-B, 70-C, 44, 39, 70, 45)



(TOP TO BOTTOM: 70-P,70-WP,70-CP,73-N)





Filling material is staple set in a high-tensile strength foam plastic block. Will not absorb water.

**Recommended for use** where sanitation is required.

Item ID	Description	Block Size (in)	Block Type	Trim Length (in)	Carton Wt. (lbs)	Carton Qty.
43	Green Flagged Plastic	20	Foam Plastic	2	10	12
77	Tampafil (acid proof)	20	Foam Plastic	2	10	12
78	White Tampico (acid proof)	20	Foam Plastic	2	10	12
81	Grey/White Flagged Plastic	20	Foam Plastic	2	10	12
83	Green Nylex	20	Foam Plastic	2	10	12
67	Blue Plastic (acid proof)	20	Foam Plastic	13/4	10	12



### **Bent Handle**

Grey & White Flagged Plastic is staple set in a 20" foam plastic handle bent at a slight angle to easily clean around wheels and fenders.

81-BH	Grey/White Flagged Plastic	20	Foam Plastic	2	10	12	

### **Automobile and Floor Mat Brushes**

Fiber is staple set in a polypropylene block with an upturned handle. Brush is trimmed flat.

**Recommended for use** in cleaning upholstery and floor mats.

65	Stiff Brown Plastic	8 1/2	Plastic	1 3/8	6	12
65-HH	Horsehair	8 1/2	Plastic	1 1/8	6	12



(65 AND 65-HH)

and the same

# **AUTOMOTIVE/DETAIL BRUSHES**

### Small Detail/Pastry

Natural bristle epoxy set into a smooth turned wooden handle.



brush or as a pastry brush for food preparation

Item ID	Description	Overall Length	Trim Length	Carton Wt. (lbs)	Carton Qty.
16	Natural Bristle	7 9/16	17/8	13/4	24

### Two Way Mini Detail

All natural bristle set in one end and black nylon set in opposite end of lacquered handle.



Item ID	Description	Overall Length	Carton Wt. (lbs)	Carton Qty.
296	Natural Bristle/ Black Nylon	6 1/2	3	72

### **Nylon Detail**

Black Nylon Bristle in a wood block

Item ID	Description	Overall Length	Trim Length	Carton Wt. (lbs)	Carton Qty.	
298	Black Nylon	8 3/4	3/4	17/8	24	

### Two Way Dash Brush

Made of Red Cotton yarn with a wire twist construction on one end set into a plastic ferrule and natural bristles glue set on the other end. Designed to clean dust in hard-to-reach recessed areas, ex: auto vents, keyboards, moldings, etc.

Item ID	Description	Overall Length	Trim Length	Carton Wt. (lbs)	Carton Qty.
299	Natural Bristle/ Red Yarn	11 1/2	13/8	2	20

### Radiator /Tube

Black Horsehair. Straightface wire handle.

Item ID	Description	Overall Length	Carton Wt. (lbs)	Carton Qty.
27	Black Horsehair	6	1	12

### Radiator

Black Flagged-Tip

Polystyrene. Staple set in

a plastic block with hang up hole in handle.

**Recommended Use:** Cleaning steam radiators and narrow, hard-to-reach places.

Item ID	Description	Overall Length	Trim Length	Carton Wt. (lbs)	Carton Qty.
28	Black Polystyrene	24	2	4	6

### **Handy Cleaning Brushes**



### Plastic Handle

270	Stainless Steel	7	1/2	1 1/2	36
EC-270*	Stainless Steel	7	1/2	3	48
271	Brass	7	1/2	1 1/2	36
EC-271*	Brass	7	1/2	3	48
272	Nylon	7	1/2	1 1/2	36
EC-272*	Nylon	7	1/2	3	48

\*Economy version



### **Wood Handle for Welding Industry**

273	Brass	7	1/2	1 1/2	36
274	Stainless Steel	7	1/2	1 1/2	36
EC-274	Stainless Steel	7	1/2	3	48
275	Horsehair	7	1/2	1 1/2	36
276	Nylon	7	1/2	1 1/2	36

### **Vehicle Wash and Automotive**

# **AUTOMOTIVE/DETAIL BRUSHES**

















(L TO R: 280, 7-DOPE, 1A, 239-DT, 295, 290, 291)

### **Cleaning Brush Sets**

Item ID	Description	Overall Length	Diameter	Carton Wt. (lbs)	Carton Qty.
280	Brass, Nylon, Stainless Plastic Handle	7 1/8	1/2	2 1/2	12
281	Brass, Nylon, Stainless Wood Handle	8	1/2	2 1/2	12

### **Dope/Cleaning Brush**

7-Dope	Stiff Grey Horsehair	6 3/4	1 1/8	1 1/2	144	

### Tin Handle Acid Brush

1-A	Stiff Black Horsehair	6	3/8	2 1/4	144
2-A	Stiff Black Horsehair	6	1/2	3	144
3-A	Stiff Black Horsehair	6	5/8	3 1/2	144

### Paintbrush Style Cleaning/Detail Brushes

Item ID	Description	Overall Length	Diameter	Carton Wt. (lbs)	Carton Qty.
238	Natural Bristle	11/2" wide	5/8	1 1/4	36
239	Black Bristle	11/2" wide	3/4	2	24
239-DT	Grey Bristle	11/2" wide Double Thick	1	13/4	12

### **Vent Duster**

295	Natural Bristle	6	17/8 brush head	1 1/2	24	
295-B	Natural Bristle	6	17/8 brush head	9	72*	

<sup>\*</sup>Bulk packed no hang-up card

### Type Inking/Auto Detail Multi Purpose

290	Horsehair	7 5/8	5/8	1 3/4	50
291	White Nylon	7	7/8 and 3/16	1 1/4	50

# AUTOMOTIVE PARTS AND SPOKE

### Gasoline Parts/ Detail

Brush part set in one inch diameter metal ferrule. Natural lacquered handle.

Item ID	Description	Overall Length (in)	Bristle Length (in)	Handle Type	Carton Wt. (lbs)	Carton Qty.
10	Stiff Multi-Color Tampico	12	3	Wood	2 1/4	12
11	Prostran	12	3	Wood	4 1/2	24

Filling material is heat set in a polypropylene ferrule. Plastic handle with hang up hole.

12	Polypropylene	10 1/2	2 3/4	Plastic	2 1/2	24
13*	100% Bristle	12	3	Plastic	2 1/4	12
15	Natural Bristle	11 3/4	2	Wood	2	12

<sup>\*</sup> No hang up hole

### **Spoke Brushes**

### **LARGE**

White Tampico Fiber twisted in wire on plain sanded wood handle with hanger in end.

625	White Tampico	14	3" Diameter tapering to 11/4"	Wood	5	12	

### **SMALL**

Cream-color polypropylene twisted in wire on foam plastic handle.

626 Cream Color 10 1/2 6" Diameter Foam 2 1/2 12 Polypropylene tapering to Plastic 13/16"	
---	--

Black poly bristle twisted in wire on molded handle.

627	Soft Black Poly	11 1/4	2 1/4"	Red Plastic	1 3/4	12
628	Black Poly	10 3/4	2" Diameter	Foam Plastic	6 1/2	36

Black Polypropylene set in plastic coated twisted wire with a 6 inch red plastic handle.

629	Black Poly	12	2" tapering to 1"	Red Plastic	2	12





(625 AND 626)



(628)





# **AUTOMOTIVE SQUEEGEES**

### Vehicle Squeegees

8" Deluxe steel head with 20" wood handle. EPDM Rubber Blade. Heavy duty nylon net. Heavy duty sponge.

Item ID	Overall Length	Handle Length	Head Length	Carton Wt. (lbs)	Carton Qty.		
59053	24	20	8	11	12		
8" Plastic head wit	h 16" plastic handle. R	ust and scratch proc	of.				
59230	16	16	8	6	12		
8" Deluxe Plastic Head with 20" heavy duty plastic handle. EPDM Rubber Blade. Heavy duty nylon net. Heavy duty sponge with plastic insert.							
59263	21 1/2	20	8	9	12		



# **AUTOMOTIVE MISCELLANEOUS**











(L TO R: 142, 285, 400, QD-900, QD-816Y, QD-100)

#### Tire Changer Soap Mop

Item ID	Description	Carton Wt. (lbs)	Carton Qty.
142	11" overall	1 1/2	24

#### 17 Piece Spray Gun Cleaning Kit

Brushes can be used with all types of paint thinners and spray gun cleaning solvents. Ideal for cleaning all types of suction, Gravity feed, HVLP, Detail, Touch Up and Pressure Spray Guns as well as Air Brushes and Stripping Tools.

285 Spray Gun Cleaning Kit	4	12	
-------------------------------	---	----	--

#### **Wash Mitts**

Made of long lasting, soft synthetic fleece. Each mitt is individually packaged in a clear plastic bag.

Recommended Use: Ideal for washing and cleaning.

400	8" x 12" with cuff	3	12
401	9" x 9" square, closed end no cuff	3	12
402	8" x 12" mitt with cuff and thumb	3	12
403	6" x 8" mitt with cuff	1 1/2	12

#### **PVA Imitation Chamois**

Made of tough PVA material this product drys any surface without streaking or spotting and is safe for use on most surfaces. This material is resistant to most chemicals and absorbs water much faster than a regular towel or chamois and is resistant to odor, rot and mildew. Store moist in airtight bag or container. Machine wash if needed.

QD-900 17" x 27"	5 1/4	12	
------------------	-------	----	--

#### Microfiber Cloths

Made from very fine strands of microfiber, these high quality cloths will safely remove dust, dirt and grime without chemicals or detergents. Use damp to clean surfaces or dry for ordinary dusting. Cleans and polishes glass, chrome and brass. Dirt and dust are trapped in the microfiber and removed from the surface. Non-abrasive.

**Recommended Use:** Detailing automobiles. Use wherever you would normally use a paper towel or dust cloth. Care: Machine wash separately to avoid pick up lint from other items.

Item ID	Description	Carton Wt. (lbs)	Carton Qty.
QD-816Y	16" x 16" Yellow	1 1/2	10
QD-816B	16" x 16" Blue	1 1/2	10
QD-824Y	16" x 24" Yellow	2	10
QD-824B	16 x 24" Blue	2	10

#### **Quick Dry Auto Squeegee**

Super soft squeegee blade used for removing water from freshly washed vehicles. Rubber gripped handle aids in maneuverability.

QD-100	12"	3 1/3	12



#### Vehicle Wash and Automotive

### **AUTOMOTIVE MISCELLANEOUS**

#### **Automotive Sponge**

Mesh covering on one side for scrubbing and microfiber on the other for drying. **Recommended Use:** Ideal for cleaning windows, polishing car interiors, bodywork and trim.

Item ID	Description	Carton Wt. (lbs)	Carton Qty.
QD-500	9 3/4" × 5" × 2 1/2"	3 3/4	24



(QD-500)

#### **Boot and Shoe Brush**

Three piece solid injection molding with Black Polypropylene bristles in the base and Blue Polypropylene bristles in the sides. Tapered side bristles allow for easy removal of wet and dry debris from shoes and boots. Two pre-drilled holes with screws allow for easy attachment to most wooden surfaces.


SB-1000 9" x 4 3/4"	19 1/2	6	
---------------------	--------	---	--



(SB-1000)



800-248-2261 WWW.MAGNOLIABRUSH.COM



# GENERAL PURPOSE WIRE SCRATCH BRUSHES

General Purpose Wire Scratch brushes are manufactured to withstand the tough uses of todays professional. Available in a variety of sizes, handles and fill options.

#### **Shoe Handle Wire Brushes**

Filling material staple set in a smooth wax tumbled hardwood block.

Item ID	Description	Length (in)	Width (in)	Trim Length (in)	Rows	Carton Wt (lbs)	Carton Qty.
4-S	Round Carbon Steel	10	1	1 1/8	4 x 16	4 1/2	12
EC-4S	Round Carbon Steel (Economy)	10	1	1	4 x 16	4	12
4-SB	Tempered Brass	10	1	1 1/8	4 x 16	5 1/2	12
9-B	Polished Soft Brass	10	1	1 1/8	4 x 16	5	12
9-S	Stainless Steel	10	1	1 1/8	4 x 16	4 1/2	12
EC-9S	Stainless Steel (Economy)	10	1	1	4 x 16	4	12



#### With Scraper

4-SC	Round Carbon Steel	10	1	1 1/8	4 x 16	6	12	
EC-4SC	Round Carbon Steel (Economy)	10	1	1	4 x 16	4 1/2	12	



#### **Curved Handle Wire Scratch**

Filling material staple set in a smooth wax tumbled hardwood block.

1-S	Round Carbon Steel	14	1	1 1/8	3 x 19	5 1/2	12
EC-1S	Round Carbon Steel (Economy)	14	1	1	3 x 19	3	12
7-S	Round Carbon Steel	14	1	1 1/8	4 x 18	6	12
1-SS	Stainless Steel	14	1	1 1/8	3 x 19	5 1/2	12
EC-1SS	Stainless Steel (Economy)	14	1	1	3 x 19	4	12
1-SB	Tempered Brass	14	1	1 1/8	3 x 19	5 1/2	12
22-S	Round Carbon Steel	13	1/2	1	2 x 19	4	12



#### With Scraper

1-SC	Round Carbon Steel	14	1	1	3 x 19	6	12
EC-1SC	Round Carbon Steel	14	1	1	3 x 19	4	12
7-SC	Round Carbon Steel	14	1	1 1/8	4 x 18	7	12



#### Straight Handle Scratch Brush

8-SC	Steel Wire	11 1/2	1 1/2	1 9/16	4 × 11	8	12
EC-8S	Steel Wire (Economy)	11 1/2	1 1/2	1 5/16	4 x 10	5	12
8L-SC	Steel Wire	20	1 1/2	1 9/16	4 × 11	9 3/4	12





800-248-2261 WWW.MAGNOLIABRUSH.COM

#### **Steel Wire Floor Brushes**

Black carbon steel wire, staple set in a smooth sanded hardwood block with tapered handle hole. Handle not included

Item ID	Description	Length (in)	Width (in)	Trim Length (in)	Rows	Carton Wt. (lbs)	Carton Qty.
3814	Black Carbon Steel Wire	14	2 1/2	3 1/2	6 x 29	44	12

Flat, oil-tempered steel wire, staple set in a hardwood block with tapered handle hole. Handle not included.

2512	Flat Steel Wire	12	2 3/8	5	4 x 16	25 1/2	12	



Tempered flat steel wire, staple set in a smooth wax tumbled hardwood block.

101	Flat Steel Wire	7 3/4	2 5/8	1 1/4	5 x 10	10	12

#### **Rockerback Wire Scratch**

Tempered round carbon steel wire staple set in a wax tumbled hardwood block. Rocker back design permits extra pressure on rusty or corroded surfaces.

3-S	Round Carbon Steel	7 1/4	2 1/2	1 1/8	9 x 21	10	12

#### Straightback Wire Scratch

Round carbon steel wire, staple set in a smooth sanded hardwood block.

5-S	Round Carbon Steel	7 1/8	2 1/4	13/4	6 x 19	9	12
5-ST*	Round Carbon Steel	7 1/8	2 1/4	13/4	6 x 19	9	12

<sup>\*</sup>With threaded handle hole

#### Painters' Scratch Brushes with Scraper

Round carbon steel wire, staple set in a wax tumbled hardwood block with 6" scraper and handle bracket attached. Handle sold separately.

**Recommended Use:** scaling and scraping old paint.

5-SC-7	Round Carbon Steel	7 1/8	2 1/4	1 9/16	6 x 19	14	12
5-SC-15	Round Carbon Steel	15	2 1/4	1 9/16	6 x 38	10 1/2	6
S-48	Square Cut Handle for above	48	1 1/8			15	12







(2512)





(3-S)



(5-S





#### GENERAL PURPOSE WIRE SCRATCH BRUSHES

#### Steel Wire Whisk

Round carbon steel wire, staple set in a smooth sanded hardwood block.

Item ID	Description	Trim Length (in)	Rows	Carton Wt (lbs)	Carton Qty.
2-S	Round Carbon Steel Wire	2 5/8	4 x 8	3 1/4	12



#### All-Purpose Dual Fiber

Plastic block designed with scraper on one end and brush head on other. Filled with brass wire on tip -5/8" trim and polypropylene on bottom -3/4" trim. An ideal brush for washing, cleaning and scouring. Other uses: stripping and removal of paint. Brush face 23/4" x 11/4".

Item ID	Description	Length (in)	Width (in)	Trim Length (in)	Rows	Carton Wt. (lbs)	Carton Qty.
66-MP	Brass/Poly	7 5/8	1 1/2	3/4	6 x 9	2 1/4	12



#### **Asbestos Removal**

White very stiff polypropylene, staple set in a smooth wax tumbled hardwood handle. This brush was designed for removal of asbestos fibers.

Item ID	Description	Length (in)	Width (in)	Trim Length (in)	Carton Wt. (lbs)	Carton Qty.
1-SP	White Stiff Plastic	14	1	5/8	4 3/4	12



#### **Casting Brush**

7½" Flat Wire, 5 x 10 row, 4" trim, hardwood block

Item ID	Description	Length (in)	Trim Length (in)	Rows	Carton Wt. (lbs)	Carton Qty.
2510	Flat Wire	7 1/2	4	5 x 10	16 1/4	12



#### **Looped Handle Wire**

Made of carbon wire with a looped steel handle.

**Recommended Use:** industrial, automotive and construction applications.

Item ID	Description	Length (in)	Width (in)	Trim Length (in)	Carton Wt. (lbs)	Carton Qty.
20-S	Carbon Wire	5 3/8	13/8	1 1/2	1 1/3	12





# WATER PAINT PASTE WHITE WASH

Water paint, coater and applicator brushes made for the professional and available for all types of applications. Available in a variety of sizes, handles and fill options.

#### **BEST GRADE TAMPICO**

#### **Water Paint Brush**

Best Grade White Tampico fiber staple set in clear lacquered hardwood block with  $6\frac{3}{4}$  inch red handle attached.

**Recommended Use:** This is a heavily filled brush recommended for the professional contractor.

Item ID	Description	Block Length	Block Width	Trim Length (in)	Handle Length	Rows	Carton Wt. (lbs)	Carton Qty.
561	White Tampico	6 1/2	2	4	6 3/4	5	10	12

Best Grade White Tampico fiber staple set in wax tumbled hardwood block with attached handle

560	White Tampico	6 1/2	13/4	3 1/2	6 3/4	4	8	12
562	White Tampico	6 1/2	13/4	4	6 3/4	4	8	12
564	White Tampico	6	13/4	3	6 3/4	4	7	12



563 White Tampico 4 1/4 1 3/4 3 5 1/2 4 5 12										
	563	White Tampico	4 1/4	13/4	3	5 1/	2 4	5	12	

#### **Paste Brushes**

Item ID	Description	Block Length	Trim Length (in)	Handle Length	Rows	Carton Wt. (lbs)	Carton Qty.
566	White Tampico	6	3 1/4	6 3/4	2	6	12
567	White Tampico	7	3 1/4	6 3/4	2	7	12

#### Solvent Resistant Polypropylene

Clear Solvent-Resistant Plastic staple set in clear lacquered hardwood block with  $6^{3}\!\!/\!\!4$  inch handle attached.

**Recommended Use:** For applying all types of masonry and water paints.

Item ID	Description	Block Length	Block Width	Trim Length (in)	Handle Length	Rows	Carton Wt. (lbs)	Carton Qty.
560-P	Almond Colored Polypropylene	6 1/2	1 3/4	3 1/2	6 3/4	4	8	12
565	Clear Polystyrene	6 1/2	2	3 1/4	6 3/4	5	7 1/2	12







(564, 560, 562)









(560-P AND 565)

#### **Applicator Brushes**

White Wash Brushes

Item ID	Description	Block Length	Trim Length (in)	Handle Length	Rows	Carton Wt. (lbs)	Carton Qty.
566-P	Almond Colored Polypropylene	6	3 1/4	6 3/4	2	5 1/2	12
567-P	Almond Colored Polypropylene	7	3 1/4	6 3/4	2	6 1/4	12

Selected White Tampico Fiber staple set in smooth sanded wax tumbled hardwood block with tapered handle hole.

577	White Tampico	7	2 1/2	**	3	6 1/2	12
578	White Tampico	8	2 1/2	**	3	6 1/2	12

<sup>\*\*</sup>Can be used with a tapered handle not included

#### **Seal Coat Brush**

Cream-color Polypropylene fiber is staple set in wax tumbled hardwood block. **Recommended Use:** Applying seal coating, cement slurry, water proofing, etc.

Item ID	Description	Block Length	Block Width	Trim Length (in)	Handle Length	Rows	Carton Wt. (lbs)	Carton Qty.
568	Cream Colored Polypropylene	6	1 1/16	3 1/8	6 3/4	3	9 1/2	12

#### Masonry/Applicator/Paste with Hang Clip

Filling material staple set in foam plastic block with hang clip molded into 61/2" handle. Convenient for hanging brush on side of can or bucket.

580	Tampico	6	13/4	3 1/2	6 1/2	4	8	12
580-P	Almond Colored Polypropylene	6	13/4	3 1/2	6 1/2	4	8	12
586	Tampico	6	3/4	3 1/2	6 1/2	2	6	12
586-P	Almond Colored	6	3/4	3 1/2	6 1/2	2	5 1/2	12
	Polypropylene							





(567-P AND 566-P)



(577)



(568)

# PAINT BRUSHES

#### **Chip Brushes**

Magnolia Chip Brushes are made of 100% White bristles. Smooth sanded handle with tin ferrule. 11/2" trim.
Single thickness.



Item ID	Description	Carton Qty	Carton Wt. (lbs)	Master PK Qty	Master Weight
230	1/2" Low Cost Chip Brush	36	1	864	17
231	1" Low Cost Chip Brush	36	1 1/2	864	35
232	1-1/2" Low Cost Chip Brush	36	2	864	43
233	2" Low Cost Chip Brush	24	2 1/4	432	54
234	2-1/2" Low Cost Chip Brush	24	1 1/4	432	43
235	3" Low Cost Chip Brush	24	1 1/2	432	52
236-S	4" Low Cost Chip Brush	12	1 1/4	240	40
235-DT	3" Low Cost Chip Brush (Double Thickness- 2 1/4" trim)	12	2	240	20
236	4" Low Cost Chip Brush (Double Thickness 2 1/4" trim)	12	2 1/2	144	30

#### **Low Cost Polyester**

Polyester bristle epoxy set in a plastic handle

with metal ferrule.

**Recommended for use** with all paints.

Item ID	Size	Carton Wt. (lbs)	Carton Qty.
257-1	1	1	12
257-1.5	1 1/2	1 1/2	12
257-2	2	2	12
257-2.5	2 1/2	2 1/2	12
257-3	3	3	12
257-4	4	3 3/4	12

#### Foam Brushes

Polyfoam paint brushes wooden dowel handle. Not recommended for use with lacquer, shellac or solvents.



Item ID	Width (in)	Carton Wt. (lbs)	Carton Qty.
FB-1	1	1/4	12
FB-2	2	1/4	12
FB-3	3	1/2	12
FB-4	4	1/2	12



#### **Radiator Brushes**

100% Bristle set in a bent ferrule on a 14 1/2" natural wood handle..

Item ID	Width (in)	Carton Wt. (lbs)	Carton Qty.	Trim Length (in)
RAD-1	1	1 1/2	12	1 3/4
RAD-1.5	1 1/2	2	12	1 3/4
RAD-2	2	2	12	2
RAD 2.5	2 1/2	3	12	2
RAD-3	3	3 1/2	12	2 1/8
RAD-4	4	4 1/4	12	2 1/8

#### **Oval Sash Brushes**

100% Bristle set in a metal ferrule on a lacquered wooden handle with hang up hole. Suggested for use with oil based paints, enamel, epoxy, urethane, alkyd oil, varnish, shellac and solvents.



OS-2	9 1/2	1	12	3/4
OS-4	9 3/4	1	12	1
OS-6	10	1 1/2	12	2 1/8
OS-8	10 3/4	2	12	2
OS-10	12 1/8	2 1/4	12	2
OS-12	12 5/6	1 1/4	12	2

#### **Industrial Paint Brushes**

100% black bristles epoxy set in varnished handle.

1½ inch thickness. Moderately priced.



241	1	1	12	2
242	2	2	12	2
243	3	3	12	2 1/4
244	4	3 1/4	12	2 1/4



#### **Professional Wall**

#### China Bristle Beavertail

Bristles are epoxy set in a smooth sanded natural wooden handle. Professional quality for industrial or household use. *Recommended for use* with oil based paints, varnishes, stains and enamels.

Item ID	Width (in)	Carton Wt. (lbs)	Carton Qty.
250-1	1	1	12
250-1.5	1 1/2	1 1/2	12
250-2	2	1 3/4	12
250-2.5	2 1/2	2 1/2	12
250-3	3	2 3/4	12
250-4	4	13/4	6

#### China Bristle Angle Sash

Angled bristle epoxy set in a smooth sanded natural wooden handle with stainless steel ferrule, allows for easy painting in corners and other places that are hard to reach with a regular straight brush.

**Recommended for use** with oil based paints, varnishes, stains and enamels.

251-1.5	1 1/2	13/4	12
251-2	2	2 1/2	12
251-2.5	2 1/2	3	12
251-3	3	4 3/4	12

#### SRT Polyester Beavertail

SRT Polyester bristles are epoxy set in a smooth sanded natural wooden handle. Professional quality for industrial or household use.

#### **Recommended for use** with all paints.

252-1	1	1 1/2	12
252-1.5	1 1/2	2 1/4	12
252-2	2	2 3/4	12
252-2.5	2 1/2	3 3/4	12
252-3	3	5 1/4	12
252-4	4	4	6



(904)

#### SRT Polyester Angle Sash

**Recommended for use** with all paints. Use around doors, windows and trim for an easier finish.

Item ID	Width (in)	Carton Wt. (lbs)	Carton Qty.
253-1.5	1 1/2	2 1/2	12
253-2	2	3 1/4	12
253-2.5	2 1/2	4	12
253-3	3	5 1/4	12

#### Nylon/Polyester Blend Beavertail

Nylon and Polyester bristles epoxy set in a smooth sanded natural wood handle with stainless steel ferrule. Professional Quality for industrial or household use.

#### **Recommended for use** with all paints.

254-1	1	1 1/2	12
254-1.5	1 1/2	2 1/4	12
254-2	2	2 3/4	12
254-2.5	2 1/2	3 3/4	12
254-3	3	5 1/4	12
254-4	4	4	6

#### Nylon/Polyester Blend Angle Sash

Angled bristles allow for easy painting in corners and other places that are hard to reach with a regular straight brush. Professional quality for industrial or household use.

#### **Recommended for use** with all paints.

255-1.5	1 1/2	2 1/2	12	
255-2	2	3 3/4	12	
255-2.5	2 1/2	4	12	
255-3	3	5 1/4	12	

#### Nylon

Tapered Nylon, "Epoxy" set. Very fine brush for painting large flat wall surfaces both interior/exterior and for fine clean up jobs. Smooth wood handles with stainless steel ferrule. Best used with water based paints

Item ID	Width (in)	Carton Wt. (lbs)	Carton Qty.
904	4	3	6
905	5	2	3
906	6	2	3



# **ROLLER COVERS**



#### **Heavy Duty**

100% Synthetic fiber attached to a 4-ply Phenolic Core backing.

Item ID	Length (in)	Nap (in)	Carton Wt. (lbs)	Carton Qty.
3SC038	3	3/8	2	24
3SC050	3	1/2	3	24
3SC075	3	3/4	2	24
4SC038	4	3/8	3	24
4SC050	4	1/2	3	24
4SC075	4	3/4	3	24
9SC025	9	1/4	4	24
9SC038	9	3/8	4 1/2	24
9SC050	9	1/2	5	24
9SC075	9	3/4	5	24
9SC125	9	1 1/4	6	24
18SC038	18	3/8	4 1/2	12
18SC050	18	1/2	5	12
18SC075	18	3/4	6	12
18SC125	18	1 1/4	6	12

#### Mo-Tech

100% Synthetic fiber. Dripless synthetic and lint free.

Recommended Use: Gloss and

Semi-Gloss Paints

9MT025	9	1/4	4	24
18MT025	18	1/4	4 1/2	12

#### Heavy Duty Carpet Roller Cover

For a texture finish. Synthetic, gray carpet twist fabric on phenolic core creates a stippled effect on smooth to medium surfaces with all paints

Item ID	Length (in)	Nap (in)	Carton Wt. (lbs)	Carton Qty.
9CP038	9	3/8	8	12

#### **Good Value**

100% Synthetic fiber attached to a 3-ply Phenolic Core backing.

Item ID	Length (in)	Nap (in)	Carton Wt. (lbs)	Carton Qty.
9TU038	9	3/8	6 1/2	24
9TU050	9	1/2	5	24
9TU075	9	3/4	5	24
9TU100	9	1	5	24
9TU125	9	1 1/4	6	24

#### White Velvet

White Velvet Roller Cover – 100% Dralon fiber. Lint free use in all paints.

Recommended Use: Applying clear finishes

4WV038	4	3/8	3	24	
9WV038	9	3/8	4 1/2	24	
18WV038	18	3/8	6	12	

#### **Foam Solvent Resistant**

Shed-Resistant Foam. Will not swell or compress.

**Recommended Use:** Applying Solvents & Water Based Sealers

9FSR038	9	3/8	2 1/4	12	
9FSR050	9	1/2 Slit	2 3/4	12	
18FSR038	18	3/8	4 1/4	12	
18FSR050	18	1/2 Slit	4 3/4	12	

#### Microfiber

White Microfiber with blue strips resists shedding. Phenolic core. Packed in individual poly bags. For use with all paints and stains.



Item ID	Length (in)	Nap (in)	(lbs)	Carton Qty.
9MF038	9	3/8	4.5	24
9MF050	9	1/2	5	24



# **ROLLER COVERS**

#### **Lint Free**


Green lint free polyester with Phenolic core. Packed in individual poly bags. For use with all paints and stains.



Item ID	Length (in)	Nap (in)	Carton Wt. (lbs)	Carton Qty.
9LF025	9	1/4	4	24
9LF038	9	3/8	4	24
9LF050	9	1/2	4	24
9LF075	9	3/4	5	24
9LF125	9	1 1/4	6	24
18LF025	18	1/4	4	12
18LF038	18	3/8	4 1/2	12
18LF050	18	1/2	4 1/2	12
18LF075	18	3/4	4 1/2	12
18LF125	18	1 1/4	5	12

#### Foam

Yellow Foam Roller Covers with PVC core. Large cover (9FM075) made with slits to ensure even coverage on rough or uneven surfaces.



**Recommended Use:** For use with all paints (NOT lacquer or shellac). Great for getting a lot of paint onto porous surfaces (such as wood paneling or cabinets), and for creating supersmooth finishes with glossier paints.

Item ID	Length (in)	Nap (in)	Carton Wt. (lbs)	Carton Qty.
9FM038	9	3/8	2	12
9FM075	9	3/4	2 1/2	12

# NEW

# NEW PLASTIC CORE ROLLER COVERS

New Roller Covers with Plastic Cores offer a cost effective solutions when our professional phenolic core covers are not required.

Item ID	Description	Length	Nap (in)	Carton Wt. (lbs)	Carton Qty
9GP038	Good Value Plastic Core	9"	3/8	3 1/2	24
9GP050	Good Value Plastic Core	9"	1/2	4	24
9GP075	Good Value Plastic Core	9"	3/4	4 1/2	24
9BG038	Better Value Plastic Core	9"	3/8	3 3/4	24
9BG050	Better Value Plastic Core	9"	1/2	4	24
9BG075	Better Value Plastic Core	9"	3/4	4 1/4	24
9PR038	Professional Plastic Core	9"	3/8	4	24
9PR050	Professional Plastic Core	9"	1/2	4	24
9PR075	Professional Plastic Core	9"	3/4	4 1/2	24











# MINI ROLLER COVERS

Mini Roller cover come in a variety of styles for use on almost any surface and with any type of paint/stain. Covers are available in 4" and 6" and designed to work with our Mini Roller Frames (page 11)

# Red Polyester Roller Cover

For use with water based paint and suitable for almost any surface texture.



Length (in)	Carton Wt. (lbs)	Carton Qty.			
4	1/2	10*			
6	3/4	10*			
*packed 10 per clear box					
4	2 1/2	50*			
6	3	50*			
	4 6 ear box 4	4 1/2 6 3/4 ear box 4 2 1/2			

<sup>\*</sup>packed 2 per bag 50 bags per carton

#### White and Yellow Striped Acrylic Roller Covers

For use with all Paints.

Shed resistant and easy to clean.



Item ID	Length (in)	Carton Wt. (lbs)	Carton Qty.
4MR-WY10	4	1/2	10*
6MR-WY10	6	1/2	10*
*packed 10 per c	lear box		
4MR-WYB	4	2	50*
6MR-WYB	6	3	50*

<sup>\*</sup>packed 2 per bag 50 bags per carton

#### **White Foam**

For use with all Paints. Shed Resistant.



Item ID	Length	Carton Wt. (lbs)	Carton Qty
4MR-F10	4	1/2	10*
6MR-F10	6	1/2	10*
*packed 10 pe	r clear box		
4MR-FB	4	2	50*
6MR-FB	6	3	50*

<sup>\*</sup>packed 2 per bag 50 bags per carton

#### **Lint Free Mini Roller**

For use with all Paints.

Lint Free for use with all paints



Item ID	Length	Carton Wt. (lbs)	Carton Qty
4MR-LF10	4"	8 1/2	10*
6MR-LF10	6"	11 1/2	10*
*packed 10 per cl	ear box		
4MR-LFB	4"	16 1/2	50*
6MR-LFB	6"	21 3/4	50*

<sup>\*</sup>packed 2 per bag 50 bags per carton

# Microfiber Mini Roller Cover

For use with waterbased paints. Microfiber for easy clean-up and reduced shedding.



Item ID	Length	Carton Wt. (lbs)	Carton Qty
4MR-MF10	4"	9 1/4	10*
6MR-MF10	6"	12 1/4	10*
*packed 10 per cle	ear box		
4MR-MFB	4"	18 1/4	50*
6MR-MFB	6"	24 3/4	50*

<sup>\*</sup>packed 2 per bag 50 bags per carton



# **ROLLER FRAMES**

#### **Heavy Duty**

9" Heavy Duty Roller Frame – Exceptional quality frame made of 5/16" chrome plated steel, 5 wire cage and reinforced handle socket. Better end cap attachment and larger



Item ID	Width	Carton Wt. (lbs)	Carton Qty.
1695-HD	9	14	12
900-516	9	20	24



#### Good Value

Frame made of 1/4" chrome plated steel, 4 wire cage and reinforced handle socket

300-014	3	7 1/2	24
400-014	4	9	24
900-014	9	11	24

# Heavy Duty Frame and Paint Kit

Convenient three piece kit containing 18" adjustable metal frame, cover and solvent resistant tray.



1900-KIT	18"	14	6
----------	-----	----	---





#### **Industrial Frame**

Adjustable Industrial paint frame with threaded handle hole. End Caps sold Separately.

1800-112	18	23 1/4	12
1800-112CAP	End Caps for 1800-112	12	6 pair

#### **Heavy Duty Adjustable**

12 inch to 18 inch adjustable metal frame.

End Caps sold Separately.



Item ID	Width	Carton Wt. (lbs)	Carton Qty.
1800-1218	12-18"	11	12
1800-1218CAP	End Caps	2	12 pair

#### Plastic-Nylon

Nylon Cage with End Caps. Lightweight and durable. 10mm aluminum rod,smooth-rolling bearings and softgrip handle. Accepts acme threaded handle.



900-PRF	9	28	24



#### Mini Roller Frames

Frame made of chrome plated steel. One steel wire for use with mini-rollers.

#### 12" with plastic handle

MRF-412	4	6 1/2	24	
MRF-612	6	7 1/2	24	

#### 19" with plastic handle

MRF-419	4	9	24
MRF-619	6	10	24



# PAINT TRAYS AND ACCESSORIES



(L TO R: MET-100, PET-100G, PET-1800, MIN-100, LIN-100, GRID-1)

#### **Metal Paint Tray**

Item ID	Size (in)	Carton Wt. (lbs)	Carton Qty.
MET-100	9	17	24

#### **Black Plastic Paint Trays**

|--|

Industrial size molded plastic tray is economical yet durable withstanding many uses on the job.

PET-1800	22	9	6	

#### **Mini Paint Trays**

For use with 4 inch and 6 inch mini rollers.

140.4		0.4/0	0.4
MIN-100	4	6 1/2	24
MIN-200	7	12	24

#### **Paint Tray Liner**

Disposable Liners for easy paint tray clean-up. Fit's all 9 inch paint trays.

LIN-100	9	2 1/2	24	

#### **Metal Bucket Grids**

Paint bucket grids for painting directly out of a bucket.

GRID-1	1 Gallon	7	24
GRID-5	5 Gallon	13 1/2	24

#### **Handles**

Item ID	Size (ft)	Diameter	Carton Wt. (lbs)	Carton Qty.
LC-48-12	4	15/16	10	12**
LC-60-12	5	15/16	13	12**
LC-72-12	6	15/16	15	12**
LC-48-24	4	15/16	19	24**
LC-60-24	5	15/16	25	24**
LC-72-24	6	15/16	29	24**

<sup>\*\*</sup>paper wrapped bundle

#### Mini Paint Pails

Item ID	Width Bottom (in)	Width Top (in)	Height (in)	Volume (qt)	Carton Wt. (lbs)	Carton Qty.
#2.5 Paint Pail	6 1/8	7 1/4	4 7/8	2 1/2	21 3/4	36
#5 Paint Pail	7 3/8	8 1/2	6 1/4	5	19 1/2	24





(#2.5 PAINT PAIL)

# **SPONGES**

#### **Polyester**

Made of 100% polyester. The best man made sponge available. Holds as much water as a natural sponge.

**Recommended Use:** For use in the tile and painting industry. Rounded corners prevent marring and digging into grout. Also good for washing cars, boats and windows.

Item ID	Shape	Length (in)	Width (in)	Height (in)	Weight (oz)	Quantity
591	Rectangular	6	4	2	1	1*
592	Rectangular	6 5/8	4 3/8	2 1/8	2	1*
593	Rectangular	7 1/4	5 1/8	2 1/4	2	1*
595	Half-Round	7 1/2	4 1/2	2 3/4	1 1/2	1*

#### Peanut Shaped

Jumbo all purpose sponge, peanut shaped for easy holding.

Recommended Use: Ideal for washing vehicles, outdoor furniture, boats, etc.

598 Peanut Shaped 9 4 7/8 2 7/8 1/6 1
---------------------------------------

<sup>\*</sup> Also available in bale quantity



# WALLPAPER TEXTURE

#### PaperHanger Smoother


Filling material is staple set in smooth sanded wax tumbled hardwood block. Two rows of fiber.

Item ID	Description	Block Size (in)	Trim Length (in)	Carton Wt. (lbs)	Carton Qty.
512	White Tampico	12	2	8	12
513	Clear Polystyrene	12	2	7 1/2	12
514	Tampafil Polypropylene	12	2	7 1/2	12
515	Clear Polystyrene	12	9/16	6 3/4	12

#### Faux Finish

Three rows of green nylex staple set in a clear lacquered hardwood block. **Recommended Use:** Designed for use in applying faux finishing.

578-N	Green 6.12 Nylex	8	1 1/2	6 1/2	12	





# **CROWSFOOT BRUSHES**

Pattern Texture brushes are constructed of select white tampico or horsehair and built to our high standards. These high quality brushes hold up well when applying the "stomped" or "slap-brush" texture technique to ceilings and walls.

#### **CROWSFOOT – PATTERN TEXTURE BRUSHES**

#### **Oblong**

White Tampico Fiber, staple set in a smooth sanded hardwood block, standard threaded handle hole in center. Handle not included.

Item ID	Description	Туре	Overall Width	Overall Length	Block Size (in)	Crossbar	Carton Wt. (lbs)	Carton Qty.
CF-12	White Tampico	Single	8 1/2	13 1/2	1 5/8 x 6 3/8	n/a	6	6
CF-13	White Tampico	Double	16 1/2	13 1/2	1 5/8 x 6 3/8	9"	12	6





(CF-12 AND CF-13)

#### Round

White Tampico Fiber, staple set in a marine grade hardwood plywood block, 4½ inches in diameter. Standard threaded handle hole. Packed 6 brushes per carton.

Item ID	Description	Туре	Overall Width	Overall Length	Block Size (in)	Crossbar	Carton Wt. (lbs)	Carton Qty.
CF-10	White Tampico	Single	8	8	4 1/2	n/a	9	6
CF-11	White Tampico	Double	8	16	4 1/2	9"	18	6



100% Horsehair staple set in marine grade hardwood block with standard threaded handle hole. Block diameter:  $4\frac{1}{2}$  inches. Overall diameter of flattened single brush: 8"

CF-8	Horsehair	Single	8	8	4 1/2	n/a	6	6
CF-9	Horsehair	Double	8	16	4 1/2	9"	12	6



(CF-8 AND CF-9)

Designed to mount on peg boards. Stores long-handled tools, brooms, etc. to keep them off the floor and out of the way when not in use. Made of steel with protective coating to prevent rusting. 17" Overall Length, 4 1/2" wall mount plate.

Item ID	Description	Quantity	Weight
Double Prong Hook	17" Display Hook	6	8



# BRUSH FIBER INFORMATION

#### Horsehair

Produced in the United States, South America, Canada, Australia, and China from the tails and manes. The tails produce the stiffer grades in both black and grey. The mane hair is soft and produced in both black and grey, also. Horsehair is used in a variety of brushes such as, floor sweeps, shoe shine brushes, tin handle acid brushes, counter dusters, window brushes, etc.

#### Nylon

A synthetic man-made filament that offers excellent resiliency and durability. This fiber has high water absorbency and is impervious to solvents, alkali and certain acids and is immune to most common chemicals. Nylon can withstand use near high temperatures and has high resistance to abrasion.

#### **Palmyra**

Palmyra is a natural cinnamon-color fiber obtained from the leaf stalk of a palm tree native to India. Palmyra is obtainable in the prime stiff and medium stiff grades. This fiber is used in garage floor brushes, gong or fender washing brushes, deck brushes, scrub brushes, etc.

#### Palmyra Stalk

This is a very coarse fill having the appearance of split bamboo. The stiff long-lasting material is used almost exclusively in street and contractor brooms.

#### Polypropylene

Available in a variety of diameters and colors. Polypropylene is highly resistant to petroleum solvents, acids, caustics and detergents. Polypropylene is used in brushes such as acid brushes, garage floor brushes, and black-top coater brushes. POLYPROPYLENE IS NOT AFFECTED BY ACIDS.

#### **Polystyrene**

Also available in a variety of diameters and colors. Polystyrene is highly resistant to acids and detergents, but has a lower resistance to petroleum solvents. Polystyrene has excellent flexibility and wear ability, which makes it Magnolia Brush Manufacturers' choice for a filament in floor sweeping brushes, car washing brushes, scrub brushes and many others.

#### **Tampico Fiber**

A vegetable fiber obtained from the Argava Lechuguilla cactus which grows wild on mountain slopes in Mexico. The natural color of the fiber is cream color. Tampico fiber is obtainable in natural color and dyed colors as well as mixtures of different colors. Tampico is used in floor sweeping brushes, acid brushes, counter dusters and many other brushes.

#### **Union Fiber**

A mixture usually of Tampico and Palmyra and often including Bassine. This fiber is cream and medium brown in color and is used in many different styles of brushes for wet or dry scrubbing.

#### Wire

A variety of wires are used in our brushes. We use only very high psi carbon and stainless steel wire in our scratch brushes and tempered brass in our aircraft brushes, white sidewall brushes and special-use brushes.



# PRODUCT INDEX

A-994   7   M-90   7													
A12. 17 MB0024P 28 ISSC057S 84 45 77 68 C 66 179 T 26 254 4 8 B 4 8 S 77 68 C 66 179 T 26 254 4 8 B 4 8 S 76 68 P 20 77 18 C 18 C 18 S 155 15 8 S 4 S 8 S 18 S 15 S 15 S 8 S 18 S 18 S 18 S						2-D	25			178	26	254-2.5	83
A 24	A-8	17	M-72	17	18SC03884	2-S	78	68-B	66	179	26	254-3	83
A 24	A-12	17	MB024P	28	18SC05084	3-S	77	68-C	66	179-T	26	254-4	83
A 24													
A38													
A-H9 17 MBOMST 28 CRUPS 88 4-SC 76 6-WP 67 88 31 25-S 8.  A-S4 17 MBOMST 28 LHAND 88 LC-4SC 76 76 6-WP 67 88-L 64 25-Y 18-L 18-L 18-L 18-L 18-L 18-L 18-L 18-L													
A 5-5													
A-SBO 17 MEDG94H 28 MARFHOL 88 S-SC-77 70-B 67 85-M 64 257-15 8.8 A-120 A-12													
A-72 71 Meg036H 28 6MR-710 86 5SC7 77 70-C 67 8SAM 64 257-2 8. 8. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4.													
AB-30.   18   MB004H   28   AMR-PB   86   5-C15   77   70-P   67   18-FA   64   257-2   8-A   64   257-3   257-3   8-A   64   257-3   257-3   8-A   64   257-3   2	A-60	17	MB024H	28	4MR-F1086	5-S	77	70-B	67	186-G	64	257-1.5	83
AB-30. 18 MB008H 28 MAR-RB 86 S-C-15 77 70-P 67 85-R 64 257-25 88 AB-48. 18 MB024S 28 MAR-RB 86 S-C-17 77 70-P 67 85-R 64 257-3 88 AB-48. 18 MB024S 28 MAR-RB 86 S-C-17 77 70-P 67 85-R 64 257-3 88 AB-48. 18 MB024S 28 MAR-RB 86 S-C-17 77 70-P 67 85-R 64 257-3 88 AB-48. 18 MB024S 28 MAR-RB 86 S-C-17 65 72 MAR-RB 86 S-C-17 87-SBR 64 257-3 88 AB-48. 18 MB024S 28 MAR-RB 86 S-C-17 65 72 MAR-RB 86 S-C-17 67 85-R 64 261 55 AB-48. 18 MB024S 28 MAR-RB 86 S-C-17 65 72 MAR-RB 86 S-C-17 65 AB-48. 18 MB024S 28 MAR-RB 86 S-C-17 65 72 MAR-RB 86 S-C-17 65 AB-48. 18 MB024S 28 MA	A-72	17	MB036H	28	6MR-F1086	5-SC-7	77	70-C	67	186-M	64	257-2	83
AB-48   18   MIGOZAS   28   GMR-FIB   86   5-T1   77   70-CP   67   18-R   64   25-73   81   48   46-00   18   MIGOZAS   28   MAN-LIPE   86   61   65   70-WP   67   187   23   25-74   81   48   48   48   48   48   48   4													
AF-60. 18 MB0485 28 6MR-HE 88 6-8. 6-5 70-MP 67 87 31 27-4 88 4-7-7-8 10 MB0485 28 6MR-HE 88 6-1 6-5 71-1 6-7 187-8 6-64 250-0 55 6 8-7-1 6-64 250-0 55 6													
AF-72													
AF-96. 18 MBDTA2 28 4MR_FTD. 86 6-5 - 65 72-M. 67 187-Y 581 6-4 261 55.  AF-72. 18 0-52 2. 26 MR_FTD. 86 6-12 65 72-M. 67 187-Y 6-4 270 66 AF-72 18 18 0-52 18 18 18 18 18 18 18 18 18 18 18 18 18													
AK-60. 18 05-2 22 6MFLF10 68 6-T 65 73-N 67 187-Y 64 270 65 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1													
AK72 19 05 4 22 4M6 MFB 86 6 RP 66 75 66 188 31 EC 270 65 86 80 60 77 05 66 188 31 EC 270 65 87 20 77 05 80 22 4 M6 MFB 86 6 RP 66 77 68 88 MS M 64 EC 271 65 87 20 80 82 M 64 EC 271 65 87 20 8													
B-60	AK-60	18				6-T	65	73-N	67	187-Y	64		
B-60	AK-72	18	OS-4	82	4MR-MFB86	6-BP	66	75	66	188	31	EC-270	69
B-72	B-60	17	OS-6	82		6-BNP	66	76	66	188-M	64	271	69
B-96													
B-120. 17 OS-12 8.2 4MR-PB 86 7-Dope 70 80 67 190 24 EC-272 66 B-144 17 PAILS 54 6MR-PB 86 7.5 76 8L 68 190-P 24 274 274 66 B-145 55 0D-100 73 4MR-PD 86 7.5 76 8L 68 190-P 24 274 274 274 66 8L 68 190-P 24 274 274 274 66 8L 68 190-P 24 274 274 274 274 274 274 274 274 274					6MP_ME10 86								
B-144													
BB-81. 58													
BB F8 0.0 18													
BR-PG	BB-36	58	QD-100	73	4MR-P1086			81-BH	68			274	69
BR 72	BB-51	58	QD-500	74	6MR-P1086	8-SC	76	82	67	191	25	EC-274	69
BR 72	BR-60	18	QD-816Y	73	4MR-WY1086	8L-SC	76	83	68	192	25	275	69
BR-96.   18													
BU-92													
BU-72   18			OD 924P	72									
BW-90. 17 R-90			QD-024B	/ 3									
BW.120													
C-12													
C-18			RAD-1	82		10	71	90-FG	52	196	25	291	70
C-18	C-12	17	RAD-1.5	82	300-01487	11	71	91	52	196-T	25	295	70
C-24. 17 RAD-2.5 82 900.014 87 13. 71 93 5.2 209. 30 296 65 65 66 6.36 17 RAD-3 82 900.PRF 87 15. 71 96 SCRAPE.20 210. 30 298 66 65 6.48 17 RAD 4 82 MRF-412 87 16. 58 97. 20 212. 30 299 66 65 6.48 17 RAD 4 82 MRF-412 87 16. 58 97. 20 212. 30 299 66 65 6.56 17 RAD 4 82 MRF-412 87 16. 58 97. 20 212. 30 299 66 65 6.56 17 RAD 4 82 MRF-412 87 16. 58 97. 20 212. 30 299 66 65 6.56 17 RAD 4 82 MRF-412 87 16. 58 97. 20 212. 30 299 66 65 6.56 17 RAD 4 82 MRF-412 87 16. 58 99. 20 224. 45 300. 55 6.56 17 RAD 4 82 MRF-412 87 16. 58 99. 20 224. 45 301. 55 6.56 17 RAD 4 82 MRF-412 87 16. 58 99. 20 224. 45 301. 55 6.56 17 RAD 4 82 MRF-412 87 16. 58 99. 20 224. 45 301. 55 6.56 17 RAD 4 82 MRF-412 87 16. 58 99. 20 227. 45 304. FPB 55 6.56 17 RAD 4 82 MRF-412 87 24. M. 53 99. 51. 20 227. 45 304. FPB 55 6.56 17 RAD 4 82 MRF-412 87 24. M. 53 99. 51. 20 227. 45 304. FPB 55 6.56 17 RAD 4 82 RAD						12	71	92	52				
C-36													
C-54													
C-54	C 40	17											
C-60. 17 3SC038 84 MRF-612 87 16-M 53 99 20 224 45 301 55 C-72 17 3SC050 84 MRF-619 87 20-M 53 99-S. 20 226 45 302 44 C-96 17 3SC075 84 1800-172 87 24-M 53 99-S. 20 227 45 304-PB 55 C-120 17 4SC038 84 1800-172 87 24-M 53 101 77 228 45 310-S. 310-S. 32-M 53 101 77 228 45 310-S. 32-M 53 101 77 24 31 74 3													
C-72													
C-96					MRF-61287	16-M	53	99	20	224	45	301	50
C-96	C-72	17	3SC050	84	MRF-61987	20-M	53	99-S	20	226	45	302	48
C-120	C-96	17			1800-11287	24-M	53	99-SL	20	227	45	304-PB	50
C-144 17 4SC050 84 1800-1218 87 24-M-NW 53 109 30 229 45 310-SL 33 (CF-8 90 4SC075 84 1800-1218 CAP-87 32-M-NW 53 110 30 230 82 312 33 (CF-9 90 98 6038 85 1900-KIT 87 19-S 26 110-SL 30 231 82 314 33 (CF-10 90 98 6050 85 MET-100 88 20-S 78 112 30 232 82 310-Y 3 (CF-11 90 98 6075 85 MET-100 88 20-S 78 112 30 233 82 312-Y 3 (CF-12 90 9CP038 84 MIN-100 88 27- 69 114-SL 30 233 82 312-Y 3 (CF-13 90 9FM038 85 MIN-200 88 28 69 110-SL 30 234 82 314-Y 3 (CF-13 90 9FM038 85 MIN-200 88 28 69 110-SL 30 235- 82 412-SL 30 26-C 20 9FM075 85 PET-1800 88 37- 66 112-SL 30 235- 82 412-SL 30 26-C 20 9FSR038 84 SF-1800 88 37- 66 112-SL 30 235- 82 412-SL 30 26-C 20 9FSR038 84 SF-1800 88 37- 66 114-SL 30 236- 82 412-SL 30 26-C 20 9FSR038 84 SF-1800 88 37- 66 114-SL 30 236- 82 412-SL 30 26-C 20 9FSR050 84 SF-1800 84			4SC038	84									
CF-8 90 4SC075 84 1800-1218CAP_87 32_M-NW_53 110. 30 230 82 312 33 (CF-10. 90 9BG038 85 1900-KIT_87 19-S_ 26 110-S_ 30 231 82 314 33 (CF-10. 90 9BG050 85 MET-100. 88 20-S_ 78 112. 30 232 82 310-Y_3 3 (CF-11. 90 9BG050 85 PF-100G_88 22-S_ 76 114 30 233 82 310-Y_3 3 (CF-12. 90 9CP038 84 MIN-100_88 22-S_ 76 114 30 233 82 312-Y_3 3 (CF-12. 90 9CP038 85 MIN-100_88 22-S_ 76 114 30 233 82 314-Y_3 3 (CF-13. 90 9FM038 85 MIN-200_88 22-S_ 76 114 30 233 82 314-Y_3 3 (CF-13. 90 9FM038 85 MIN-200_88 27. 69 114-SL_ 30 234 82 314-Y_3 3 (CF-13. 90 9FM038 85 MIN-200_88 37. 666 112-S_ 30 235-DT_ 82 412-S_ 33 D-60_20 9FM075_ 85 PFT-1800_88 37. 666 112-S_ 30 235-DT_ 82 412-S_ 33 D-60_C_ 20 9FSR038_ 84 S-48. 77 39. 67 114-S_ 30 236. 82 418-SA_ 33 D-60_C_ 20 9FSR038_ 84 SF-54. 52 40-P_ 66 112-S_ 30 235-DT_ 82 418-SA_ 33 MIN-100_ 56 18FSR038_ 84 SF-54. 52 40-P_ 66 142. 73 238_ 70 401. 77 M-60_F 56 9GP038_ 85 T-12. 17 41. 66 148_ 50_ 51_ 51_ 51_ 51_ 51_ 51_ 51_ 51_ 51_ 51	C-144	17	450050	84									
CF-9 90 9B6038 85 1900-KIT 87 19-5 26 110-SL 30 231 82 314 33 CF-10 90 9B6050 85 ME1-100 88 22-S 76 112 30 232 82 310-Y 3 CF-11 90 9B6075 85 PET-100G 88 22-S 76 114 30 233 82 312-Y 3 CF-12 90 9CP038 84 MIN-100 88 28 69 110-S 30 234 82 312-Y 3 CF-13 90 9FM0738 85 MIN-200 88 28 69 110-S 30 235 82 412-S 3 D-60 20 9FM075 85 PET-1800 88 37 66 112-S 30 235-DT 82 418-S 3 D-60 20 9FM075 85 PET-1800 88 37 66 112-S 30 235-DT 82 418-S 3 D-60 20 9FSR038 84 SE-1800 74 40 66 130 49 236-S 82 418-S 3 D-60 6	CEO	00	45CO7E	0.1									
CF-10 90 9BG050 85 MET-100 88 20-S 78 112 30 232 82 310-Y 3 2 3	CF-0	90	430073	04									
CF-11 90 9BG075 85 PET-100G 88 22-5 76 114 30 233 82 312-Y 3 3 CF-13 90 9CP038 84 MIN-100 88 27 69 114-SL 30 234 82 314-Y 3 3 CF-13 90 9FM038 85 MIN-200 88 28 69 110-S 30 235 82 412-S 3 D-60 20 9FM075 85 PET-1800 88 37 66 112-S 30 235-DT 82 418-S 3 D-60 20 9FSR038 84 S-48 77 39 67 114-S 30 236 82 418-S 3 Double Prong 92 9FSR050 84 SB-1000 74 40 66 130 49 236-S 82 400 77 DM-60 56 18FSR038 84 S-54 52 40-P 66 142 73 238 70 401 77 DM-60 56 18FSR050 84 SB-60 18 40-SL 66 148 50 239-DT 70 402 77 DM-60 56 18FSR050 85 T12 17 11 16 14 16 14 15 15 15 15 15 15 15 15 15 15 15 15 15													
CF-12 90 9CP038 84 MIN-100 88 27 69 114-SL 30 234 82 314-Y 3 3 CF-12 90 9FM038 85 MIN-200 88 28 69 110-S 30 235 82 412-S 3	CF-10	9()		85	ME1-10088								31
CF-13 90 9FM075 85 MIN-200 88 28 69 110-5 30 235 82 412-5 3 D-60 20 9FM075 85 PET-1800 88 37 66 112-5 30 235-DT 82 418-5 3 D-60-C 20 9FSR038 84 5-48 77 39 67 114-5 30 235-DT 82 418-5 3 D-60-C 20 9FSR038 84 SB-1000 74 40 66 130 49 236-5 82 400 75 D-60 56 18FSR058 84 SB-1000 74 40 66 130 49 236-5 82 400 75 D-60 56 18FSR050 84 SB-60 84 40-P 66 142 73 238 70 401 75 D-60 56 18FSR050 85 T-12 17 41 66 148 50 239-DT 70 402 77 D-60 56 18FSR050 85 T-12 17 41 66 149 50 241 84 403 77 D-70 D-70 D-70 D-70 D-70 D-70 D-70 D-70			3BG030					114	30	333			
CF-13 90 9FM075 85 MIN-200 88 28 69 110-5 30 235 82 412-5 3 D-60 20 9FM075 85 PET-1800 88 37 66 112-5 30 235-DT 82 418-5 3 D-60-C 20 9FSR038 84 5-48 77 39 67 114-5 30 235-DT 82 418-5 3 D-60-C 20 9FSR038 84 SB-1000 74 40 66 130 49 236-5 82 400 75 D-60 56 18FSR058 84 SB-1000 74 40 66 130 49 236-5 82 400 75 D-60 56 18FSR050 84 SB-60 84 40-P 66 142 73 238 70 401 75 D-60 56 18FSR050 85 T-12 17 41 66 148 50 239-DT 70 402 77 D-60 56 18FSR050 85 T-12 17 41 66 149 50 241 84 403 77 D-70 D-70 D-70 D-70 D-70 D-70 D-70 D-70	CF-11	90	9BG075	85	PET-100G88	22-S	/ 0			200	82	312-Y	31
D-60	CF-11	90	9BG075	85									
Deble Prong 92 9FSR058 84 S-48 77 39 67 114-S 30 236 82 418-SA 3 7 Double Prong 92 9FSR050 84 SB-100074 40 66 130 49 236-S 82 40075 DM-60 56 18FSR038 84 SF-54 52 40-P 66 142 73 238 70 40173 DM-60-M 56 18FSR050 84 SB-60 18 40-SL 66 148 50 239-DT 70 402 77 DM-60-M 56 9GP038 85 T-12 17 41 66 149 50 241 84 403 77 DUST PANS 48 9GP050 85 T-18 17 42 66 150 51 242 84 46144 461 47 ST-10 S	CF-11	90 90	9BG075 9CP038	85 84	MIN-10088	27	69	114-SL	30	234	82	314-Y	31
Double Prong   92   9FSR050   84   SB-1000   74   40   66   130   49   236-5   82   400   77	CF-11 CF-12 CF-13	90 90 90	9BG075 9CP038 9FM038	85 84 85	MIN-10088 MIN-20088	27 28	69 69	114-SL 110-S	30 30	234 235	82 82	314-Y 412-S	31 31
DM-60   56	CF-11 CF-12 CF-13 D-60	90 90 90	9BG075 9CP038 9FM038 9FM075	85 84 85 85	MIN-100	27 28 37	69 69 66	114-SL 110-S 112-S	30 30 30	234 235 235-DT	82 82 82	314-Y 412-S 418-S	31 31 31
DM-60-M 56 18FSR050 84 SB-60 18 40-SL 66 148 50 239-DT 70 402 77 DM-60-FG 56 9GP038 85 T-12 17 41 66 149 50 241 84 403 77 DUST PANS 48 9GP050 85 T-18 17 42 66 150 51 242 84 461 461 45 EXT. HANDLES 19 9GP075 85 T-48 17 43 68 150-WC 51 243 84 462 44 FB-93 20 91-F025 85 T-54 17 44 67 151-N 51 244 84 466 45 FB-1 82 91-F038 85 T-60 17 44-SL 67 152-P 51 250-1 83 467 45 FB-2 82 91-F05 85 TUBS 54 45 67 155-WC 51 250-2 83 463 45 FB-3 82 91-F075 85 TRASH CANS 54 48 67 155-WC 51 250-2 83 463 45 FB-4 82 91-F125 85 U-48 18 49 67 155-WC 51 250-2 83 464 45 FB-60 19 9MF038 84 U-60 18 51-PN 64 157 51 250-3 83 470-DS 44 FG-60 18 9MF050 84 U-72 18 52 47 158 51 250-4 83 471-DS 44 EC-FG60 18 9MF025 85 U-90 20 53 46 159 51 251-15 83 472-DS 44 EC-FG72 18 18MF025 89 WASHBORDS 54 46 160 32 251-2 83 473-DS 44 FG-90 20 9PR050 85 WTP ADAPTOR 20 55 46 162 32 251-25 83 473-DS 44 FG-60 20 9PR050 84 W-54 57 57 46 166 32 252-1 83 512 EC-FG72 18 9PR038 85 WET FLOOR 51 54 45 166 32 252-1 83 512 EC-FG72 18 9PR050 85 WTP ADAPTOR 20 55 46 167 32 252-2 83 512 EC-FG72 18 9PR050 84 W-54 57 56 46 166 32 252-1 83 512 EC-FG72 18 9PR050 85 WTP ADAPTOR 20 55 46 167 32 252-2 83 513 EQ-FG-1 17, 18 9PC050 84 1-A 70 59 46 168 48 252-2 83 513 EC-FG0-1 17, 18 9PC050 84 1-A 70 59 46 168 48 252-2 83 513 EC-FG0-1 17, 18 9PC050 84 1-A 70 59 46 168 48 252-2 83 513 EC-FG0-1 17, 18 9PC050 84 1-A 70 59 46 168 48 252-2 83 513 EC-FG0-1 17, 18 9PC050 84 1-A 70 59 46 168 48 252-2 83 513 EC-FG0-1 17, 18 9PC050 84 1-A 70 59 46 168 48 252-2 83 513 EC-FG0-1 17, 18 9PC050 84 1-A 70 59 46 168 48 252-2 83 513 EC-FG0-1 17, 18 9PC050 84 1-A 70 59 46 168 48 252-2 83 513 EC-FG0-1 17, 18 9PC050 84 1-A 70 59 46 168 48 252-2 83 513 EC-FG0-1 17, 18 9PC050 84 1-SE 76 66-B 65 172 32 253-15 83 522 EC-FG0-1 17, 18 9PC050 84 1-SE 76 66-B 66 176-P 33 254-1 83 524 EC-FG0-2 17, 18 9PC050 84 1-SE 76 66-B 66 176-P 33 254-1 83 524 EC-FG0-2 17, 18 9PC050 84 EC-ISC 76 66-B 66 176-P 33 254-1 83 524-1 83 524 EC-FG-2 17, 18 9PC050 84 EC-ISC 76 66-B 66 176-P 33 254-1 83 524-1 84 524-1 84 524-1 84 524-1 84	CF-11 CF-12 CF-13 D-60 D-60-C	90 90 90 20	9BG075 9CP038 9FM038 9FM075 9FSR038	85 84 85 85	MIN-100	27 28 37 39	69 69 66 67	114-SL 110-S 112-S 114-S	30 30 30	234 235 235-DT 236	82 82 82	314-Y 412-S 418-S 418-SA	31 31 31
DMST PANS. 48 9GP038 85 T-12 17 41 66 149 50 241 84 403 77 41 51 50 51 51 51 51 51 51 51 51 51 51 51 51 51	CF-11 CF-12 CF-13 D-60 D-60-C Double Prong	90 90 90 20 20	9BG075 9CP038 9FM038 9FM075 9FSR038 9FSR050	85 85 85 85 84	MIN-10088 MIN-20088 PET-180088 S-4877 SB-100074	27	69 69 66 67	114-SL	30 30 30 30 49	234	82 82 82 82	314-Y 412-S 418-S 418-SA 400	31 31 31 31
DUST PANS. 48 9GP050. 85 T-18. 17 42. 66 150. 51 242. 84 461. 44 EXT. HANDLES. 19 9GP075. 85 T-48. 17 43. 68 150-WC. 51 243. 84 462. 44 F-93. 20 9LF025. 85 T-54. 17 44. 67 151-N. 51 244. 84 466. 44 F-93. 20 9LF025. 85 T-54. 17 44. 67 151-N. 51 244. 84 466. 44 F-94. 18 82 9LF038. 85 T-60. 17 44-S. 67 152-P. 51 250-1. 83 467. 44 F-93. 82 9LF050. 85 TUBS. 54 45. 67 152-P. 51 250-1. 83 467. 45 F-93. 82 9LF075. 85 TRASH CANS. 54 48. 67 155-WC. 51 250-2. 83 464. 45 F-93. 82 9LF075. 85 TRASH CANS. 54 48. 67 155-WC. 51 250-2. 83 464. 45 F-94. 82 9LF075. 85 U-48. 18 49. 67 156. 51 250-2. 83 465. 45 F-94. 82 9LF050. 84 U-72. 18 51-N. 64 157. 51 250-3. 83 470-DS. 44 F-94. 84 18 9MF050. 84 U-72. 18 51-N. 64 157. 51 250-3. 83 470-DS. 44 F-94. 84 18 9MF050. 84 U-72. 18 52. 47 158. 51 250-4. 83 471-DS. 44 F-94. 84 18 18 18 18 18 18 18 18 18 18 18 18 18	CF-11	90 90 20 20 92	9BG075 9CP038 9FM038 9FSR038 9FSR050 18FSR038	85 84 85 85 84 84	MIN-10088 MIN-20088 PET-180088 S-4877 SB-100074 SF-5452	27	69 66 67 66	114-SL 110-S 112-S 114-S 130 142	30 30 30 30 49	234	82 82 82 82 82	314-Y 412-S 418-S 418-SA 400	31 31 31 31 73
EXT. HANDLES 19 9GP075 85 T-88 17 43 68 150-WC 51 243 84 462 44 F-93 20 9LF025 85 T-54 17 44 67 151-N 51 244 84 466 44 F-93 20 9LF025 85 T-54 17 44 67 151-N 51 244 84 466 44 F-188 82 9LF038 85 T-60 17 44-SL 67 152-P 51 250-1 83 467 44 F-188 82 9LF050 85 TUBS 54 45 67 155 51 250-15 83 463 44 F-188 482 9LF055 85 TRASH CANS 54 48 67 155-WC 51 250-15 83 463 44 F-188 82 9LF055 85 U-48 18 49 67 156 51 250-2 83 464 44 F-188 482 9LF055 85 U-48 18 49 67 156 51 250-2 83 464 44 F-188 49 67 156 51 250-2 83 465 44 F-188 49 67 156 51 250-3 83 470-DS 44 F-188 49 40	CF-11	90 90 20 20 20 56	9BG075 9CP038 9FM038 9FSR038 9FSR050 18FSR050	85 85 85 84 84 84	MIN-100	27	69 69 66 67 66 66	114-SL	30 30 30 30 49 73	234	82 82 82 82 82 70	314-Y 412-S 418-S 418-SA 400 401	31 31 31 73 73
EXT. HANDLES. 19 9GP075. 85 T-88 17 43 68 150-WC 51 243 84 462 44 F-93 20 9LF025 85 T-54 17 44 667 151-N 51 244 84 466 45 F-93 20 9LF025 85 T-54 17 44 67 151-N 51 244 84 84 466 45 F-93 20 9LF025 85 T-60 17 44-SL 67 152-P 51 250-1 83 467 45 F-93 20 9LF025 85 T-60 17 44-SL 67 152-P 51 250-1 83 467 45 F-93 20 9LF025 85 TRASH CANS 54 45 67 155-WC 51 250-15 83 463 45 F-93 20 9LF025 85 TRASH CANS 54 48 67 155-WC 51 250-2 83 464 45 F-93 20 9LF025 85 U-48 18 49 67 156 51 250-2 83 464 45 F-93 20 9LF025 85 U-48 18 49 67 156 51 250-2 83 464 45 F-93 20 9LF025 85 U-48 18 51-PN 64 157 51 250-3 83 470-DS 44 F-93 20 9LF025 85 U-90 20 53 46 159 51 251-15 83 472-DS 44 F-93 20 9LF025 85 U-90 20 53 46 160 32 251-2 83 473-DS 44 F-93 20 9LF025 85 UFF ROWN 55 45 44 6160 32 251-2 83 473-DS 44 F-93 20 9LF025 85 UFF ROWN 55 45 44 6160 32 251-2 83 473-DS 44 F-93 20 9LF025 85 UFF ROWN 55 45 44 6160 32 251-2 83 473-DS 44 F-93 20 9LF025 85 UFF ROWN 55 45 44 6160 32 251-2 83 473-DS 44 F-93 20 9LF025 85 UFF ROWN 55 45 44 6161 32 251-2 83 473-DS 44 FLOAT HANDLE 24 9PR075 85 WFF ADAPTOR 20 55 46 166 32 251-2 83 473-DS 44 FLOAT HANDLE 24 9PR075 85 WFF ADAPTOR 20 55 46 166 32 251-2 83 500 44 FLOAT HANDLE 24 9PR075 85 WFF ADAPTOR 20 55 46 167-R 32 251-2 83 500 44 FLOAT HANDLE 24 9PR075 85 WFF ADAPTOR 20 55 46 167-R 32 251-2 83 513 83 F13 85 F12 85 F14 85 F15 85	CF-11	90 90 20 20 20 56	9BG075 9CP038 9FM038 9FSR038 9FSR050 18FSR050	85 85 85 84 84 84	MIN-100	27	69 69 66 67 66 66	114-SL	30 30 30 30 49 73	234	82 82 82 82 82 70 70	314-Y	31 31 31 73 73 73
F-93	CF-11	90 90 20 20 92 56	9BG075	85 85 85 84 84 84 84	MIN-100	27	69 69 66 66 66 66	114-SL	30 30 30 30 49 73 50	234	82 82 82 82 82 70 70	314-Y	31 31 31 73 73 73
FB-1 82 9LF038 85 T-60 17 44-SL 67 152-P 51 250-1 83 467 45 FB-2 82 9LF050 85 TUBS 54 45 67 155-WC 51 250-2 83 464 45 FB-3 82 9LF075 85 TRASH CANS 54 48 67 155-WC 51 250-2 83 464 45 FB-4 82 9LF125 85 U-48 18 49 67 156 51 250-2 83 464 45 FB-4 82 9LF125 85 U-48 18 49 67 156 51 250-2 83 465 45 FEH-60 19 9MF038 84 U-60 18 51-PN 64 157 51 250-3 83 470-DS 44 FC-FG60 18 9MF050 84 U-72 18 52 47 158 51 250-4 83 471-DS 44 FC-FG60 18 9MT025 85 U-90 20 53 46 159 51 251-15 83 472-DS 44 FC-FG60 18 9PR038 85 WEF LOOR 51 54 46 160 32 251-2 83 473-DS 44 FG-72 18 18 MT025 89 WASHBOARDS 54 54 46 160 32 251-2 83 473-DS 44 FG-90 20 9PR050 85 WTP ADAPTOR 20 55 46 162 32 251-3 83 475-DS 44 FLOAT HANDLE 24 9PR075 85 W-48 57 56 46 166 32 252-1 83 500 44 FLOAT HANDLE 24 9PR075 85 W-48 57 55 46 166 32 252-1 83 500 44 FLOAT HANDLE 24 9PR075 85 W-48 57 55 6 46 167 32 252-1 83 500 44 FLOAT HANDLE 24 9PR075 85 W-48 57 55 6 46 167 32 252-1 83 500 44 FLOAT HANDLE 24 9PR075 85 W-48 57 57 57 46 167 32 252-1 83 500 44 FLOAT HANDLE 24 9PR075 85 W-48 57 55 6 46 166 32 252-1 83 500 44 FLOAT HANDLE 24 9PR075 85 W-48 57 57 57 46 167 32 252-1 83 513 85 J-60 18 9SC050 84 2-A 70 59 46 168 48 252-25 83 513 85 LC-48-12 17,88 9SC050 84 2-A 70 69 46 168 48 252-25 83 514 88 LC-48-12 17,88 9SC125 84 1-S 76 61 46 171 32 252-4 83 520 22 LC-60-12 17,88 9TU038 84 EC-1S 76 66-M 78 173 32 253-2 83 522 22 LC-60-24 17,88 9TU05 84 1-SC 76 66-N 65 174 32 253-25 83 523 22 LC-62-24 17,88 9TU05 84 1-SC 76 66-N 65 174 32 253-25 83 523 22 LC-60-24 17,88 9TU05 84 1-SC 76 66-N 65 174 32 253-25 83 524 22 LC-72-24 17,88 9TU05 84 1-SC 76 66-N 65 174 32 253-25 83 524 22 LC-72-24 17,88 9TU05 84 1-SC 76 66-N 65 174 32 253-25 83 524 22 LC-60-24 17,88 9TU05 84 1-SC 76 66-N 65 174 32 253-25 83 524 22 LC-60-24 17,88 9TU05 84 1-SC 76 66-N 66 176-P 33 254-15 83 540 44	CF-11. CF-12. CF-13. D-60. D-60-C. Double Prong. DM-60-M. DM-60-M. DM-60-FG. DUST PANS	90 90 20 92 56 56 56	9BG075	85 85 85 84 84 84 85 85	MIN-100	27	69 66 66 66 66 66	114-SL	30 30 30 49 50 50	234 235	82 82 82 82 70 70 70	314Y	31 31 73 73 73 73
FB-2	CF-11	90 90 20 20 56 56 56	9BG075	85 84 85 84 84 84 84 85 85	MIN-100	27	69666666666666	114-SL	30 30 30 49 50 50	234	82 82 82 82 70 70 70 84 84	314-Y	31 31 73 73 73 73 73 45
FB-3. 82 9LF075. 85 TRASH CANS. 54 48. 67 155-WC 51 250-2. 83 464 45 FB-4. 82 9LF125. 85 U-48. 18 49. 67 156. 51 250-2.5. 83 465. 45 FB-4. 82 9LF125. 85 U-48. 18 49. 67 156. 51 250-2.5. 83 465. 45 FB-4. 82 9LF125. 85 U-48. 18 49. 67 156. 51 250-2.5. 83 465. 45 FB-4. 80 9MF038. 84 U-60. 18 51-PN. 64 157. 51 250-3. 83 470-DS. 44 FG-60. 18 9MF050. 84 U-72. 18 52. 47 158. 51 250-4. 83 471-DS. 44 FG-60. 18 9MT025. 85 U-90. 20 53. 46 159. 51 251-15. 83 472-DS. 44 FG-72. 18 18MT025. 89 WASHBOARDS. 54 54. 46 160. 32 251-2. 83 473-DS. 44 FG-90. 20 9PR050. 85 WTF LOOR. 51 54-X. 46 161. 32 251-25. 83 474-DS. 44 FG-90. 20 9PR050. 85 WTP ADAPTOR 20 55. 46 162. 32 251-3. 83 475-DS. 44 FX-60. 20 9SC025. 84 W-54. 57 56. 46 166. 32 252-1. 83 500. 47 FX-60. 20 9SC025. 84 W-54. 57 57 57 46 167. 32 252-1. 83 500. 47 FX-60. 18 9SC050. 84 2-A. 70 58 46 167-R 32 252-2. 83 513. 88 K-93. 20 9SC075. 84 3-A. 70 60 46 170. 32 252-3. 83 514. 88 K-93. 20 9SC075. 84 1-S. 76 61 46 170. 32 252-3. 83 515. 88 LC-60-12 17,88 9SC125. 84 1-S. 76 66-MP. 78 173. 32 253-2. 83 522. 22 LC-72-12 17,88 9TU050. 84 1-SB. 76 66-MP. 78 173. 32 253-2. 83 522. 22 LC-48-24 17,88 9TU050. 84 EC-1SC. 76 66-MP. 78 173. 32 253-2. 83 524. 22 M-48. 17 4WV038. 84 EC-1SC. 76 66-MP. 78 175. 33 254-15. 83 540. 46 LC-72-24 17,88 9TU105. 84 1-SS. 76 66-MP. 78 175. 33 254-15. 83 524. 24 M-48. 17 4WV038. 84 EC-1SC. 76 66-MP. 68 176-P. 33 254-15. 83 540. 46 LC-72-24 17,88 9TU105. 84 1-SS. 76 66-MP. 78 175. 33 254-15. 83 5540. 46 LC-72-24 17,88 9TU105. 84 1-SS. 76 66-MP. 78 175. 33 254-15. 83 5540. 46 LC-72-24 17,88 9TU105. 84 1-SS. 76 66-MP. 78 175. 33 254-15. 83 5540. 46 LC-72-24 17,88 9TU105. 84 1-SS. 76 66-MP. 78 175. 33 254-15. 83 5540. 46 LC-72-24 17,88 9TU105. 84 1-SS. 76 66-MP. 78 175. 33 254-15. 83 5540. 46 LC-72-24 17,88 9TU105. 84 1-SS. 76 66-MP. 78 175. 33 254-15. 83 5540. 46 LC-72-24 17,88 9TU105. 84 1-SS. 76 66-MP. 78 176-P. 33 254-15. 83 5540. 46 LC-72-24 17,88 9TU105. 84 1-SS. 76 66-MP. 78 176-P. 33 254-15. 83 540. 46 LC-72-24 17,88 9TU105. 84 1-SS. 76 66-MP. 78	CF-11	90 90 20 92 56 56 56 56	9BG075	85 84 85 84 84 84 84 85 85	MIN-100	27	696666666666666668	114-SL	30 30 30 49 50 50 51	234	82 82 82 82 70 70 84 84	314Y	31 31 73 73 73 73 73 45
FB-4	CF-11. CF-12	90 90 90 92 56 56 56 48 519	9BG075	85 84 85 84 84 84 85 85 85	MIN-100	27	696666666666666666	114-SL	3030303049505151	234	82 82 82 82 70 70 70 84 84 84	314Y	31 31 73 73 73 73 73 45 45
FEH-60	CF-11. CF-12. CF-13. D-60. D-60-C. Double Prong. DM-60-M. DM-60-HG. DUST PANS. EXT. HANDLES F-93. FB-1.	90 90 90 20 56 56 56 48 519 20	9BG075	85 84 85 84 84 84 85 85 85 85	MIN-100	27	696666666666666666666666676767	114-SL	30303030495051515151	234	82 82 82 82 70 70 70 84 84 84 84 83	314 Y	31313131737373454545
FG-60	CF-11. CF-12. CF-13	90 90 90 20 20 56 56 56 48 19 20 20 82	9BG075	85848584848485858585	MIN-100	27	696666666666666666666667676767	114-SL	30303030495051515151	234 235	828282827070848484848383	314-Y	31 31 31 73 73 73 73 45 45 45
EC-FG60	CF-11	90 90 90 20 92 56 56 48 19 20 20	9BG075	8584858484848585858585	MIN-100	27	69666666666666666767	114-SL	30303030303049735051515151515151515151	234	828282827070848484848383	314-Y	313131317373734545454545
FG-72	CF-11	90909020205656481920828282	9BG075	85 84 85 84 84 84 85 85 85 85 85 85	MIN-100	27	696666666666666666666767676767	114-SL	3030303030495051515151515151515151515151	234	8282828282808484848483838383	314 Y	31 31 31 73 73 73 73 45 45 45 45 45
FG-72	CF-11	90909020205656481920828282	9BG075	85 84 85 84 84 84 85 85 85 85 85 85	MIN-100	27	696666666666666666666767676767	114-SL	3030303030495051515151515151515151515151	234	8282828282808484848483838383	314 Y	31 31 31 73 73 73 73 45 45 45 45 45
EC-FG72 18 9PR038 85 WET FLOOR 51 54-X 46 161 32 251-2.5 83 474-DS 44 FG-90. 20 9PR050 85 WTP ADAPTOR 20 55 46 162 32 251-3 83 475-DS 44 FLOAT HANDLE 24 9PR075 85 W-48 57 56 46 166 32 252-1 83 500 47 FX-60 20 9SC025 84 W-54 57 57 46 167 32 252-15 83 512 86 GB-48 58 9SC038 84 1-A 70 58 46 167-R 32 252-15 83 513 86 J-60 18 9SC050 84 2-A 70 59 46 168 48 252-2.5 83 514 88 FX-93 20 9SC075 84 3-A 70 60 46 170 32 252-15 83 515 85 FX-93 20 9SC075 84 3-A 70 60 46 170 32 252-15 83 515 85 FX-93 20 9SC075 84 3-A 70 60 46 170 32 252-3 83 515 85 FX-93 20 9SC075 84 3-A 70 60 46 170 32 252-3 83 515 85 FX-93 20 9SC075 84 3-A 70 60 46 170 32 252-3 83 515 85 FX-93 20 9SC075 84 3-A 70 60 46 170 32 252-3 83 515 85 FX-93 20 9SC075 84 1-S 76 66-B 65 172 32 252-15 83 520 22 10-72-12 17,88 9TU038 84 EC-1S 76 66-B 65 172 32 253-15 83 521 22 10-72-12 17,88 9TU050 84 1-SB 76 66-MP 78 173 32 253-2 83 522 24 10-72-12 17,88 9TU050 84 1-SB 76 66-MP 78 173 32 253-2 83 522 24 10-72-12 17,88 9TU050 84 1-SB 76 66-MP 78 173 32 253-2 83 523 22 10-72-12 17,88 9TU050 84 1-SB 76 66-MP 78 173 32 253-2 83 523 22 10-72-12 17,88 9TU050 84 1-SB 76 66-MP 78 173 32 253-2 83 523 22 10-72-12 17,88 9TU050 84 1-SB 76 66-MP 78 173 32 253-2 83 523 22 10-72-12 17,88 9TU050 84 1-SB 76 66-MP 78 173 32 253-2 83 523 22 10-72-12 17,88 9TU050 84 1-SB 76 66-MP 78 173 32 253-2 83 523 22 10-72-12 17,88 9TU050 84 1-SB 76 66-MP 78 173 32 253-2 83 523 22 10-72-12 17,88 9TU050 84 1-SB 76 66-MP 78 173 32 253-2 83 523 22 10-72-12 17,88 9TU050 84 1-SB 76 66-MP 78 173 32 253-2 83 523 22 10-72-12 17,88 9TU050 84 1-SB 76 66-MP 78 173 33 253-3 83 524 24 10-72-12 17,88 9TU100 84 EC-1SC 76 66-MP 78 175 33 254-15 83 524 24 10-72-12 17,88 9TU100 84 EC-1SC 76 66-MP 78 176 33 254-15 83 524 24 10-72-12 17,88 9TU100 84 EC-1SC 76 66-MP 76 176-P 33 254-15 83 540 44 10-72-12 17,88 9TU100 84 EC-1SC 76 66-MP 76 176-P 33 254-15 83 540 44 10-72-12 17,88 9TU100 84 EC-1SC 76 66-MP 76 176-P 33 254-15 83 540 44 10-72-12 17,88 9TU100 84 EC-1SC 76 66-MP 76 176-P 33 254-15 83 540 44 10-72-12 17,88 9TU100 8	CF-11. CF-12. CF-13. D-60. D-60-C. Double Prong. DM-60-M. DM-60-FG. DUST PANS. EXT. HANDLES F-93. FB-1. FB-2. FB-3. FB-4. FB-4. FB-60. FG-60.	909090209256564819208282828281	9BG075. 9CP038	85 84 85 84 84 85 85 85 85 85 85 85 85	MIN-100	27	696966666666666666676767676767676767676767676747	114-SL	30303030305151515151515151515151515151515151	234	828282827070848484838383	314 Y	31 31 31 73 73 73 45 45 45 45 45 45
FG-90	CF-11. CF-12. CF-13. D-60. D-60-C. Double Prong. DM-60-M. DM-60-M. DM-60-FG. DUST PANS. EXT. HANDLES F-93. FB-1. FB-2. FB-3. FB-4. FEH-60. FG-60. EC-FG60.	9090902020565648 5192082828281	9BG075. 9CP038. 9FM038	85 84 85 84 84 85 85 85 85 85 85 85 85	MIN-100	27	69696666666666666667676767674746	114-SL	3030303030505151515151515151515151515151515151	234 235	82 82 82 82 70 70 84 84 84 83 83 83 83	314-Y	31 31 33 73 73 73 73 45 45 45 45 45 45 45 45
FLOAT HANDLE24 9PR07585 W-4857 5646 16632 252-183 50047 FX-6020 9SC02584 W-5457 5746 16732 252-1583 51288 GB-4858 9SC03884 1-A70 5846 16732 252-183 51285 J-6018 9SC05084 2-A70 5946 16848 252-283 51389 J-6018 9SC05084 2-A70 5946 16848 252-283 51485 J-60	CF-11. CF-12. CF-13	909090902020565648192082828282828118	9BG075	85 84 84 84 84 85 85 85 85 85 85 85 85 85	MIN-100	27	69666666666666676767674446	114-SL	3030303030303030303051	234 235	8282828282848484838383838383838383	314-Y	31 31 33 73 73 73 45 45 45 45 45 45 45
FX-60         20         9SC025         84         W-54         .57         57         .46         167         .32         252-1.5         .83         512         .85           GB-48         .58         9SC038         .84         1.A         .70         58         .46         167-R         .32         252-2         .83         513         .85           J-60         .18         9SC050         .84         2-A         .70         59         .46         168         .48         252-2.5         .83         514         .85           K-93         .20         9SC075         .84         3-A         .70         60         .46         170         .32         252-3         .83         515         .85           LC-48-12         .17,88         9SC125         .84         1-S         .76         61         .46         171         .32         252-3         .83         515         .83           LC-60-12         .17,88         9TU038         .84         EC-1S         .76         66-B         .65         172         .32         253-1.5         .83         521         .24           LC-72-12         .17,88         9TU050         .84	CF-11	909090902020565648192020828282828118	9BG075	85 84 85 84 84 85	MIN-100	27	696966666666666767676746	114-SL	30303030303049735051	234	82 82 82 82 70 70 84 84 83 83 83 83 83 83	314-Y	313173737345454545454545454444
GB-48 58 9SC038 84 1-A 70 58 46 167-R 32 252-2 83 513 85   J-60 18 9SC050 84 2-A 70 59 46 168 48 252-2.5 83 514 85   K-93 20 9SC075 84 3-A 70 60 46 170 32 252-3 83 515 85   LC-48-12 17,88 9SC125 84 1-S 76 61 46 171 32 252-4 83 520 22   LC-60-12 17,88 9TU038 84 EC-1S 76 66-B 65 172 32 253-1.5 83 521 22   LC-72-12 17,88 9TU050 84 1-SB 76 66-MP 78 173 32 253-2 83 522 22   LC-48-24 17,88 9TU055 84 1-SC 76 66-N 65 174 32 253-2 83 522 22   LC-60-24 17,88 9TU050 84 1-SC 76 66-N 65 174 32 253-2 83 522 22   LC-60-24 17,88 9TU100 84 EC-1SC 76 66-N 65 174 32 253-2.5 83 523 22   LC-72-24 17,88 9TU100 84 EC-1SC 76 65 68 175 33 253-3 83 524 24   LC-72-24 17,88 9TU125 84 1-SC 76 65-HH 68 176 33 254-1 83 525 22   M-48 17 4WV038 84 EC-1SS 76 66 66 176-P 33 254-1.5 83 540 49	CF-11. CF-12. CF-13. D-60. D-60-C. Double Prong DM-60-M. DM-60-FG. DUST PANS. EXT. HANDLES F-93. FB-1. FB-2. FB-3. FB-4. FEH-60. FG-60. EC-FG60. FG-72. FG-90.	90909090209256564818198282828282811818	9BG075. 9CP038		MIN-100	27	696666666666676767676767474646	114-SL	3030303030303049735051	234	828282827070848484838383838383	314-Y	313173737373455455454545454545444444444
J-60         18         9SC050         84         2-A         70         59         46         168         48         252-2.5         83         514         85           K-93         20         9SC075         84         3-A         70         60         46         170         32         252-3         83         515         88           LC-48-12         17,88         9SC025         .84         1-S         .76         61         .46         171         .32         252-4         .83         520         .24           LC-60-12         .17,88         9TU038         .84         EC-1S         .76         66-B         .65         172         .32         253-15         .83         521         .24           LC-72-12         .17,88         9TU050         .84         1-SB         .76         66-MP         .78         173         .32         253-2         .83         522         .24           LC-48-24         .17,88         9TU050         .84         1-SC         .76         66-N         .65         174         .32         253-2.5         .83         523         .24           LC-60-24         .17,88         9TU100         .84	CF-11. CF-12. CF-13. D-60. D-60-C. Double Prong. DM-60-M. DM-60-HG. DUST PANS. EXT. HANDLES F-93. FB-1. FB-2. FB-3. FB-4. FEH-60. FG-60. EC-FG60 EC-FG72. FC-FG72. FG-90. FLOAT HANDLI	909090902020565648192082828282818181828282	9BG075. 9CP038. 9FM038. 9FM075. 9FSR038 9FSR050. 18FSR038 18FSR050. 9GP038 9GP050 9LF050 9LF075 9LF025 9MF038 9MF038 9MF050 9MT025 18MT025 9PR038 9PR050		MIN-100	27	696966666666666767676767464446	114-SL	30303030497350515151515151515151515151515151	234 235	82828282707084848483838383838383	314-Y	31313173737345454545454544444444444
J-60     18     9SC050     .84     2-A     .70     59     .46     168     .48     252-2.5     .83     514     .85       K-93     .20     9SC075     .84     3-A     .70     60     .46     170     .32     252-3     .83     515     .85       LC-48-12     .17,88     9SC125     .84     1-S     .76     61     .46     171     .32     252-4     .83     520     .24       LC-60-12     .17,88     9TU038     .84     EC-1S     .76     66-B     .65     172     .32     253-15     .83     521     .22       LC-72-12     .17,88     9TU050     .84     1-SB     .76     66-MP     .78     173     .32     253-2     .83     522     .22       LC-48-24     .17,88     9TU050     .84     1-SC     .76     66-N     .65     174     .32     253-2.5     .83     523     .22       LC-60-24     .17,88     9TU100     .84     EC-1SC     .76     66-N     .65     174     .32     253-2.5     .83     523     .22       LC-72-24     .17,88     9TU100     .84     EC-1SC     .76     65     .68     175	CF-11. CF-12. CF-13. D-60. D-60-C. Double Prong. DM-60-M. DM-60-FG. DUST PANS. EXT. HANDLES F-93. FB-1. FB-2. FB-3. FB-4. FEH-60. EC-FG60. EC-FG72. EC-FG72. FG-90. FG-90. FG-90. FG-90. FC-574.	909090902020565648 5192082828282818181828282	9BG075		MIN-100	27	696966666666666767676746464646	114-SL	30303030495151515151515151515151515151515151	234 235	82828282707084848483838383838383	314-Y	313131737345454545454544444444444
K-93       20       9SC075       84       3-A       70       60       46       170       32       252-3       83       515       85         LC-48-12       17,88       9SC125       .84       1-S       .76       61       .46       171       .32       252-4       .83       520       .24         LC-60-12       .17,88       9TU038       .84       EC-1S       .76       66-B       .65       172       .32       253-1.5       .83       521       .24         LC-72-12       .17,88       9TU050       .84       1-SB       .76       66-MP       .78       173       .32       253-2       .83       522       .24         LC-48-24       .17,88       9TU075       .84       1-SC       .76       66-MP       .78       173       .32       253-2       .83       522       .24         LC-60-24       .17,88       9TU100       .84       EC-1SC       .76       66-N       .65       174       .32       253-2       .83       523       .24         LC-72-24       .17,88       9TU125       .84       1-SS       .76       65-HH       .68       175       .33       254-1       .83<	CF-11	909090902020565648192082828282191818181818	9BG075		MIN-100	27	696966666666666767676746464646	114-SL	30303030495151515151515151515151515151515151	234	8282828270708484848383838383838383	314-Y	313131737345454545454544444444444
LC-48-12     .17,88     9SC125     .84     1-S     .76     61     .46     171     .32     252-4     .83     520     .24       LC-60-12     .17,88     9TU038     .84     EC-1S     .76     66-B     .65     172     .32     253-1.5     .83     521     .24       LC-72-12     .17,88     9TU050     .84     1-SB     .76     66-MP     .78     173     .32     253-2     .83     522     .24       LC-48-24     .17,88     9TU075     .84     1-SC     .76     66-N     .65     174     .32     253-2.5     .83     523     .24       LC-60-24     .17,88     9TU100     .84     EC-1SC     .76     65-N     .65     174     .32     253-2.5     .83     523     .24       LC-72-24     .17,88     9TU100     .84     EC-1SC     .76     65-HH     .68     175     .33     253-3     .83     524     .24       LC-72-24     .17,88     9TU125     .84     1-SS     .76     65-HH     .68     176     .33     254-1     .83     525     .24       M-48     .17     .4WV038     .84     EC-1SS     .76     .66     .66 <t< td=""><td>CF-11</td><td>909090902020565648192082828282191818181818</td><td>9BG075</td><td>85 84 85 84 84 84 85 85 85 85 85 85 85 85 85 85 85 85 85 85</td><td>MIN-100</td><td>27</td><td>69696666666666676767674646464646</td><td>114-SL</td><td>30 30 30 30 49 51 51 51 51 51 51 51 51 51 51 51 51 51</td><td>234</td><td>8282828270708484848383838383838383</td><td>314-Y</td><td>31317373734545454545454444444444444444849</td></t<>	CF-11	909090902020565648192082828282191818181818	9BG075	85 84 85 84 84 84 85 85 85 85 85 85 85 85 85 85 85 85 85 85	MIN-100	27	69696666666666676767674646464646	114-SL	30 30 30 30 49 51 51 51 51 51 51 51 51 51 51 51 51 51	234	8282828270708484848383838383838383	314-Y	31317373734545454545454444444444444444849
LC-60-12     .17,88     9TU038     .84     EC-1S     .76     66-B     .65     172     .32     253-1.5     .83     521     .24       LC-72-12     .17,88     9TU050     .84     1-SB     .76     66-MP     .78     173     .32     253-2     .83     522     .24       LC-48-24     .17,88     9TU075     .84     1-SC     .76     66-N     .65     174     .32     253-2.5     .83     523     .24       LC-60-24     .17,88     9TU100     .84     EC-1SC     .76     65-HH     .68     175     .33     253-2.5     .83     524     .24       LC-72-24     .17,88     9TU125     .84     1-SS     .76     65-HH     .68     176     .33     254-1     .83     525     .22       M-48     .17     .4WV038     .84     EC-1SS     .76     .66     .66     .176-P     .33     .254-1.5     .83     .540     .49	CF-11. CF-12. CF-13. D-60. D-60-C. Double Prong DM-60-M. DM-60-FG. DUST PANS. EXT. HANDLES F-93. FB-1. FB-2. FB-3. FB-60. EC-FG60 FG-60. EC-FG60 FG-72. FG-90. FC-FG72 FG-90. FC-GB-48 J-60.	909090909092565648902082	9BG075 9CP038 9FM038 9FM075 9FSR038 9FSR050 18FSR038 9GP050 9GP038 9GP050 9LF025 9LF025 9LF025 9LF025 9LF025 9LF025 9LF025 9LF038 9MF050 9MT025 18MT025 9PR038 9PR050 9PR075 9SC025 9SC028		MIN-100	27	69666666666667676767674646464646	114-SL	303030303049735051	234	828282827070848484838383838383838383	314-Y	3131737373455454545454545444444444444484989
LC-72-12	CF-11. CF-12. CF-13. D-60. D-60-C. Double Prong. DM-60-M. DM-60-M. DM-60-FG. DUST PANS. EXT. HANDLES F-93. FB-1. FB-2. FB-3. FB-4. FB-60. EC-FG60. EC-FG60. EC-FG60. FG-72. EC-FG72. FC-972. FC-972. FC-972. FC-972. FC-972. FC-972. FC-972. FC-973. FX-60. GB-48. J-60. K-93.	909090902092565648 519208282828282811818181818181818	9BG075. 9CP038. 9FM038. 9FM075. 9FSR038 9FSR050. 18FSR038 18FSR050. 9GP038 9GP050. 9GP075 9LF025. 9LF025. 9LF038 9LF050 9MF038. 9MF050 9MT025. 18MT025 9PR038. 9PR050 9PR075 9SC025 9SC025		MIN-100	27	69666666666667676767674646464646	114-SL	303030303049735051	234 235	8282828284848484838383838383838383	314-Y	
LC-48-24       17,88       9TU075       84       1-SC       76       66-N       65       174       32       253-2.5       83       523       24         LC-60-24       17,88       9TU100       84       EC-ISC       76       65       68       175       33       253-3       83       524       24         LC-72-24       17,88       9TU125       84       1-SS       76       65-HH       68       176       33       254-1       83       525       24         M-48       17       4WV038       84       EC-ISS       .76       66       66       176-P       33       254-1.5       83       540       49	CF-11. CF-12. CF-13. D-60. D-60-C. Double Prong. DM-60-M. DM-60-M. DM-60-FG. DUST PANS. EXT. HANDLES F-93. FB-1. FB-2. FB-3. FB-4. FFH-60. EC-FG60. EC-FG60. FC-FG72. EC-FG72. EC-FG72. FC-F93. FC-93. FC-94. FC-95. FC-960. FC-972. FC-972. FC-972. FC-972. FC-973. FC-973. FC-974. FC-975. FC	9090909020565648 51920828282828118181818181818181818181818	9BG075. 9CP038. 9FM038. 9FM075. 9FSR038 9FSR050. 18FSR038 18FSR050. 9GP038. 9GP050. 9GP075. 9LF025 9LF038 9LF050 9MF038 9MF050. 9MT025 18MT025 9PR038 9PR050. 9PR075. 9SC025. 9SC038 9SC075.		MIN-100	27	69696666666666676767674646464646464646	114-SL	3030303049735051	234 235	828282828284848483838383838383838383	314-Y	
LC-60-24	CF-11. CF-12. CF-13. D-60. D-60-C. Double Prong. DM-60-M. DM-60-M. DM-60-FG. DUST PANS. EXT. HANDLES F-93. FB-1. FB-2. FB-3. FB-4. FEH-60. FG-60. EC-FG60. EC-FG72. FG-90. FLOAT HANDLI FX-60. GB-48. J-60. K-93. LC-48-12.	909090902020565648 5192082	9BG075	85 84 85	MIN-100	27	696666666666676767674646464646464646464646	114-SL	303030304951	234 235	8282828270708484848383838383838383838383	314-Y	
LC-72-2417,88 9TU12584 1-SS	CF-11. CF-12. CF-13. D-60. D-60-C. D-0uble Prong. DM-60-M. DM-60-FG. DUST PANS. EXT. HANDLES F-93. FB-1. FB-2. FB-3. FB-4. FB-60. EC-FG60. EC-FG60. EC-FG72. FG-90. FC-G72. FG-90. FC-G848. J-60. K-93. LC-48-12. LC-60-12.	9090909020925648192082	9BG075 9CP038 9FM038 9FM075 9FSR038 9FSR050 18FSR050 9GP038 9GP050 9GP075 9LF025 9LF025 9LF025 9LF075 9LF125 9MF038 9MF050 9MT025 18MT025 9PR038 9PR050 9PR075 9SC025 9SC038 9SC050 9SC075 9SC125 9TU038		MIN-100	27	6969666666666767676767464646464646464646464646	114-SL	30303030304951	234	828282827070848484838383838383838383838383	314-Y	
M-48	CF-11. CF-12. CF-13. D-60. D-60-C. D-0uble Prong. DM-60-M. DM-60-FG. DUST PANS. EXT. HANDLES F-93. FB-1. FB-2. FB-3. FB-4. FB-60. EC-FG60. FC-FG60. FC-FG60. FG-72. FC-FG72. F	90909090209256481982	9BG075. 9CP038. 9FM038. 9FM075. 9FSR038 9FSR050. 18FSR038 9GP038 9GP050. 9GP075 9LF025. 9LF025. 9LF025. 9LF038 9LF050 9MT025 9MT025 9MF050 9PR038 9PR038 9PR050 9PR075 9SC025 9SC025 9SC025 9SC050 9SC075 9SC125 9TU038 9TU050 9TU075		MIN-100	27	696666666666676767674646464646464646464646464646	114-SL	30303030303049735051	234 235	82828282848484838383838383838383838383	314-Y	313173737345454545454544444444444444484989898989
M-48	CF-11. CF-12. CF-13. D-60. D-60-C. D-ouble Prong. DM-60-M. DM-60-M. DM-60-HG. DUST PANS. EXT. HANDLES F-93. FB-1. FB-2. FB-3. FB-4. FEH-60. FG-60. EC-FG60 FC-72. EC-FG72 FC-990. FLOAT HANDLI FX-60. GB-48. J-60. K-93. LC-48-12. LC-60-12. LC-72-12. LC-72-12. LC-60-24.	9090909020205648 51920828282828118181818181818181817,8817,88	9BG075. 9CP038. 9FM038. 9FM075. 9FSR038 9FSR050. 18FSR038 18FSR050. 9GP038 9GP050. 9GP075. 9LF025 9LF025 9HF038 9HF050 9MF038 9MF050 9MT025 18MT025 9PR038 9PR050 9PR050 9SC025 9SC025 9SC025 9SC038 9SC050 9SC075 9SC125 9TU038 9TU050 9TU075		MIN-100	27	696966666666666767676746464646464646464646464646	114-SL	303030303049735051	234 235	82828282848484838383838383838383838383	314-Y	
	CF-11. CF-12. CF-13. D-60. D-60-C. D-ouble Prong. DM-60-M. DM-60-M. DM-60-HG. DUST PANS. EXT. HANDLES F-93. FB-1. FB-2. FB-3. FB-4. FEH-60. FG-60. EC-FG60 FC-72. EC-FG72 FC-990. FLOAT HANDLI FX-60. GB-48. J-60. K-93. LC-48-12. LC-60-12. LC-72-12. LC-72-12. LC-60-24.	9090909020205648 51920828282828118181818181818181817,8817,88	9BG075		MIN-100	27	696966666666666767676746464646464646464646464646	114-SL	303030303049735051	234 235	82828282707084848483838383838383838383838383	314-Y	
- ITI O I III III III III III III III III	CF-11. CF-12. CF-13. D-60. D-60-C. Double Prong. DM-60-M. DM-60-M. DM-60-FG. DUST PANS. EXT. HANDLES F-93. FB-1. FB-2. FB-3. FB-4. FFH-60. EC-FG60. EC-FG72. EC-FG72. FG-90. FC-FG90. F	9090909020565648 51920828282818282828282828282828318181818181818181818181817,8817,8817,8817,8817,88	9BG075		MIN-100	27		114-SL	30303030304951	234 235	82828282707084848483838383838383838383838383	314-Y	

# PRODUCT INDEX

542		1124	7	2018-PB		2709-H	44	3836-SL	11	4630 37	527255
544		1124-A		2024	8	2710		3916	16	4630-N 37	5324-PL27
545		1130-A	7	2024-A		2714	26	3918-SL	11	4630-TP37	5336-PL27
546	49	1136	7	2024-FX	8	2910-N-FHT	Γ24	3924-SL	11	EC 4630-TP37	543027
550	49	1136-A	7	2024-PB	8	2912-FH	24	3936-SL	11	4630-TPN 37	551814
559	26	1218	12	2024-SL	8	2912-LH	9,23	4000	50	463637	5518-FX14
560	80	1224	12	2030	8	2912-N-FHT	Г24	4010	50	4636-N 37	552414
560-P		1230		2036		2914		4015		4636-TP37	5524-FX14
561		1236		2036-FX		2918		4016		EC 4636-TP37	5536-FX14
562		1314		2118		2924		4016-S		4636-TPN37	561810
563		1316		2124		2924-PB-LF		4017		471653	5618-A10
564		1316-A		2124-H		2930		4017-P		472453	562410
565				2124-H-PB		2936		4020		473253	5624-A10
566		1316-BL-SL				3009-LH		4042		481653	
		1316-HD		2124-PB							563010
566-P		1316-0		2124-Y		3010		4043		482453	563610
567		1316-O-FX		2124-Y-PB		3012-LH		4044		483253	572423
567-P		1316-O-SL		2124-22		3013-LH		4100		4801253	573023
568		1316-VS		2124-22-PB		3014		4100-B		4801653	573623
577	81	1318	15	2136	22	3021	62	4100-S	40	4802453	5700-B24
578	81	1318-A	15	2136-H	22	3022	62	4118	36	4803253	Saddle Assembly .23
578-N	89	1318-B	15	2136-X	22	3023	62	4118-N	36	491453	5822-H24
580	81	1318-0	15	2136-Y	22	3024	62	4118-S	36	4914-B53	5823-B24
580-P		1324		2136-22		3026		4118-TP		492053	583623
586		1324-B		2148-H		3029		EC 4118-TP		4920-B53	584823
586-P		1324-0		2124-N		3032		4118-TPN		492453	5905372
591		1416		2124-N-PB		3033		4124		4924-B53	5923072
592		1418		2136-N		3034		4124-N			5926372
593		1418-A		2148		3035		4124-S		4932-B53	601045
595		1418-SL		2148-N		3036		4124-TP		500055	601145
598		1424		2148-X		3036-G		EC 4124-TP		500155	6023-351
600		1424-A		2148-Y		3037		4124-TPN		5000-R55	6035-351
605		1424-SL		2148-22		3038		4130		5001-R55	622453
610	31	1430	12	2210-N	57	3039	63	4130-N	36	5017-BOXED43	623253
612	31	1430-SL	12	2212-N	57	3040	63	4130-TP	36	5017-BUNDLED 43	641816
618	6	1436	12	2216-N		3040-WB	63	4130-TPN	36	5019-BOXED43	6418-A16
618-A		1436-A		2210-NR		3045		EC 4130-TP		5019-BUNDLED 43	6418-FX16
624		1436-SL		2212-NR		3046		4136		5026-BOXED42	642416
624-A		1410		2216-NR		3047		4136-N		5026-BUNDLED 42	6424-A16
636-A		1411		2216		3050		4136-TP		5032-BOXED42	6424-FX16
625		1411-G		2218		3110		EC 4136-TP		5032-BUNDLED 42	701814
626		1420		2218-A		3112		4136-TPN		5032-NW-BDL42	702414
627		1421		2218-FX		3116		4218		5036-BOXED42	721814
628		1422		2218-PB		3118		4218-N		5036-BUNDLED 42	722414
629		1425-X		2218-SL		3214		4224		5038-BOXED43	771814
700		1426		2224		3314		4224-N		5038-BUNDLED 43	772414
701		1426-X		2224-A	13	3314-N	64	4230		15017-BOXED 43	732425
702	65	1427	59	2224-FX	13	3318	64	4230-N	37	15017-BUNDLED 43	822438
712-X	6	1428-XC	59	2224-PB	13	3318-N	64	4236	37	15018-BOXED 43	8224-R38
712X-FH	24	1429	59	2224-SL	13	3324	64	4236-N	37	15018-BUNDLED 43	823038
718		1429-N		2230		3418		4318		15026-BOXED42	8230-R38
718-X		1514-P		2230-A		3324-N		4324		15026-BUNDLED42	823638
724		1516-P		2236		3518		4318-K		15032-BOXED 42	8236-R38
724-PB		1516-P-SL		2236-A		3518-A		4324-K		15032-BUNDLED42	841838
724-X		1518-P		2236-FX		3524		4312-S		510056	8418-R38
		1524-P		2236-SL				4312-SP		5100-R56	842438
724-X-PB						3524-A					
736		1614		2242-A		3530		4316-S		510156	8424-R38
818		1616		2310		3530-A		4318-PS		5101-R56	843038
824		1616-P		2310-B		3536		4318-S		5112-F55	8430-R38
836		1618		2312		3550		4406		511855	843638
904		1624		2312-B		3553		4406-R		5118-F55	8436-R38
905		1718		2316		3714		4410		512455	861840
906	84	1718-A	13	2316-B		3718	10	4410-R	60	5124-F55	862240
918-X	7	1724-AW	13	2318	57	3718-A	10	4412	60	513655	872239
924-X	7	1718-W	13	2318-B	57	3718-FX	10	4412-R	60	5136-F55	873039
930-X	7	1724		2418		3718-PB		4416	60	514855	882239
1012		1724-A		2418-A	13	3718-SL		4416-R		5148-F55	883039
1014		1724-W		2424		3724		4418		516055	8722-T39
1016		1736		2424-A		3724-A		4418-R		5160-F55	8730-T39
1018		1818		2436-A		3724-FX		4606		517255	8830-T39
1018-A		1824		2510		3724-17		4612		5172-F55	891840
				2512							
1018-SL		1918				3724-SL		4618		EC-511855	892240
1024		1924		2518		3730		4618-N		EC-512455	902240
1024-A		1924-A		2524		3730-A		4618-TP		EC-513655	912238
1024-SL		1930		2618		3736		EC 4618-TP		EC-514855	913038
1030		1930-A		2618-A		3736-A		4618-TPN		521255	923038
1036		1936		2624		3736-FX		4624		521855	
1036-A	7	2016	8	2624-A	8	3742-A	10	4624-N		522455	
1036-SL	7	2018	8	2630	8	3814	77	4624-TP	37	523655	
1118	7	2018-A	8	2636	8	3818-SL	11	EC 4624-TP	37	524855	
1118-A		2018-FX		2709		3824-SL		4624-TPN		526055	
										DE	_

# PRODUCT AND PURCHASING NOTES AND INFORMATION

# OTHER INFORMATION



# PRODUCT CATALOG

WWW.MAGNOLIABRUSH.COM P | 1.800.248.2261 F | 1.800.427.5231

ORDERS@MAGNOLIABRUSH.COM (orders only)

